

EHLASS

Report for Ireland

2000



**Prepared by:
The Information Management Unit
Department of Health and Children
Hawkins House
Hawkins Street
Dublin 2
Republic of Ireland**

Table of Contents

	Page
INTRODUCTION	
General Demographic Data	1
Health Services Data	2
Accidents in Ireland.....	3
The EHLASS Survey	4
MAIN RESULTS	
Accidents by Age Group and Sex.	6
Estimation of National Totals	7
Accidents by Month, Day and Time	8
Accident Mechanism.....	9
Place of Occurrence of Accidents.....	10
Activity at Time of Accident.....	11
Type of Injury Sustained	12
Part of Body Injured	13
Type of Treatment.....	14
Hospitalisation.....	15
Accident Mechanism:Length of Stay and Hospitalisation Rate	16
Type of Injury: Length of Stay and Hospitalisation Rate	17
Products Involved in Accidents	18
Products Causing Injuries	19
Products Involved in Accidents(Age Breakdown).....	20
Products Causing Injuries(Age Breakdown)	21
Selected Product Groups Broken Down by Type of Injury	22
Key Facts, Comments and Conclusions	23
Accident Prevention Initiatives	25
APPENDICES	
Accident Mechanism.....	29
Place of Accident	39
Activity at Time of Accident.....	44
Principal Injury Diagnosis.....	50
Part of Body Injured	59
Treatment and Follow Up.....	62
The Twenty Most Common Product Groups Involved in Accidents	65
The Twenty Most Common Product Groups Causing Injuries	77
Sample EHLASS coding form.....	89


General Demographic Data

The table and graph below show the population of Ireland broken down by age and sex from the most recent Census of Population, which was carried out in 1996. The total population on census night was 3,626,087.

Population by Age and Sex, 1996

Age	Males		Females		Total	
	Number	%age	Number	%age	Number	%age
0-4	128,740	7.2	121,654	6.7	250,394	6.9
5-9	145,335	8.1	137,608	7.5	282,943	7.8
10-14	167,377	9.3	158,710	8.7	326,087	9.0
15-19	173,950	9.7	165,586	9.1	339,536	9.4
20-24	149,143	8.3	144,211	7.9	293,354	8.1
25-29	129,363	7.2	129,682	7.1	259,045	7.1
30-34	127,735	7.1	133,194	7.3	260,929	7.2
35-39	126,140	7.0	129,536	7.1	255,676	7.1
40-44	120,064	6.7	120,377	6.6	240,441	6.6
45-49	113,816	6.3	111,584	6.1	225,400	6.2
50-54	94,818	5.3	91,829	5.0	186,647	5.1
55-59	77,809	4.3	75,998	4.2	153,807	4.2
60-64	68,690	3.8	69,256	3.8	137,946	3.8
65-69	60,256	3.3	66,553	3.6	126,809	3.5
70-74	50,124	2.8	62,418	3.4	112,542	3.1
75-79	35,228	2.0	48,869	2.7	84,097	2.3
80-84	21,074	1.2	34,697	1.9	55,771	1.5
85+	10,570	0.6	24,093	1.3	34,663	1.0
TOTAL	1,800,232	49.6	1,825,855	50.4	3,626,087	100.0

Population Distribution by Age and Sex, 1996



Source: Central Statistics Office

Health Services Data

The public health service in Ireland is administered by 7 health boards and the Eastern Regional Health Authority, which, in turn, is sub-divided into three boards. Acute hospital services are provided by health board and voluntary hospitals. The health board hospitals are managed by the health boards while voluntary hospitals are owned and operated by religious orders or incorporated by charter and work under lay boards of governors. Both types of hospitals are funded by the State. The following table gives the number of hospitals, the average number of in-patient beds available and the number of discharges by type of hospital. Long stay units and psychiatric hospitals are not included in these figures. Data on private health care are not readily available.

Acute Public Hospitals Summary Statistics, 2000

Type of Hospital	Number of Hospitals	Average Number of In-Patient Beds Available*	Number of Discharges*
Health Board	37	6,926	347,238
Voluntary	23	4,968	201,836
Total	60	11,894	549,074
per 100,000 population	1.6	314	14,499

Source: Department of Health and Children: In-Patient Activity System.

*Provisional figures.

The total number of whole-time equivalent personnel employed in the operation and administration of the public health service in 2000 was 81,513. The numbers employed in the medical/dental, nursing and paramedical professions are shown in the table below. The rate per 100,000 population for each of the categories is also given. The figures do not include general practitioners. In 2000 there were 1,798 GP's paid on a fee-per-panel patient basis for the provision of services to those entitled to free GP services. The number of health professionals employed in the provision of private health care is not available.

Employment of Medical/Dental, Nursing and Para-Medical Personnel in the Public Health Services, 2000

Profession	Numbers Employed	Per 100,000 Population
Medical/Dental	5,698	150
Nursing	29,177	770
Paramedical	6,423	201
Total	42,488	1,122

Source: Department of Health and Children: Personnel Census System

Note: Numbers refer to whole-time equivalents

Accidents in Ireland

Deaths from Accidents

Provisional figures for 1999 show that there were 1,240 deaths resulting from accidents. The principal causes were motor vehicle traffic accidents (398 deaths, 32%) and accidental falls (289 deaths, 23%). Accidents accounted for almost 4% of all deaths and ranked fourth after cardiovascular disease, cancer and respiratory system diseases.

For deaths to persons less than 45 years of age (excluding infant deaths), accidents were the principal cause of death and were responsible for almost 32% of all deaths in that age group. The most common cause of accidental death in this age group was motor vehicle traffic accidents (259 deaths, 48.5%). Accidental poisoning ranked second (73 deaths, 13.7%) and accidental drowning ranked third (41 deaths, 7.7%).

The table below sets out frequencies and percentages for principal causes of death in 1999.

**Principal Causes of Death, 1999 for All Ages
and for Persons Aged 1-44 Years**

Cause of Death	All Ages	Percent	1-44 Years	Percent
Circulatory Diseases	12,996	41.0	192	11.5
Cancer	7,454	23.5	334	20.0
Respiratory Diseases	5,204	16.4	44	2.6
Accidents	1,240	3.9	534	31.9
Other Causes	4,789	15.1	568	34.0
Total	31,683	100.0	1,672	100.0

Note: All figures are provisional based on year of registration.

Hospitalisation from Accidents

The Hospital In-Patient Enquiry (HIPE) system shows that in 2000, over 9.1% of hospital in-patient discharges were attributable to accidental injuries. This figure is considerably higher for the younger age groups as shown in the table below.

Hospitalisation due to Accidents Number and Percentage of Total, 2000

	1-14 years	15-24 years	25-44 years	All Ages
Accidents	10,676	9,453	10,349	48,438
% of Total Discharges	18.0	14.5	7.4	9.1

Source: Hospital In-Patient Enquiry, 2000.

Note: The HIPE system has approximately 96% coverage of acute hospital in-patient discharges.

The EHLASS Survey

Origins and Purpose of EHLASS

The EHLASS survey was set up in April 1986 as a five-year demonstration project. The objective was to monitor home and leisure accidents in a harmonised manner, throughout the EU, to determine their causes, the circumstances of their occurrence, their consequences and, most importantly, to provide information on consumer products involved. Armed with accurate information, it was felt that consumer policy could be directed at the most serious problems and the best use could be made of available resources.

Data collection systems were set up for the collection of EHLASS data in the casualty departments of selected hospitals in each of the member states. The information was subsequently gathered together by the European Commission in Brussels. Extensive analysis was undertaken on 778,838 accidents reported throughout the EU. Centralised analysis of EHLASS data proved problematic due to lack of co-ordination in data quality. In 1989 it was decided that each member state should produce its own annual EHLASS report in a harmonised format specified by the European Commission. This report is the ninth such report for Ireland.

EHLASS in Ireland

Data collection began in Ireland in April, 1986 in Cork University Hospital and Mayo General Hospital, Castlebar. Two people are employed in each of these hospitals to carry out the collection of the data and the coding of the forms. The task is performed by nurses in Cork University Hospital and in Mayo General Hospital the work is carried out by clerical staff. In addition, the Hospital Administrator, the Medical Records Officer and Casualty staff in each hospital assist in overseeing the data collection process. The completed forms are sent to the Department of Health and Children where they are individually checked for completeness and validity. The checked forms are sent to an external agency for keying into a computer file. Further validations are carried out to prevent errors being included in the annual report.

There are guidelines as to which cases are to be included in EHLASS and there is a set coding methodology used in the data capture process. These have been set down by the EU and have been followed throughout in the collection of EHLASS data. Essentially EHLASS includes all home and leisure accidents where the persons involved sought treatment at the casualty department of either of the two hospitals involved in the survey. Excluded from the survey are accidents on the road, accidents at work, suicide attempts and intentionally inflicted injuries through acts of violence (except in the case of fights between children under 10).

The two participating hospitals in Ireland reported on 7,102 EHLASS accidents in 2000. Cork University Hospital reported 5,332 accidents while Mayo General Hospital reported the remaining 1,770 (see table on page 5). The two hospitals have different types of catchment areas. Mayo General serves a large, predominately rural area while Cork University operates in the suburbs of a city.

Although the two hospitals together serve a reasonably varied urban/rural population base, these areas are not sufficiently definable or representative to arrive at national estimates or to calculate relative risks. The inclusion of a hospital in Dublin, the main urban area, in the survey would help resolve this problem. Nevertheless, EHLASS data is very valuable in showing the distribution of accidents and their consequent injuries and in identifying products with high risks.

Hospitals Participating in the EHLASS Survey, 2000


HOSPITAL	Average Number of In-Patient Beds Available*	Number of Discharges*	EHLASS Accidents Reported
Cork University	542	26,081	5,332
Mayo General	213	14,973	1,770

Source: Department of Health and Children: In-Patient Activity System.


*Provisional figures.

Accidents by Age Group and Sex.


Accident Distribution by Age, 2000 Males



Accident Distribution by Age, 2000 Females



Accident Distribution Male/Female Split by Age 2000




Estimation of National Totals

Reliable estimates of total home and leisure accidents occurring in Ireland cannot be based on the present EHLASS survey results. While it is thought that the hospitals involved in the survey represent a reasonable cross-section of urban and rural communities, the size of each hospital's catchment area is not sufficiently precise to allow for the extrapolation of the data to produce national estimates.


It is hoped that further specification of catchment areas and/or the addition of a representative hospital in the Dublin area to the EHLASS survey may make the determination of national estimates of accidents and relative risk feasible in future reports.

Accidents by Month, Day and Time


Distribution of Accidents by Month, 2000



Distribution of Accidents by Day of Week, 2000




Distribution of Accidents by Time of Day, 2000




Accident Mechanism

Percentage Distribution of Most Frequent Mechanisms, 2000




Accident Mechanism by Age - Males

Percentage Distribution of Most Frequent Mechanisms, 2000




Accident Mechanism by Age - Females

Percentage Distribution of Most Frequent Mechanisms, 2000




Place of Occurrence of Accidents


Percentage Distribution of Most Frequent Places, 2000



Place of Accident by Age - Males
Percentage Distribution of Most Frequent Places, 2000




Place of Accident by Age - Females
Percentage Distribution of Most Frequent Places, 2000




Activity at Time of Accident


Percentage Distribution of Most Frequent Activities, 2000



Activity by Age - Males
Percentage Distribution of Most Frequent Activities, 2000




Activity by Age - Females
Percentage Distribution of Most Frequent Activities, 2000




Type of Injury Sustained


Percentage Distribution of Accidents
Most Frequent Injury Type, 2000



Principal Injury Diagnosis by Age - Males
Percentage Distribution of Most Frequent Injuries, 2000




Principal Injury Diagnosis by Age - Females
Percentage Distribution of Most Frequent Injuries, 2000




Part of Body Injured


Percentage Distribution of Most Frequent Parts of the Body Injured, 2000



Part of Body Injured by Age - Males Percentage Distribution of Most Frequent Body Parts Injured, 2000




Part of Body Injured by Age - Females Percentage Distribution of Most Frequent Body Parts Injured, 2000



Type of Treatment


Percentage Distribution of Treatments, 2000



Type of Treatment by Age - Males Percentage Distribution of Treatments, 2000




Type of Treatment by Age - Females Percentage Distribution of Treatments, 2000




Hospitalisation

Distribution of Accidents Resulting in Hospitalisation by Length of Stay in Days, 2000




Average Length of Stay in Days by Age Group, 2000




Accident Mechanism: Length of Stay and Hospitalisation Rate

Average Length of Stay by Accident Mechanism, 2000




Hospitalisation Rate per 100 Accidents by Accident Mechanism, 2000




Type of Injury: Length of Stay and Hospitalisation Rate

Average Length of Stay
by Type of Injury, 2000



Hospitalisation Rate per 100 Accidents
by Type of Injury, 2000



Products Involved in Accidents

The twenty most common product groups involved in accidents ranked by accident frequency and also showing percentage of all accidents, hospitalisation rates and average length of stay in days.

DESCRIPTION OF PRODUCT GROUPING	EHLASS CODE	NUMBER OF ACCIDENTS	PERCENT OF ALL ACCIDENTS	HOSPITALISATION RATE	AVERAGE LENGTH OF STAY
Skiing tennis wind-surfing swimming etc.	51	2349	33.08	6.68	1.84
House building elements	7	951	13.39	13.99	2.58
Clothing sportswear	5	604	8.51	6.46	2
Household furniture	23	410	5.77	14.63	2.28
Floor footpath street water	34	316	4.45	12.34	2.08
Vehicles car accessories boats bikes	45	301	4.24	23.59	2.3
Sports articles	52	281	3.96	11.39	3.09
Kitchen utensils electric household	25	146	2.06	8.9	2.23
'Do-it-yourself' equipment	10	137	1.93	21.17	3.21
Food hot liquids	16	135	1.9	25.19	5.21
Fair playground	42	120	1.69	20.83	1.6
Animals and animal accessories	37	113	1.59	13.27	2.73
Athletics boxing golf horse riding etc.	50	104	1.46	8.65	1.89
Building materials insulation wood	11	102	1.44	11.76	2.75
Floors inside coverings stairs	22	77	1.08	15.58	1.58
Footwear	17	75	1.06	5.33	3.5
Garden equipment	19	67	0.94	29.85	2.55
Heating equipment	20	65	0.92	18.46	4.33
Bathroom equipment	21	48	0.68	18.75	2.67
Plants trees	38	45	0.63	22.22	2.8
Other product codes	98	394	5.55	16.24	3.32
Unknown	99	262	3.69	15.27	2.48
Total		7102	100.01	11.81	2.33

Products Causing Injuries

The twenty most common product groups causing injuries ranked by accident frequency and also showing percent of all accidents, hospitalisation rates and average length of stay in days.

DESCRIPTION OF PRODUCT GROUPING	EHLASS CODE	NUMBER OF ACCIDENTS	PERCENT OF ALL ACCIDENTS	HOSPITALISATION RATE	AVERAGE LENGTH OF STAY
Skiing tennis wind-surfing swimming etc.	51	2352	33.98	6.97	1.88
House building elements	7	919	13.28	14.04	2.78
Clothing sportswear	5	599	8.65	6.68	2
Household furniture	23	378	5.46	14.81	2.34
Floor footpath street water	34	317	4.58	13.25	2.12
Vehicles car accessories boats bikes	45	287	4.15	23.69	2.32
Sports articles	52	268	3.87	11.19	3.07
Food hot liquids	16	147	2.12	26.53	4.28
Kitchen utensils electric household	25	134	1.94	9.7	2.46
Fair playground	42	119	1.72	21.01	1.6
'Do-it-yourself' equipment	10	118	1.7	23.73	3.32
Animals and animal accessories	37	113	1.63	14.16	2.69
Building materials insulation wood	11	102	1.47	11.76	2.75
Athletics boxing golf horse riding etc.	50	101	1.46	8.91	1.89
Floors inside coverings stairs	22	69	1	23.19	1.81
Heating equipment	20	67	0.97	20.9	3.86
Garden equipment	19	66	0.95	30.3	2.55
Bathroom equipment	21	47	0.68	14.89	3.71
Plants trees	38	45	0.65	22.22	2.8
Other product codes	98	426	6.15	14.79	2.94
Unknown	99	428	6.18	8.8	2.56
Total		7102	102.6	11.81	2.31

Products Involved in Accidents (Age Breakdown)

The twenty most common product groups involved in accidents ranked by accident frequency and distributed by age group









PRODUCT INVOLVED IN ACCIDENT	AGE GROUPS							ALL
	< 1	1-4	5-14	15-24	25-44	45-64	65+	AGE GROUPS
Clothing or sportswear	-	7	149	337	107	3	1	604
House building elements	4	155	185	175	192	119	121	951
DIY equipment	1	3	10	21	49	36	17	137
Building materials, insulation, wood	-	9	16	19	19	16	23	102
Food, hot-liquids	6	32	17	22	34	16	8	135
Footwear	-	-	12	29	28	5	1	75
Garden equipment	-	9	5	10	14	18	11	67
Heating equipment	-	16	19	8	11	3	8	65
Bathroom equipment	-	8	4	5	10	8	13	48
Floor, inside coverings, stairs	3	6	8	11	16	14	19	77
Household furniture	10	152	67	28	46	49	58	410
Kitchen utensils, household electricity	1	20	21	39	46	16	3	146
Floor, footpath, street, water	1	34	52	38	80	59	52	316
Animals, animal accessories	1	8	30	13	21	25	15	113
Plants, trees	-	3	25	5	6	4	2	45
Fairs, playgrounds	-	34	77	8	1	-	-	120
Vehicles, boats, bikes & accessories	-	29	131	72	41	19	9	301
Athletics, boxing, golf, horse riding	-	3	24	31	32	9	5	104
Skiing, tennis, swimming, wind-surfing	-	14	562	1108	578	61	26	2349
Sports articles	-	7	78	96	81	15	4	281
Other product	23	104	51	61	97	33	25	394
No product stated	3	26	102	55	36	14	26	262

Products Causing Injuries (Age Breakdown)

The twenty most common product groups causing injuries ranked by accident frequency and distributed by age group

PRODUCT CAUSING THE ACCIDENT	AGE GROUPS	ALL
Clothing or sportswear	-, 7, 148, 334, 106, 3, 1, 599	
House building elements	5, 151, 187, 162, 184, 110, 120, 919	
DIY equipment	-, 5, 9, 21, 36, 30, 17, 118	
Building materials, insulation, wood	-, 9, 16, 19, 19, 16, 23, 102	
Food, hot-liquids	7, 31, 18, 21, 39, 23, 8, 147	
Garden equipment	-, 9, 5, 10, 12, 19, 11, 66	
Heating equipment	1, 17, 17, 8, 13, 3, 8, 67	
Bathroom equipment	-, 8, 4, 6, 9, 7, 13, 47	
Floor, inside coverings, stairs	3, 12, 5, 10, 10, 11, 18, 69	
Household furniture	10, 136, 60, 27, 38, 50, 57, 378	
Kitchen utensils, household electricity	1, 19, 18, 34, 45, 14, 3, 134	
Floor, footpath, street, water	1, 37, 53, 42, 72, 60, 52, 317	
Animals, animal accessories	1, 8, 30, 14, 21, 24, 15, 113	
Plants, trees	-, 3, 24, 4, 8, 4, 2, 45	
Fairs, playgrounds	-, 34, 76, 8, 1, -, -, 119	
Vehicles, boats, bikes & accessories	-, 29, 124, 69, 39, 18, 8, 287	
Athletics, boxing, golf, horse riding	-, 3, 23, 32, 29, 9, 5, 101	
Skiing, tennis, swimming, wind-surfing	-, 14, 556, 1110, 584, 62, 26, 2352	
Sports articles	-, 6, 75, 92, 78, 13, 4, 268	
Other product	21, 100, 62, 77, 109, 33, 24, 426	
No product stated	3, 25, 98, 50, 33, 14, 25, 248	
TOTAL	53, 663, 1608, 2150, 1485, 523, 440, 6922	

Selected Product Groups Broken Down by Type of Injury



Key Facts, Comments and Conclusions

These comments are intended to highlight important features of the data. They are presented in the same order as the chapter headings in the main body of the report.

Accidents by Age Group and Sex

The male to female ratio of accidents in the report was 67.2% male to 32.8% female (p. 7). The male to female breakdown in 2000 was 4,769 accidents to males and 2,333 accidents to females. This is consistent with previous years. A large portion of accidents occurred to people in the age groups below the age of 25 years. 67.9% of male victims and 57.2% of female victims were in these age groups. In the 75 years and older age bracket, more females were involved in accidents than males (6.9% females : 1.1% males).

Accidents by Month, Day and Time

Fewer accidents were recorded during the winter months (p. 8). More accidents are reported early in the week and during weekends. Fewer accidents are treated at night time. These statistics only refer to time and day of attendance at hospital and do not necessarily reflect the distribution of the day of occurrence of the accidents.

Accident Mechanism

The 'struck/hit' mechanism category accounted for over 42% of all accidents recorded (p. 9). This varied according to sex, 52% for males but only 23% for females. Likewise, 56% of accidents involving females were due to falls compared to 30% in males. The age distribution for falls shows significantly higher risks in the very young and very old age groups for both sexes with falls accounting for two out of every three accident to women in the 65+ age bracket and for both sexes in the under 1 age group.

Place of Occurrence

The most frequently reported place of occurrence of home and leisure accidents in 2000 was the 'sports area' (p. 10). In the 15-24 age group approximately 78% of male and 35% of female accidents happened in a 'sports area'. However, for the very young and very old 'in the home' and 'around the home' are by far the more frequent places of occurrence and also account for over 63% of all accidents to females.

Activity at Time of Accident

Once again sports rank as the most frequent activity associated with accidents (p. 11). Sporting activities were involved in nearly 55% of all accidents to males and for over 78% of males in the 15-24 age group. Not surprisingly, among the very young the play and leisure category accounts for most accidents.

Type of Injury Sustained

As in earlier years, contusions/bruises account for around over in four injuries sustained and this is consistently high in all age groups for both sexes (p. 12). Fractures occurred in a third of

injuries treated in women aged 65 years of age and over.

Part of Body Injured

Injuries to the limbs account for nearly 70% of the total for all age groups and for both sexes. The exception to this general trend occurs to children aged less than 5 years where most injuries are to the head and face (p. 13).

Type of Treatment

Around 40% of home and leisure accidents were categorised as 'minor' while fewer than 12% required hospitalisation. Over 48% received some treatment and were then released. The percentages hospitalised are higher for the younger and older age groups (p. 14). One death was reported in 2000.

Hospitalisation

839 patients were hospitalised of the 7,102 cases reported. Over 46% of hospitalised patients were discharged after only 1 day and the mean length of stay was 3.9 days. The average length of stay was significantly higher for the very old (p. 15).

The accident mechanism 'hot object' resulted in the longest average length of stay of just over 8 days. 38 out of 88 of the 'poisoning' victims were hospitalised resulting in the highest hospitalisation rate of 43%. The highest mean length of stay for Type of Injury was 6.5 days for 'burns/scalds'. Crushing/amputation had the highest hospitalisation rate of 52% (p. 17).

Products Involved in Accident/Causing Injury

Sports articles, sports products (i.e. tennis, wind-surfing, swimming etc.) and house building elements (i.e. doors, glass, stairs etc.), combined, were involved in over a third of all accidents and caused over a third of all injuries (pp. 18-21). Injuries caused by 'foods and hot liquids' had the highest hospitalisation rate of just under 27 per 100 accidents and the longest average length of stay of over 4 days. Product groupings are associated with different patterns of injury types as shown in a selection of bar charts presented on page 22.

The Appendices present a more detailed analysis of the data for each of the variables listed above by age group and sex.

Accident Prevention Initiatives

Health Promotion Structure

A National Health Promotion structure was established by the Government in 1988 in recognition of the fact that the provision of information and education on health needed to be supported by an environment that made healthy choices easier for people. The creation of such an environment requires the co-operation of many sectors other than the traditional health sector. The prevention of accidents is a good example of an area that requires such a multi-sectoral approach.

The National Health Promotion structure consists of the following elements: -

Health Promotion Unit - the national executive unit for health promotion located within the Department of Health and Children.

National Consultative Committee on Health Promotion - chaired by the Minister of State at the Department of Health and Children.

University Chair of Health Promotion - involved in multi-disciplinary research and teaching programmes in health promotion.

The National Health Strategy

In April 1994 the Minister for Health launched a comprehensive National Health Strategy in which accidents are identified as one of the main causes of premature mortality in Ireland.

Road traffic accidents are by far the most common cause of accidental deaths, and the risk factors include alcohol consumption, road and vehicle safety and driver behaviour. Accidental deaths and injuries also arise as a result of reducible risk factors in the home, in the workplace and in leisure activities. There has been a welcome decreasing trend in accidental deaths which, across age groups as a whole, fell by about 37 per cent over the past twenty years. This level of reduction is broadly similar to the rate of decline which was set by the World Health Organisation as a target in the mid 1980's i.e. a reduction of at least 25 per cent by the year 2000.

The Health Promotion Strategy

A new Health Promotion Strategy will be published later this year. The purpose of this new health promotion strategy will be to set out a broad policy framework within which action can be carried out at an appropriate level to advance strategic aims and objectives. This strategy aims to promote a holistic approach to health in Ireland.

One of the strategic aims will focus on safety and injury prevention. The specific aim will be to contribute to a reduction in the percentage of the population affected by fatal and nonfatal injuries. The Objectives will be:

- To work in partnership to promote safety and injury prevention especially amongst children and older people.
- To support the implementation of the recommendations in the Government Strategy, The Road to Safety 1998-2002 and A National Alcohol Policy.

Specific Initiatives

The Health Promotion Unit has produced or supported the production of a number of educational resources aimed at preventing accidents.

Play it Safe: a guide to preventing children's accidents.

A First Aid Calendar giving information on what to do in the event of an accident.

A Back Care booklet aimed at preventing back injury.

A new information booklet for professionals, *Childcare and SIDS*, and an accompanying leaflet for the general public *Caring for your Child* were launched in 1999. The booklet was produced by the Irish Sudden Infant Death Association and funded by the Health Promotion Unit. The leaflet is included in the Bounty Pack that is distributed to all new mothers in Maternity Hospitals.

National Accident Forum

The Office for Health Gain (representing the Chief Executive Officers of the health boards) established a National Accident Forum in 1996. Its aim is to facilitate a co-ordinated approach to accident prevention at national and regional level by collaboration and co-operation among agencies with a role in accident prevention and by raising the profile and scope of injury prevention. The Health Promotion Unit is represented on the Forum.

The Forum is running a National Medicines Safety Campaign which addresses childhood poisoning. The campaign consists of guidelines published by the Pharmaceutical Society of Ireland. These stipulate that it is now a professional requirement that Child Resistant Containers should always be used for both solid dose and liquid medicines.

Two sub-groups of this Forum have been set up - one working on the issue of Accidents Among Older People and one on Accidents Among Young People.

Use of EHLASS Data

EHLASS provides a harmonised approach throughout the EU to facilitate the analyses of inter-country differences in modes and distributions of home and leisure accidents. EHLASS contributes to the formulation of EU policies and initiatives on accidents and product safety. EHLASS is the only source of detailed information on home and leisure accidents in Ireland. Some general information is available through the Hospital In-Patient Enquiry (HIPE) system but this concentrates on medical diagnoses rather than on specific causes of accidents

This report is the tenth national EHLASS report for Ireland. These reports are aids to identifying those more likely to be at risk of being involved in home and leisure accidents and the products and activities most likely to be associated with these events. This can facilitate the targeting of suitable areas for accident prevention initiatives.

The following current areas of use can be identified:

input into Health Promotion initiatives;

- ◆ provision of data to domestic consumer organisations;
- ◆ analyses for international comparisons;
- ◆ determination of impact of accidents on the Health Services;
- ◆ identification of dangerous products.

Improvements to EHLASS

A review of EHLASS, aimed at updating and improving the usefulness and homogeneity of EHLASS data, is ongoing. An improved classification system is being designed and expanded so it may also be used to capture information on other types of accident and emergency activities. This will provide member states the option of using standard classification systems to obtain an overview of all cases attending casualty departments.

At home, the extension of EHLASS to an acute hospital in the Dublin urban area is an objective. A new working group to consider the complete picture of accident surveillance has recently been set up to consider where EHLASS and accident surveillance in general should progress from its current position.

Appendices

The following pages contain detailed tables of the results of the EHLASS data collection process in Ireland for 2000.

Each of the major fields of data is tabulated. The tables are broken down into male and female summaries with totals given in each case for both sexes. Every table is subdivided into age groups and a total is given for all age groups.

Within each category the actual number of accidents reported is given as the Frequency. The Row % is the percentage of the total number of accidents in that category for each of the age groups. The Column % represents the percentage of accidents that the category in question represents for the given age group in relation to all categories. The number of accidents reported for each age group within a category is also expressed as a percentage of the total number of accidents recorded (% of Total).

Tables are given for the following categories:

- ◆ Accident Mechanism;
- ◆ Place of Occurrence;
- ◆ Activity at Time of Accident;
- ◆ Principal Injury Diagnosis;
- ◆ Part of Body Injured;
- ◆ Treatment and Follow-up;
- ◆ Product Involved in Accident;
- ◆ Product Causing Injury.

Accident Mechanism (Males)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	%ALL AGE,
		GROUPS							
Fall	FREQUENCY	17	197	421	310	254	141	109	1449
	ROW %	1.17	13.60	29.05	21.39	17.53	9.73	7.52	100.00
	COLUMN %	62.96	51.17	39.09	17.73	22.92	53.61	67.70	30.38
	% OF TOTAL	0.36	4.13	8.83	6.50	5.33	2.96	2.29	30.38
Strain	FREQUENCY	..	1	26	109	83	8	3	230
	ROW %	..	0.43	11.30	47.39	36.09	3.48	1.30	100.00
	COLUMN %	..	0.26	2.41	6.24	7.49	3.04	1.86	4.82
	% OF TOTAL	..	0.02	0.55	2.29	1.74	0.17	0.06	4.82
Cut/Pierce	FREQUENCY	1	21	41	66	59	31	13	232
	ROW %	0.43	9.05	17.67	28.45	25.43	13.36	5.60	100.00
	COLUMN %	3.70	5.45	3.81	3.78	5.32	11.79	8.07	4.86
	% OF TOTAL	0.02	0.44	0.86	1.38	1.24	0.65	0.27	4.86
Struck/Hit	FREQUENCY	..	63	515	1201	622	56	17	2474
	ROW %	..	2.55	20.82	48.54	25.14	2.26	0.69	100.00
	COLUMN %	..	16.36	47.82	68.71	56.14	21.29	10.56	51.88
	% OF TOTAL	..	1.32	10.80	25.18	13.04	1.17	0.36	51.88
Jammed/Pinned	FREQUENCY	..	32	33	25	26	8	5	129
	ROW %	..	24.81	25.58	19.38	20.16	6.20	3.88	100.00
	COLUMN %	..	8.31	3.06	1.43	2.35	3.04	3.11	2.70
	% OF TOTAL	..	0.67	0.69	0.52	0.55	0.17	0.10	2.70
Explosion	FREQUENCY	1	1
	ROW %	100.00	100.00
	COLUMN %	0.09	0.02
	% OF TOTAL	0.02	0.02

(Continued)

Accident Mechanism (Males)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE GROUPS
Other Contacts	FREQUENCY	4	11	5	8	5	4	37	
	ROW %	10.81	29.73	13.51	21.62	13.51	10.81	100.00	
	COLUMN %	1.04	1.02	0.29	0.72	1.90	2.48	0.78	
	% OF TOTAL	0.08	0.23	0.10	0.17	0.10	0.08	0.78	
Foreign Body, Ingestion of etc.	FREQUENCY	8	9	8	20	6	7	58	
	ROW %	13.79	15.52	13.79	34.48	10.34	12.07	100.00	
	COLUMN %	2.08	0.84	0.46	1.81	2.28	4.35	1.22	
	% OF TOTAL	0.17	0.19	0.17	0.42	0.13	0.15	1.22	
Poisoning	FREQUENCY	1	19	4	7	7	2	41	
	ROW %	2.44	46.34	9.76	17.07	17.07	4.88	100.00	
	COLUMN %	3.70	4.94	0.37	0.40	0.63	0.76	0.62	0.86
	% OF TOTAL	0.02	0.40	0.08	0.15	0.15	0.04	0.02	0.86
Chemical Exposure	FREQUENCY	1	1	1				3	
	ROW %	33.33	33.33	33.33				100.00	
	COLUMN %	0.26	0.09	0.06				0.06	
	% OF TOTAL	0.02	0.02	0.02				0.06	
Hot Liquid	FREQUENCY	3	21	5	1	6	2	38	
	ROW %	7.89	55.26	13.16	2.63	15.79	5.26	100.00	
	COLUMN %	11.11	5.45	0.46	0.06	0.54	0.76	0.80	
	% OF TOTAL	0.06	0.44	0.10	0.02	0.13	0.04	0.80	
Hot Object	FREQUENCY	2	5	2	1	2	2	15	
	ROW %	13.33	33.33	13.33	6.67	13.33	13.33	100.00	
	COLUMN %	7.41	1.30	0.19	0.06	0.18	0.76	0.62	0.31
	% OF TOTAL	0.04	0.10	0.04	0.02	0.04	0.04	0.02	0.31

(Continued)

Accident Mechanism (Males)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE, GROUPS
Fire	FREQUENCY	5	3	3	5	1	17		
	ROW %	29.41	17.65	17.65	29.41	5.88	100.00		
	COLUMN %	1.30	0.28	0.17	0.45	0.62	0.36		
	% OF TOTAL	0.10	0.06	0.06	0.10	0.02	0.36		
Other Thermal Exposure	FREQUENCY		1	2			3		
	ROW %		33.33	66.67			100.00		
	COLUMN %		0.09	0.11			0.06		
	% OF TOTAL		0.02	0.04			0.06		
Light & Other Radiation	FREQUENCY	1		4	1		6		
	ROW %	16.67		66.67	16.67		100.00		
	COLUMN %	0.26		0.23	0.09		0.13		
	% OF TOTAL	0.02		0.08	0.02		0.13		
Other Mechanism, Specified	FREQUENCY	3	7	3	2	11		26	
	ROW %	11.54	26.92	11.54	7.69	42.31		100.00	
	COLUMN %	11.11	1.82	0.28	0.11	0.99		0.55	
	% OF TOTAL	0.06	0.15	0.06	0.04	0.23		0.55	
Not Known	FREQUENCY		1	3	4	2	10		
	ROW %		10.00	30.00	40.00	20.00	100.00		
	COLUMN %		0.09	0.17	0.36	0.76	0.21		
	% OF TOTAL		0.02	0.06	0.08	0.04	0.21		
TOTAL	FREQUENCY	27	385	1077	1748	1108	263	161	4769
	ROW %	0.57	8.07	22.58	36.65	23.23	5.51	3.38	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.57	8.07	22.58	36.65	23.23	5.51	3.38	100.00

Accident Mechanism (Females)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	%ALL AGE, GROUPS
Fall	FREQUENCY	16	164	305	182	216	187	230	1300
	ROW %	1.23	12.62	23.46	14.00	16.62	14.38	17.69	100.00
	COLUMN %	61.54	55.78	53.70	41.08	49.43	67.03	80.42	55.72
	% OF TOTAL	0.69	7.03	13.07	7.80	9.26	8.02	9.86	55.72
Strain	FREQUENCY	..	2	16	22	25	8	4	77
	ROW %	..	2.60	20.78	28.57	32.47	10.39	5.19	100.00
	COLUMN %	..	0.68	2.82	4.97	5.72	2.87	1.40	3.30
	% OF TOTAL	..	0.09	0.69	0.94	1.07	0.34	0.17	3.30
Cut/Pierce	FREQUENCY	..	8	10	25	33	19	9	104
	ROW %	..	7.69	9.62	24.04	31.73	18.27	8.65	100.00
	COLUMN %	..	2.72	1.76	5.64	7.55	6.81	3.15	4.46
	% OF TOTAL	..	0.34	0.43	1.07	1.41	0.81	0.39	4.46
Struck/Hit	FREQUENCY	5	49	177	162	96	29	23	541
	ROW %	0.92	9.06	32.72	29.94	17.74	5.36	4.25	100.00
	COLUMN %	19.23	16.67	31.16	36.57	21.97	10.39	8.04	23.19
	% OF TOTAL	0.21	2.10	7.59	6.94	4.11	1.24	0.99	23.19
Jammed/Pinned	FREQUENCY	..	10	25	19	18	7	5	84
	ROW %	..	11.90	29.76	22.62	21.43	8.33	5.95	100.00
	COLUMN %	..	3.40	4.40	4.29	4.12	2.51	1.75	3.60
	% OF TOTAL	..	0.43	1.07	0.81	0.77	0.30	0.21	3.60
Explosion	FREQUENCY	1	1
	ROW %	100.00	100.00
	COLUMN %	0.23	0.04
	% OF TOTAL	0.04	0.04

(Continued)

Accident Mechanism (Females)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE GROUPS
Other Contacts	FREQUENCY	1	6	6	3	3	7	7	33
	ROW %	3.03	18.18	18.18	9.09	9.09	21.21	21.21	100.00
	COLUMN %	3.85	2.04	1.06	0.68	0.69	2.51	2.45	1.41
	% OF TOTAL	0.04	0.26	0.26	0.13	0.13	0.30	0.30	1.41
Foreign Body, Ingestion of etc.	FREQUENCY	.	11	7	5	13	3	1	40
	ROW %	.	27.50	17.50	12.50	32.50	7.50	2.50	100.00
	COLUMN %	.	3.74	1.23	1.13	2.97	1.08	0.35	1.71
	% OF TOTAL	.	0.47	0.30	0.21	0.56	0.13	0.04	1.71
Poisoning	FREQUENCY	.	19	5	8	8	4	3	47
	ROW %	.	40.43	10.64	17.02	17.02	8.51	6.38	100.00
	COLUMN %	.	6.46	0.88	1.81	1.83	1.43	1.05	2.01
	% OF TOTAL	.	0.81	0.21	0.34	0.34	0.17	0.13	2.01
Chemical Exposure	FREQUENCY	.	.	.	1	.	1	.	2
	ROW %	.	.	.	50.00	.	50.00	.	100.00
	COLUMN %	.	.	.	0.23	.	0.36	.	0.09
	% OF TOTAL	.	.	.	0.04	.	0.04	.	0.09
Hot Liquid	FREQUENCY	3	16	8	6	15	8	1	57
	ROW %	5.26	28.07	14.04	10.53	26.32	14.04	1.75	100.00
	COLUMN %	11.54	5.44	1.41	1.35	3.43	2.87	0.35	2.44
	% OF TOTAL	0.13	0.69	0.34	0.26	0.64	0.34	0.04	2.44
Hot Object	FREQUENCY	.	4	1	1	3	4	2	15
	ROW %	.	26.67	6.67	6.67	20.00	26.67	13.33	100.00
	COLUMN %	.	1.36	0.18	0.23	0.69	1.43	0.70	0.64
	% OF TOTAL	.	0.17	0.04	0.04	0.13	0.17	0.09	0.64

(Continued)

Accident Mechanism (Females)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE GROUPS
Fire	FREQUENCY	1		4	2	4	1	1	13
	ROW %	7.69		30.77	15.38	30.77	7.69	7.69	100.00
	COLUMN %	3.85		0.70	0.45	0.92	0.36	0.35	0.56
	% OF TOTAL	0.04		0.17	0.09	0.17	0.04	0.04	0.56
Light & Other Radiation	FREQUENCY				2	1			3
	ROW %				66.67	33.33			100.00
	COLUMN %				0.45	0.23			0.13
	% OF TOTAL				0.09	0.04			0.13
Other Mechanism, Specified	FREQUENCY		5	4	4		1		14
	ROW %		35.71	28.57	28.57		7.14		100.00
	COLUMN %		1.70	0.70	0.90		0.36		0.60
	% OF TOTAL		0.21	0.17	0.17		0.04		0.60
Not Known	FREQUENCY				1	1			2
	ROW %				50.00	50.00			100.00
	COLUMN %				0.23	0.23			0.09
	% OF TOTAL				0.04	0.04			0.09
TOTAL	FREQUENCY	26	294	568	443	437	279	286	2333
	ROW %	1.11	12.60	24.35	18.99	18.73	11.96	12.26	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	1.11	12.60	24.35	18.99	18.73	11.96	12.26	100.00

Accident Mechanism (Total)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE, GROUPS
Fall	FREQUENCY	33	361	726	492	470	328	339	2749
	ROW %	1.20	13.13	26.41	17.90	17.10	11.93	12.33	100.00
	COLUMN %	62.26	53.17	44.13	22.46	30.42	60.52	75.84	38.71
	% OF TOTAL	0.46	5.08	10.22	6.93	6.62	4.62	4.77	38.71
Strain	FREQUENCY	..	3	42	131	108	16	7	307
	ROW %	..	0.98	13.68	42.67	35.18	5.21	2.28	100.00
	COLUMN %	..	0.44	2.55	5.98	6.99	2.95	1.57	4.32
	% OF TOTAL	..	0.04	0.59	1.84	1.52	0.23	0.10	4.32
Cut/Pierce	FREQUENCY	1	29	51	91	92	50	22	336
	ROW %	0.30	8.63	15.18	27.08	27.38	14.88	6.55	100.00
	COLUMN %	1.89	4.27	3.10	4.15	5.95	9.23	4.92	4.73
	% OF TOTAL	0.01	0.41	0.72	1.28	1.30	0.70	0.31	4.73
Struck/Hit	FREQUENCY	5	112	692	1363	718	85	40	3015
	ROW %	0.17	3.71	22.95	45.21	23.81	2.82	1.33	100.00
	COLUMN %	9.43	16.49	42.07	62.21	46.47	15.68	8.95	42.45
	% OF TOTAL	0.07	1.58	9.74	19.19	10.11	1.20	0.56	42.45
Jammed/Pinned	FREQUENCY	..	42	58	44	44	15	10	213
	ROW %	..	19.72	27.23	20.66	20.66	7.04	4.69	100.00
	COLUMN %	..	6.19	3.53	2.01	2.85	2.77	2.24	3.00
	% OF TOTAL	..	0.59	0.82	0.62	0.62	0.21	0.14	3.00
Explosion	FREQUENCY	1	..	1	2
	ROW %	50.00	..	50.00	100.00
	COLUMN %	0.06	..	0.06	0.03
	% OF TOTAL	0.01	..	0.01	0.03

(Continued)

Accident Mechanism (Total)

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE GROUPS	
Other Contacts	FREQUENCY	1	10	17	8	11	12	11	70	
	ROW %	1.43	14.29	24.29	11.43	15.71	17.14	15.71	100.00	
	COLUMN %	1.89	1.47	1.03	0.37	0.71	2.21	2.46	0.99	
	% OF TOTAL	0.01	0.14	0.24	0.11	0.15	0.17	0.15	0.99	
Foreign Body, Ingestion of etc.	FREQUENCY		19	16	13	33	9	8	98	
	ROW %		19.39	16.33	13.27	33.67	9.18	8.16	100.00	
	COLUMN %		2.80	0.97	0.59	2.14	1.66	1.79	1.38	
	% OF TOTAL		0.27	0.23	0.18	0.46	0.13	0.11	1.38	
Poisoning	FREQUENCY	1	38	9	15	15	6	4	88	
	ROW %	1.14	43.18	10.23	17.05	17.05	6.82	4.55	100.00	
	COLUMN %	1.89	5.60	0.55	0.68	0.97	1.11	0.89	1.24	
	% OF TOTAL	0.01	0.54	0.13	0.21	0.21	0.08	0.06	1.24	
Chemical Exposure	FREQUENCY		1	1	2		1		5	
	ROW %		20.00	20.00	40.00		20.00		100.00	
	COLUMN %		0.15	0.06	0.09		0.18		0.07	
	% OF TOTAL		0.01	0.01	0.03		0.01		0.07	
Hot Liquid	FREQUENCY	6	37	13	7	21	10	1	95	
	ROW %	6.32	38.95	13.68	7.37	22.11	10.53	1.05	100.00	
	COLUMN %	11.32	5.45	0.79	0.32	1.36	1.85	0.22	1.34	
	% OF TOTAL	0.08	0.52	0.18	0.10	0.30	0.14	0.01	1.34	
Hot Object	FREQUENCY	2	9	3	2	5	6	3	30	
	ROW %	6.67	30.00	10.00	6.67	16.67	20.00	10.00	100.00	
	COLUMN %	3.77	1.33	0.18	0.09	0.32	1.11	0.67	0.42	
	% OF TOTAL	0.03	0.13	0.04	0.03	0.07	0.08	0.04	0.42	

(Continued)

Accident Mechanism (Total)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE, GROUPS
Fire	FREQUENCY	1	5	7	5	9	1	2	30
	ROW %	3.33	16.67	23.33	16.67	30.00	3.33	6.67	100.00
	COLUMN %	1.89	0.74	0.43	0.23	0.58	0.18	0.45	0.42
	% OF TOTAL	0.01	0.07	0.10	0.07	0.13	0.01	0.03	0.42
Other Thermal Exposure	FREQUENCY	.	.	1	2	.	.	.	3
	ROW %	.	.	33.33	66.67	.	.	.	100.00
	COLUMN %	.	.	0.06	0.09	.	.	.	0.04
	% OF TOTAL	.	.	0.01	0.03	.	.	.	0.04
Light & Other Radiation	FREQUENCY	.	1	.	6	2	.	.	9
	ROW %	.	11.11	.	66.67	22.22	.	.	100.00
	COLUMN %	.	0.15	.	0.27	0.13	.	.	0.13
	% OF TOTAL	.	0.01	.	0.08	0.03	.	.	0.13
Other Mechanism, Specified	FREQUENCY	3	12	7	6	11	1	.	40
	ROW %	7.50	30.00	17.50	15.00	27.50	2.50	.	100.00
	COLUMN %	5.66	1.77	0.43	0.27	0.71	0.18	.	0.56
	% OF TOTAL	0.04	0.17	0.10	0.08	0.15	0.01	.	0.56
Not Known	FREQUENCY	.	.	1	4	5	2	.	12
	ROW %	.	.	8.33	33.33	41.67	16.67	.	100.00
	COLUMN %	.	.	0.06	0.18	0.32	0.37	.	0.17
	% OF TOTAL	.	.	0.01	0.06	0.07	0.03	.	0.17
TOTAL	FREQUENCY	53	679	1645	2191	1545	542	447	7102
	ROW %	0.75	9.56	23.16	30.85	21.75	7.63	6.29	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.75	9.56	23.16	30.85	21.75	7.63	6.29	100.00

Place of Accident (Males)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	%ALL AGE, GROUPS
In The Home	FREQUENCY	26	258	155	127	170	83	83	902
	ROW %	2.88	28.60	17.18	14.08	18.85	9.20	9.20	100.00
	COLUMN %	96.30	67.01	14.39	7.27	15.34	31.56	51.55	18.91
	% OF TOTAL	0.55	5.41	3.25	2.66	3.56	1.74	1.74	18.91
Around The Home	FREQUENCY	1	92	244	85	83	56	35	596
	ROW %	0.17	15.44	40.94	14.26	13.93	9.40	5.87	100.00
	COLUMN %	3.70	23.90	22.66	4.86	7.49	21.29	21.74	12.50
	% OF TOTAL	0.02	1.93	5.12	1.78	1.74	1.17	0.73	12.50
Transport Area	FREQUENCY	.	6	31	44	34	27	10	152
	ROW %	.	3.95	20.39	28.95	22.37	17.76	6.58	100.00
	COLUMN %	.	1.56	2.88	2.52	3.07	10.27	6.21	3.19
	% OF TOTAL	.	0.13	0.65	0.92	0.71	0.57	0.21	3.19
Work	FREQUENCY	.	4	14	52	87	41	21	219
Si te/Agri cul tu- ral Area	ROW %	.	1.83	6.39	23.74	39.73	18.72	9.59	100.00
	COLUMN %	.	1.04	1.30	2.97	7.85	15.59	13.04	4.59
	% OF TOTAL	.	0.08	0.29	1.09	1.82	0.86	0.44	4.59
School Area	FREQUENCY	.	2	35	4	2	.	.	43
	ROW %	.	4.65	81.40	9.30	4.65	.	.	100.00
	COLUMN %	.	0.52	3.25	0.23	0.18	.	.	0.90
	% OF TOTAL	.	0.04	0.73	0.08	0.04	.	.	0.90
Shop/Servi ce Area	FREQUENCY	.	4	5	8	4	1	.	22
	ROW %	.	18.18	22.73	36.36	18.18	4.55	.	100.00
	COLUMN %	.	1.04	0.46	0.46	0.36	0.38	.	0.46
	% OF TOTAL	.	0.08	0.10	0.17	0.08	0.02	.	0.46

(Conti nued)

Place of Accident (Males)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE
Sports Area	FREQUENCY	13	547	1379	672	38	5	2654	
	ROW %	0.49	20.61	51.96	25.32	1.43	0.19	100.00	
	COLUMN %	3.38	50.79	78.89	60.65	14.45	3.11	55.65	
	% OF TOTAL	0.27	11.47	28.92	14.09	0.80	0.10	55.65	
Lei sure Area	FREQUENCY	5	43	47	50	16	6	167	
	ROW %	2.99	25.75	28.14	29.94	9.58	3.59	100.00	
	COLUMN %	1.30	3.99	2.69	4.51	6.08	3.73	3.50	
	% OF TOTAL	0.10	0.90	0.99	1.05	0.34	0.13	3.50	
Other Areas	FREQUENCY	1	2		2			5	
	ROW %	20.00	40.00		40.00			100.00	
	COLUMN %	0.26	0.19		0.18			0.10	
	% OF TOTAL	0.02	0.04		0.04			0.10	
Not Known	FREQUENCY		1	2	4	1	1	9	
	ROW %		11.11	22.22	44.44	11.11	11.11	100.00	
	COLUMN %		0.09	0.11	0.36	0.38	0.62	0.19	
	% OF TOTAL		0.02	0.04	0.08	0.02	0.02	0.19	
TOTAL	FREQUENCY	27	385	1077	1748	1108	263	4769	
	ROW %	0.57	8.07	22.58	36.65	23.23	5.51	3.38	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	
	% OF TOTAL	0.57	8.07	22.58	36.65	23.23	5.51	3.38	100.00

Place of Accident (Females)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	%ALL AGE,
		GROUPS							
In The Home	FREQUENCY	26	212	131	132	217	153	186	1057
	ROW %	2.46	20.06	12.39	12.49	20.53	14.47	17.60	100.00
	COLUMN %	100.00	72.11	23.06	29.80	49.66	54.84	65.03	45.31
	% OF TOTAL	1.11	9.09	5.62	5.66	9.30	6.56	7.97	45.31
Around The Home	FREQUENCY		51	144	59	52	65	55	426
	ROW %		11.97	33.80	13.85	12.21	15.26	12.91	100.00
	COLUMN %		17.35	25.35	13.32	11.90	23.30	19.23	18.26
	% OF TOTAL		2.19	6.17	2.53	2.23	2.79	2.36	18.26
Transport Area	FREQUENCY		4	25	22	36	21	23	131
	ROW %		3.05	19.08	16.79	27.48	16.03	17.56	100.00
	COLUMN %		1.36	4.40	4.97	8.24	7.53	8.04	5.62
	% OF TOTAL		0.17	1.07	0.94	1.54	0.90	0.99	5.62
Work	FREQUENCY		3	6	13	31	9	6	68
Si te/Agri cul tu-	ROW %		4.41	8.82	19.12	45.59	13.24	8.82	100.00
ral Area	COLUMN %		1.02	1.06	2.93	7.09	3.23	2.10	2.91
	% OF TOTAL		0.13	0.26	0.56	1.33	0.39	0.26	2.91
School Area	FREQUENCY		10	29	7	1			47
	ROW %		21.28	61.70	14.89	2.13			100.00
	COLUMN %		3.40	5.11	1.58	0.23			2.01
	% OF TOTAL		0.43	1.24	0.30	0.04			2.01
Shop/Servi ce	FREQUENCY		4	2	4	8	7	1	26
Area	ROW %		15.38	7.69	15.38	30.77	26.92	3.85	100.00
	COLUMN %		1.36	0.35	0.90	1.83	2.51	0.35	1.11
	% OF TOTAL		0.17	0.09	0.17	0.34	0.30	0.04	1.11

(Continued)

Place of Accident (Females)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE, GROUPS
Sports Area	FREQUENCY	7	190	157	64	11	6	435	
	ROW %	1.61	43.68	36.09	14.71	2.53	1.38	100.00	
	COLUMN %	2.38	33.45	35.44	14.65	3.94	2.10	18.65	
	% OF TOTAL	0.30	8.14	6.73	2.74	0.47	0.26	18.65	
Lei sure Area	FREQUENCY	2	40	46	28	13	8	137	
	ROW %	1.46	29.20	33.58	20.44	9.49	5.84	100.00	
	COLUMN %	0.68	7.04	10.38	6.41	4.66	2.80	5.87	
	% OF TOTAL	0.09	1.71	1.97	1.20	0.56	0.34	5.87	
Other Areas	FREQUENCY	1	1				1	3	
	ROW %	33.33	33.33				33.33	100.00	
	COLUMN %	0.34	0.18				0.35	0.13	
	% OF TOTAL	0.04	0.04				0.04	0.13	
Not Known	FREQUENCY				3			3	
	ROW %				100.00			100.00	
	COLUMN %				0.68			0.13	
	% OF TOTAL				0.13			0.13	
TOTAL	FREQUENCY	26	294	568	443	437	279	2333	
	ROW %	1.11	12.60	24.35	18.99	18.73	11.96	12.26	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	1.11	12.60	24.35	18.99	18.73	11.96	12.26	100.00

Place of Accident (Total)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	% ALL AGE
In The Home	FREQUENCY	52	470	286	259	387	236	269	1959
	ROW %	2.65	23.99	14.60	13.22	19.75	12.05	13.73	100.00
	COLUMN %	98.11	69.22	17.39	11.82	25.05	43.54	60.18	27.58
	% OF TOTAL	0.73	6.62	4.03	3.65	5.45	3.32	3.79	27.58
Around The Home	FREQUENCY	1	143	388	144	135	121	90	1022
	ROW %	0.10	13.99	37.96	14.09	13.21	11.84	8.81	100.00
	COLUMN %	1.89	21.06	23.59	6.57	8.74	22.32	20.13	14.39
	% OF TOTAL	0.01	2.01	5.46	2.03	1.90	1.70	1.27	14.39
Transport Area	FREQUENCY	..	10	56	66	70	48	33	283
	ROW %	..	3.53	19.79	23.32	24.73	16.96	11.66	100.00
	COLUMN %	..	1.47	3.40	3.01	4.53	8.86	7.38	3.98
	% OF TOTAL	..	0.14	0.79	0.93	0.99	0.68	0.46	3.98
Work	FREQUENCY	..	7	20	65	118	50	27	287
Si te/Agri cul tu-	ROW %	..	2.44	6.97	22.65	41.11	17.42	9.41	100.00
ral Area	COLUMN %	..	1.03	1.22	2.97	7.64	9.23	6.04	4.04
	% OF TOTAL	..	0.10	0.28	0.92	1.66	0.70	0.38	4.04
School Area	FREQUENCY	..	12	64	11	3	90
	ROW %	..	13.33	71.11	12.22	3.33	100.00
	COLUMN %	..	1.77	3.89	0.50	0.19	1.27
	% OF TOTAL	..	0.17	0.90	0.15	0.04	1.27
Shop/Servi ce	FREQUENCY	..	8	7	12	12	8	1	48
Area	ROW %	..	16.67	14.58	25.00	25.00	16.67	2.08	100.00
	COLUMN %	..	1.18	0.43	0.55	0.78	1.48	0.22	0.68
	% OF TOTAL	..	0.11	0.10	0.17	0.17	0.11	0.01	0.68

(Conti nued)

Place of Accident (Total)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE, GROUPS
Sports Area	FREQUENCY	20	737	1536	736	49	11	3089	
	ROW %	0.65	23.86	49.72	23.83	1.59	0.36	100.00	
	COLUMN %	2.95	44.80	70.10	47.64	9.04	2.46	43.49	
	% OF TOTAL	0.28	10.38	21.63	10.36	0.69	0.15	43.49	
Leisure Area	FREQUENCY	7	83	93	78	29	14	304	
	ROW %	2.30	27.30	30.59	25.66	9.54	4.61	100.00	
	COLUMN %	1.03	5.05	4.24	5.05	5.35	3.13	4.28	
	% OF TOTAL	0.10	1.17	1.31	1.10	0.41	0.20	4.28	
Other Areas	FREQUENCY	2	3	.	2	.	1	8	
	ROW %	25.00	37.50	.	25.00	.	12.50	100.00	
	COLUMN %	0.29	0.18	.	0.13	.	0.22	0.11	
	% OF TOTAL	0.03	0.04	.	0.03	.	0.01	0.11	
Not Known	FREQUENCY	1	5	4	1	1	12		
	ROW %	8.33	41.67	33.33	8.33	8.33	100.00		
	COLUMN %	0.06	0.23	0.26	0.18	0.22	0.17		
	% OF TOTAL	0.01	0.07	0.06	0.01	0.01	0.17		
TOTAL	FREQUENCY	53	679	1645	2191	1545	447	7102	
	ROW %	0.75	9.56	23.16	30.85	21.75	7.63	100.00	
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	
	% OF TOTAL	0.75	9.56	23.16	30.85	21.75	7.63	100.00	

Activity at Time of Accident (Males)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	%ALL AGE,
		GROUPS							
Household	FREQUENCY	8	14	62	93	47	37	261	
Activity	ROW %	3.07	5.36	23.75	35.63	18.01	14.18	100.00	
	COLUMN %	2.08	1.30	3.55	8.39	17.87	22.98	5.47	
	% OF TOTAL	0.17	0.29	1.30	1.95	0.99	0.78	5.47	
"Do-It-Yourself"/Gardening	FREQUENCY	2	7	17	59	37	11	133	
	ROW %	1.50	5.26	12.78	44.36	27.82	8.27	100.00	
	COLUMN %	0.52	0.65	0.97	5.32	14.07	6.83	2.79	
	% OF TOTAL	0.04	0.15	0.36	1.24	0.78	0.23	2.79	
Shopping	FREQUENCY	1	1	2	3	1		8	
	ROW %	12.50	12.50	25.00	37.50	12.50		100.00	
	COLUMN %	0.26	0.09	0.11	0.27	0.38		0.17	
	% OF TOTAL	0.02	0.02	0.04	0.06	0.02		0.17	
School Activity	FREQUENCY		12	5	2	1		20	
	ROW %		60.00	25.00	10.00	5.00		100.00	
	COLUMN %		1.11	0.29	0.18	0.38		0.42	
	% OF TOTAL		0.25	0.10	0.04	0.02		0.42	
Sports	FREQUENCY	12	537	1365	662	38	5	2619	
	ROW %	0.46	20.50	52.12	25.28	1.45	0.19	100.00	
	COLUMN %	3.12	49.86	78.09	59.75	14.45	3.11	54.92	
	% OF TOTAL	0.25	11.26	28.62	13.88	0.80	0.10	54.92	
Play/ Leisure	FREQUENCY	25	336	455	170	124	51	45	1206
Activity	ROW %	2.07	27.86	37.73	14.10	10.28	4.23	3.73	100.00
	COLUMN %	92.59	87.27	42.25	9.73	11.19	19.39	27.95	25.29
	% OF TOTAL	0.52	7.05	9.54	3.56	2.60	1.07	0.94	25.29

(Continued)

Activity at Time of Accident (Males)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE, GROUPS
Personal Needs	FREQUENCY	2	25	44	117	155	85	61	489
	ROW %	0.41	5.11	9.00	23.93	31.70	17.38	12.47	100.00
	COLUMN %	7.41	6.49	4.09	6.69	13.99	32.32	37.89	10.25
	% OF TOTAL	0.04	0.52	0.92	2.45	3.25	1.78	1.28	10.25
Other Activities	FREQUENCY	.	.	3	4	9	2	2	20
	ROW %	.	.	15.00	20.00	45.00	10.00	10.00	100.00
	COLUMN %	.	.	0.28	0.23	0.81	0.76	1.24	0.42
	% OF TOTAL	.	.	0.06	0.08	0.19	0.04	0.04	0.42
Not Known	FREQUENCY	.	1	4	6	1	1	.	13
	ROW %	.	7.69	30.77	46.15	7.69	7.69	.	100.00
	COLUMN %	.	0.26	0.37	0.34	0.09	0.38	.	0.27
	% OF TOTAL	.	0.02	0.08	0.13	0.02	0.02	.	0.27
TOTAL	FREQUENCY	27	385	1077	1748	1108	263	161	4769
	ROW %	0.57	8.07	22.58	36.65	23.23	5.51	3.38	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.57	8.07	22.58	36.65	23.23	5.51	3.38	100.00

Activity at Time of Accident (Females)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	%ALL AGE,
		GROUPS							
Household	FREQUENCY	1	13	14	67	124	100	107	426
Acti vi ty	ROW %	0.23	3.05	3.29	15.73	29.11	23.47	25.12	100.00
	COLUMN %	3.85	4.42	2.46	15.12	28.38	35.84	37.41	18.26
	% OF TOTAL	0.04	0.56	0.60	2.87	5.32	4.29	4.59	18.26
"Do-l t-	FREQUENCY	.	1	1	6	15	23	11	57
Yoursel f"/Gard-	ROW %	.	1.75	1.75	10.53	26.32	40.35	19.30	100.00
eni ng	COLUMN %	.	0.34	0.18	1.35	3.43	8.24	3.85	2.44
	% OF TOTAL	.	0.04	0.04	0.26	0.64	0.99	0.47	2.44
Shoppi ng	FREQUENCY	.	2	.	3	9	7	7	28
	ROW %	.	7.14	.	10.71	32.14	25.00	25.00	100.00
	COLUMN %	.	0.68	.	0.68	2.06	2.51	2.45	1.20
	% OF TOTAL	.	0.09	.	0.13	0.39	0.30	0.30	1.20
School Acti vi ty	FREQUENCY	.	1	12	3	.	.	.	16
	ROW %	.	6.25	75.00	18.75	.	.	.	100.00
	COLUMN %	.	0.34	2.11	0.68	.	.	.	0.69
	% OF TOTAL	.	0.04	0.51	0.13	.	.	.	0.69
Sports	FREQUENCY	.	7	187	152	62	13	6	427
	ROW %	.	1.64	43.79	35.60	14.52	3.04	1.41	100.00
	COLUMN %	.	2.38	32.92	34.31	14.19	4.66	2.10	18.30
	% OF TOTAL	.	0.30	8.02	6.52	2.66	0.56	0.26	18.30
Pl ay/ Lei sure	FREQUENCY	24	251	321	137	101	75	73	982
Acti vi ty	ROW %	2.44	25.56	32.69	13.95	10.29	7.64	7.43	100.00
	COLUMN %	92.31	85.37	56.51	30.93	23.11	26.88	25.52	42.09
	% OF TOTAL	1.03	10.76	13.76	5.87	4.33	3.21	3.13	42.09

(Conti nued)

Activity at Time of Accident (Females)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE, GROUPS
Personal Needs	FREQUENCY	1	19	30	73	124	58	82	387
	ROW %	0.26	4.91	7.75	18.86	32.04	14.99	21.19	100.00
	COLUMN %	3.85	6.46	5.28	16.48	28.38	20.79	28.67	16.59
	% OF TOTAL	0.04	0.81	1.29	3.13	5.32	2.49	3.51	16.59
Other Activities	FREQUENCY	.	.	2	2	2	.	8	
	ROW %	.	.	25.00	25.00	25.00	25.00	.	100.00
	COLUMN %	.	.	0.35	0.45	0.46	0.72	.	0.34
	% OF TOTAL	.	.	0.09	0.09	0.09	0.09	.	0.34
Not Known	FREQUENCY	.	.	1	.	.	1	.	2
	ROW %	.	.	50.00	.	.	50.00	.	100.00
	COLUMN %	.	.	0.18	.	.	0.36	.	0.09
	% OF TOTAL	.	.	0.04	.	.	0.04	.	0.09
TOTAL	FREQUENCY	26	294	568	443	437	279	286	2333
	ROW %	1.11	12.60	24.35	18.99	18.73	11.96	12.26	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	1.11	12.60	24.35	18.99	18.73	11.96	12.26	100.00

Activity at Time of Accident (Total)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	%ALL AGE,
		GROUPS							
Household	FREQUENCY	1	21	28	129	217	147	144	687
Acti vi ty	ROW %	0.15	3.06	4.08	18.78	31.59	21.40	20.96	100.00
	COLUMN %	1.89	3.09	1.70	5.89	14.05	27.12	32.21	9.67
	% OF TOTAL	0.01	0.30	0.39	1.82	3.06	2.07	2.03	9.67
"Do-l t-	FREQUENCY	.	3	8	23	74	60	22	190
Yoursel f"/Gard-	ROW %	.	1.58	4.21	12.11	38.95	31.58	11.58	100.00
eni ng	COLUMN %	.	0.44	0.49	1.05	4.79	11.07	4.92	2.68
	% OF TOTAL	.	0.04	0.11	0.32	1.04	0.84	0.31	2.68
Shoppi ng	FREQUENCY	.	3	1	5	12	8	7	36
	ROW %	.	8.33	2.78	13.89	33.33	22.22	19.44	100.00
	COLUMN %	.	0.44	0.06	0.23	0.78	1.48	1.57	0.51
	% OF TOTAL	.	0.04	0.01	0.07	0.17	0.11	0.10	0.51
School Acti vi ty	FREQUENCY	.	1	24	8	2	1	.	36
	ROW %	.	2.78	66.67	22.22	5.56	2.78	.	100.00
	COLUMN %	.	0.15	1.46	0.37	0.13	0.18	.	0.51
	% OF TOTAL	.	0.01	0.34	0.11	0.03	0.01	.	0.51
Sports	FREQUENCY	.	19	724	1517	724	51	11	3046
	ROW %	.	0.62	23.77	49.80	23.77	1.67	0.36	100.00
	COLUMN %	.	2.80	44.01	69.24	46.86	9.41	2.46	42.89
	% OF TOTAL	.	0.27	10.19	21.36	10.19	0.72	0.15	42.89
Pl ay/ Lei sure	FREQUENCY	49	587	776	307	225	126	118	2188
Acti vi ty	ROW %	2.24	26.83	35.47	14.03	10.28	5.76	5.39	100.00
	COLUMN %	92.45	86.45	47.17	14.01	14.56	23.25	26.40	30.81
	% OF TOTAL	0.69	8.27	10.93	4.32	3.17	1.77	1.66	30.81

(Conti nued)

Activity at Time of Accident (Total)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE, GROUPS
Personal Needs	FREQUENCY	3	44	74	190	279	143	143	876
	ROW %	0.34	5.02	8.45	21.69	31.85	16.32	16.32	100.00
	COLUMN %	5.66	6.48	4.50	8.67	18.06	26.38	31.99	12.33
	% OF TOTAL	0.04	0.62	1.04	2.68	3.93	2.01	2.01	12.33
Other Activities	FREQUENCY	.	.	5	6	11	4	2	28
	ROW %	.	.	17.86	21.43	39.29	14.29	7.14	100.00
	COLUMN %	.	.	0.30	0.27	0.71	0.74	0.45	0.39
	% OF TOTAL	.	.	0.07	0.08	0.15	0.06	0.03	0.39
Not Known	FREQUENCY	.	1	5	6	1	2	.	15
	ROW %	.	6.67	33.33	40.00	6.67	13.33	.	100.00
	COLUMN %	.	0.15	0.30	0.27	0.06	0.37	.	0.21
	% OF TOTAL	.	0.01	0.07	0.08	0.01	0.03	.	0.21
TOTAL	FREQUENCY	53	679	1645	2191	1545	542	447	7102
	ROW %	0.75	9.56	23.16	30.85	21.75	7.63	6.29	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.75	9.56	23.16	30.85	21.75	7.63	6.29	100.00

Principal Injury Diagnosis (Males)

		AGE GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	%ALL AGE,	
		GROUPS								
Contusion, Bruise	FREQUENCY	17	105	295	552	299	42	30	1340	
	ROW %	1.27	7.84	22.01	41.19	22.31	3.13	2.24	100.00	
	COLUMN %	62.96	27.27	27.39	31.58	26.99	15.97	18.63	28.10	
	% OF TOTAL	0.36	2.20	6.19	11.57	6.27	0.88	0.63	28.10	
Abrasion	FREQUENCY		27	45	62	57	24	14	229	
	ROW %		11.79	19.65	27.07	24.89	10.48	6.11	100.00	
	COLUMN %		7.01	4.18	3.55	5.14	9.13	8.70	4.80	
	% OF TOTAL		0.57	0.94	1.30	1.20	0.50	0.29	4.80	
Open Wound (incl. cut, laceration)	FREQUENCY	2	104	126	152	94	34	11	523	
	ROW %	0.38	19.89	24.09	29.06	17.97	6.50	2.10	100.00	
	COLUMN %	7.41	27.01	11.70	8.70	8.48	12.93	6.83	10.97	
	% OF TOTAL	0.04	2.18	2.64	3.19	1.97	0.71	0.23	10.97	
Fracture	FREQUENCY		48	397	494	284	48	40	1311	
	ROW %		3.66	30.28	37.68	21.66	3.66	3.05	100.00	
	COLUMN %		12.47	36.86	28.26	25.63	18.25	24.84	27.49	
	% OF TOTAL		1.01	8.32	10.36	5.96	1.01	0.84	27.49	
Luxation, Dislocation	FREQUENCY			7	64	47	7	4	129	
	ROW %			5.43	49.61	36.43	5.43	3.10	100.00	
	COLUMN %			0.65	3.66	4.24	2.66	2.48	2.70	
	% OF TOTAL			0.15	1.34	0.99	0.15	0.08	2.70	
Distorsion, Sprain	FREQUENCY		5	73	184	101	17	9	389	
	ROW %		1.29	18.77	47.30	25.96	4.37	2.31	100.00	
	COLUMN %		1.30	6.78	10.53	9.12	6.46	5.59	8.16	
	% OF TOTAL		0.10	1.53	3.86	2.12	0.36	0.19	8.16	

(Continued)

Principal Injury Diagnosis (Males)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE, GROUPS
Injury To Nerve(s)	FREQUENCY	3	20	14	16	6	59		
	ROW %	5.08	33.90	23.73	27.12	10.17	100.00		
	COLUMN %	0.28	1.14	1.26	6.08	3.73	1.24		
	% OF TOTAL	0.06	0.42	0.29	0.34	0.13	1.24		
Injury To Blood Vessel (s)	FREQUENCY	12	17	34	35	14	11	123	
	ROW %	9.76	13.82	27.64	28.46	11.38	8.94	100.00	
	COLUMN %	3.12	1.58	1.95	3.16	5.32	6.83	2.58	
	% OF TOTAL	0.25	0.36	0.71	0.73	0.29	0.23	2.58	
Injury To Tendon(s) and/or Muscl e(s)	FREQUENCY	16	79	147	119	37	29	427	
	ROW %	3.75	18.50	34.43	27.87	8.67	6.79	100.00	
	COLUMN %	4.16	7.34	8.41	10.74	14.07	18.01	8.95	
	% OF TOTAL	0.34	1.66	3.08	2.50	0.78	0.61	8.95	
Crushi ng, Amputati on	FREQUENCY	4	4	1	2	2	2	15	
	ROW %	26.67	26.67	6.67	13.33	13.33	13.33	100.00	
	COLUMN %	1.04	0.37	0.06	0.18	0.76	1.24	0.31	
	% OF TOTAL	0.08	0.08	0.02	0.04	0.04	0.04	0.31	
Poi soni ng, Corrosi on	FREQUENCY	1	13	7	10	9	2	2	44
	ROW %	2.27	29.55	15.91	22.73	20.45	4.55	4.55	100.00
	COLUMN %	3.70	3.38	0.65	0.57	0.81	0.76	1.24	0.92
	% OF TOTAL	0.02	0.27	0.15	0.21	0.19	0.04	0.04	0.92
Burns, Scal ds	FREQUENCY	5	31	10	6	9	3	2	66
	ROW %	7.58	46.97	15.15	9.09	13.64	4.55	3.03	100.00
	COLUMN %	18.52	8.05	0.93	0.34	0.81	1.14	1.24	1.38
	% OF TOTAL	0.10	0.65	0.21	0.13	0.19	0.06	0.04	1.38

(Conti nued)

Principal Injury Diagnosis (Males)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE GROUPS
Radiation (e.g., Sunlight, X-Rays, Ultrasound, Welding Light, etc.)	FREQUENCY		1	2				3	
	ROW %		33.33	66.67				100.00	
	COLUMN %		0.09	0.11				0.06	
	% OF TOTAL		0.02	0.04				0.06	
No Injury Diagnosed	FREQUENCY	3	1	1	1	1		7	
	ROW %	42.86	14.29	14.29	14.29	14.29		100.00	
	COLUMN %	0.78	0.09	0.06	0.09	0.38		0.15	
	% OF TOTAL	0.06	0.02	0.02	0.02	0.02		0.15	
Other Type of Injury Specified	FREQUENCY	2	16	9	18	28	15	1	89
	ROW %	2.25	17.98	10.11	20.22	31.46	16.85	1.12	100.00
	COLUMN %	7.41	4.16	0.84	1.03	2.53	5.70	0.62	1.87
	% OF TOTAL	0.04	0.34	0.19	0.38	0.59	0.31	0.02	1.87
Not Known	FREQUENCY	1	3	1	9	1		15	
	ROW %	6.67	20.00	6.67	60.00	6.67		100.00	
	COLUMN %	0.26	0.28	0.06	0.81	0.38		0.31	
	% OF TOTAL	0.02	0.06	0.02	0.19	0.02		0.31	
TOTAL	FREQUENCY	27	385	1077	1748	1108	263	161	4769
	ROW %	0.57	8.07	22.58	36.65	23.23	5.51	3.38	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.57	8.07	22.58	36.65	23.23	5.51	3.38	100.00

Principal Injury Diagnosis (Females)

	AGE GROUPS								
	< 1	1-4	5-14	15-24	25-44	45-64	65+	%ALL AGE	
Contusion, Bruise	FREQUENCY	15	76	168	128	102	53	40	582
	ROW %	2.58	13.06	28.87	21.99	17.53	9.11	6.87	100.00
	COLUMN %	57.69	25.85	29.58	28.89	23.34	19.00	13.99	24.95
	% OF TOTAL	0.64	3.26	7.20	5.49	4.37	2.27	1.71	24.95
Abrasion	FREQUENCY	2	21	21	25	26	15	17	127
	ROW %	1.57	16.54	16.54	19.69	20.47	11.81	13.39	100.00
	COLUMN %	7.69	7.14	3.70	5.64	5.95	5.38	5.94	5.44
	% OF TOTAL	0.09	0.90	0.90	1.07	1.11	0.64	0.73	5.44
Open Wound (incl. cut, laceration)	FREQUENCY	2	55	33	34	40	25	27	216
	ROW %	0.93	25.46	15.28	15.74	18.52	11.57	12.50	100.00
	COLUMN %	7.69	18.71	5.81	7.67	9.15	8.96	9.44	9.26
	% OF TOTAL	0.09	2.36	1.41	1.46	1.71	1.07	1.16	9.26
Fracture	FREQUENCY	1	55	179	86	94	88	109	612
	ROW %	0.16	8.99	29.25	14.05	15.36	14.38	17.81	100.00
	COLUMN %	3.85	18.71	31.51	19.41	21.51	31.54	38.11	26.23
	% OF TOTAL	0.04	2.36	7.67	3.69	4.03	3.77	4.67	26.23
Luxation, Dislocation	FREQUENCY	1	6	6	7	2	3	2	27
	ROW %	3.70	22.22	22.22	25.93	7.41	11.11	7.41	100.00
	COLUMN %	3.85	2.04	1.06	1.58	0.46	1.08	0.70	1.16
	% OF TOTAL	0.04	0.26	0.26	0.30	0.09	0.13	0.09	1.16
Distorsion, Sprain	FREQUENCY	.	3	53	68	39	31	18	212
	ROW %	.	1.42	25.00	32.08	18.40	14.62	8.49	100.00
	COLUMN %	.	1.02	9.33	15.35	8.92	11.11	6.29	9.09
	% OF TOTAL	.	0.13	2.27	2.91	1.67	1.33	0.77	9.09

(Continued)

Principal Injury Diagnosis (Females)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE GROUPS
Injury To Nerve(s)	FREQUENCY	2	6	17	5	7	37		
	ROW %	5.41	16.22	45.95	13.51	18.92	100.00		
	COLUMN %	0.35	1.35	3.89	1.79	2.45	1.59		
	% OF TOTAL	0.09	0.26	0.73	0.21	0.30	1.59		
Injury To Blood Vessel (s)	FREQUENCY	10	19	11	25	5	8	78	
	ROW %	12.82	24.36	14.10	32.05	6.41	10.26	100.00	
	COLUMN %	3.40	3.35	2.48	5.72	1.79	2.80	3.34	
	% OF TOTAL	0.43	0.81	0.47	1.07	0.21	0.34	3.34	
Injury To Tendon(s) and/or Muscle(s)	FREQUENCY	12	57	55	54	31	48	257	
	ROW %	4.67	22.18	21.40	21.01	12.06	18.68	100.00	
	COLUMN %	4.08	10.04	12.42	12.36	11.11	16.78	11.02	
	% OF TOTAL	0.51	2.44	2.36	2.31	1.33	2.06	11.02	
Crushing, Amputation	FREQUENCY	1	1		1	2	1	6	
	ROW %	16.67	16.67		16.67	33.33	16.67	100.00	
	COLUMN %	0.34	0.18		0.23	0.72	0.35	0.26	
	% OF TOTAL	0.04	0.04		0.04	0.09	0.04	0.26	
Poisoning, Corrosion	FREQUENCY	12	5	8	7	3	2	37	
	ROW %	32.43	13.51	21.62	18.92	8.11	5.41	100.00	
	COLUMN %	4.08	0.88	1.81	1.60	1.08	0.70	1.59	
	% OF TOTAL	0.51	0.21	0.34	0.30	0.13	0.09	1.59	
Burns, Scalds	FREQUENCY	3	19	11	8	20	14	3	78
	ROW %	3.85	24.36	14.10	10.26	25.64	17.95	3.85	100.00
	COLUMN %	11.54	6.46	1.94	1.81	4.58	5.02	1.05	3.34
	% OF TOTAL	0.13	0.81	0.47	0.34	0.86	0.60	0.13	3.34

(Continued)

Principal Injury Diagnosis (Females)

	AGE GROUPS								
	< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE	
Radiation (e.g., Sunlight, X-Rays, Ultrasound, Welding Light, etc.)				1	1	1		3	
				33.33	33.33	33.33		100.00	
				0.23	0.23	0.36		0.13	
				0.04	0.04	0.04		0.13	
No Injury Diagnosed		4	2		2	1		9	
		44.44	22.22		22.22	11.11		100.00	
		1.36	0.35		0.46	0.36		0.39	
		0.17	0.09		0.09	0.04		0.39	
Other Type of Injury Specified	2	20	11	6	7	2	4	52	
	3.85	38.46	21.15	11.54	13.46	3.85	7.69	100.00	
	7.69	6.80	1.94	1.35	1.60	0.72	1.40	2.23	
	0.09	0.86	0.47	0.26	0.30	0.09	0.17	2.23	
TOTAL	26	294	568	443	437	279	286	2333	
	1.11	12.60	24.35	18.99	18.73	11.96	12.26	100.00	
	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	
	1.11	12.60	24.35	18.99	18.73	11.96	12.26	100.00	

Principal Injury Diagnosis (Total)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	%ALL AGE, GROUPS
Contusion, Bruise	FREQUENCY	32	181	463	680	401	95	70	1922
	ROW %	1.66	9.42	24.09	35.38	20.86	4.94	3.64	100.00
	COLUMN %	60.38	26.66	28.15	31.04	25.95	17.53	15.66	27.06
	% OF TOTAL	0.45	2.55	6.52	9.57	5.65	1.34	0.99	27.06
Abrasion	FREQUENCY	2	48	66	87	83	39	31	356
	ROW %	0.56	13.48	18.54	24.44	23.31	10.96	8.71	100.00
	COLUMN %	3.77	7.07	4.01	3.97	5.37	7.20	6.94	5.01
	% OF TOTAL	0.03	0.68	0.93	1.23	1.17	0.55	0.44	5.01
Open Wound (incl. cut, laceration)	FREQUENCY	4	159	159	186	134	59	38	739
	ROW %	0.54	21.52	21.52	25.17	18.13	7.98	5.14	100.00
	COLUMN %	7.55	23.42	9.67	8.49	8.67	10.89	8.50	10.41
	% OF TOTAL	0.06	2.24	2.24	2.62	1.89	0.83	0.54	10.41
Fracture	FREQUENCY	1	103	576	580	378	136	149	1923
	ROW %	0.05	5.36	29.95	30.16	19.66	7.07	7.75	100.00
	COLUMN %	1.89	15.17	35.02	26.47	24.47	25.09	33.33	27.08
	% OF TOTAL	0.01	1.45	8.11	8.17	5.32	1.91	2.10	27.08
Luxation, Dislocation	FREQUENCY	1	6	13	71	49	10	6	156
	ROW %	0.64	3.85	8.33	45.51	31.41	6.41	3.85	100.00
	COLUMN %	1.89	0.88	0.79	3.24	3.17	1.85	1.34	2.20
	% OF TOTAL	0.01	0.08	0.18	1.00	0.69	0.14	0.08	2.20
Distorsion, Sprain	FREQUENCY	.	8	126	252	140	48	27	601
	ROW %	.	1.33	20.97	41.93	23.29	7.99	4.49	100.00
	COLUMN %	.	1.18	7.66	11.50	9.06	8.86	6.04	8.46
	% OF TOTAL	.	0.11	1.77	3.55	1.97	0.68	0.38	8.46

(Continued)

Principal Injury Diagnosis (Total)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE GROUPS
Injury To Nerve(s)	FREQUENCY			5	26	31	21	13	96
	ROW %			5.21	27.08	32.29	21.88	13.54	100.00
	COLUMN %			0.30	1.19	2.01	3.87	2.91	1.35
	% OF TOTAL			0.07	0.37	0.44	0.30	0.18	1.35
Injury To Blood Vessel (s)	FREQUENCY		22	36	45	60	19	19	201
	ROW %		10.95	17.91	22.39	29.85	9.45	9.45	100.00
	COLUMN %		3.24	2.19	2.05	3.88	3.51	4.25	2.83
	% OF TOTAL		0.31	0.51	0.63	0.84	0.27	0.27	2.83
Injury To Tendon(s) and/or Muscle(s)	FREQUENCY		28	136	202	173	68	77	684
	ROW %		4.09	19.88	29.53	25.29	9.94	11.26	100.00
	COLUMN %		4.12	8.27	9.22	11.20	12.55	17.23	9.63
	% OF TOTAL		0.39	1.91	2.84	2.44	0.96	1.08	9.63
Crushing, Amputation	FREQUENCY		5	5	1	3	4	3	21
	ROW %		23.81	23.81	4.76	14.29	19.05	14.29	100.00
	COLUMN %		0.74	0.30	0.05	0.19	0.74	0.67	0.30
	% OF TOTAL		0.07	0.07	0.01	0.04	0.06	0.04	0.30
Poisoning, Corrosion	FREQUENCY	1	25	12	18	16	5	4	81
	ROW %	1.23	30.86	14.81	22.22	19.75	6.17	4.94	100.00
	COLUMN %	1.89	3.68	0.73	0.82	1.04	0.92	0.89	1.14
	% OF TOTAL	0.01	0.35	0.17	0.25	0.23	0.07	0.06	1.14
Burns, Scalds	FREQUENCY	8	50	21	14	29	17	5	144
	ROW %	5.56	34.72	14.58	9.72	20.14	11.81	3.47	100.00
	COLUMN %	15.09	7.36	1.28	0.64	1.88	3.14	1.12	2.03
	% OF TOTAL	0.11	0.70	0.30	0.20	0.41	0.24	0.07	2.03

(Continued)

Principal Injury Diagnosis (Total)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE GROUPS
Radiation (e.g., X-rays, Ultraviolet, Welding Light, etc.)	FREQUENCY			1	3	1	1		6
	ROW %			16.67	50.00	16.67	16.67		100.00
	COLUMN %			0.06	0.14	0.06	0.18		0.08
	% OF TOTAL			0.01	0.04	0.01	0.01		0.08
No Injury Diagnosed	FREQUENCY		7	3	1	3	2		16
	ROW %		43.75	18.75	6.25	18.75	12.50		100.00
	COLUMN %		1.03	0.18	0.05	0.19	0.37		0.23
	% OF TOTAL		0.10	0.04	0.01	0.04	0.03		0.23
Other Type of Injury Specified	FREQUENCY	4	36	20	24	35	17	5	141
	ROW %	2.84	25.53	14.18	17.02	24.82	12.06	3.55	100.00
	COLUMN %	7.55	5.30	1.22	1.10	2.27	3.14	1.12	1.99
	% OF TOTAL	0.06	0.51	0.28	0.34	0.49	0.24	0.07	1.99
Not Known	FREQUENCY		1	3	1	9	1		15
	ROW %		6.67	20.00	6.67	60.00	6.67		100.00
	COLUMN %		0.15	0.18	0.05	0.58	0.18		0.21
	% OF TOTAL		0.01	0.04	0.01	0.13	0.01		0.21
TOTAL	FREQUENCY	53	679	1645	2191	1545	542	447	7102
	ROW %	0.75	9.56	23.16	30.85	21.75	7.63	6.29	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.75	9.56	23.16	30.85	21.75	7.63	6.29	100.00

Part of Body Injured (Males)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	%ALL AGE,
		GROUPS							
Head And Face	FREQUENCY	19	182	202	301	148	43	27	922
	ROW %	2.06	19.74	21.91	32.65	16.05	4.66	2.93	100.00
	COLUMN %	70.37	47.27	18.76	17.22	13.36	16.35	16.77	19.33
	% OF TOTAL	0.40	3.82	4.24	6.31	3.10	0.90	0.57	19.33
Upper Limbs	FREQUENCY	2	108	567	722	435	101	70	2005
	ROW %	0.10	5.39	28.28	36.01	21.70	5.04	3.49	100.00
	COLUMN %	7.41	28.05	52.65	41.30	39.26	38.40	43.48	42.04
	% OF TOTAL	0.04	2.26	11.89	15.14	9.12	2.12	1.47	42.04
Lower Limbs	FREQUENCY	4	43	220	593	386	77	38	1361
	ROW %	0.29	3.16	16.16	43.57	28.36	5.66	2.79	100.00
	COLUMN %	14.81	11.17	20.43	33.92	34.84	29.28	23.60	28.54
	% OF TOTAL	0.08	0.90	4.61	12.43	8.09	1.61	0.80	28.54
Other Parts	FREQUENCY	2	50	85	124	134	38	25	458
	ROW %	0.44	10.92	18.56	27.07	29.26	8.30	5.46	100.00
	COLUMN %	7.41	12.99	7.89	7.09	12.09	14.45	15.53	9.60
	% OF TOTAL	0.04	1.05	1.78	2.60	2.81	0.80	0.52	9.60
Not Known	FREQUENCY	.	2	3	8	5	4	1	23
	ROW %	.	8.70	13.04	34.78	21.74	17.39	4.35	100.00
	COLUMN %	.	0.52	0.28	0.46	0.45	1.52	0.62	0.48
	% OF TOTAL	.	0.04	0.06	0.17	0.10	0.08	0.02	0.48
TOTAL	FREQUENCY	27	385	1077	1748	1108	263	161	4769
	ROW %	0.57	8.07	22.58	36.65	23.23	5.51	3.38	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.57	8.07	22.58	36.65	23.23	5.51	3.38	100.00

Part of Body Injured (Females)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE, GROUPS
Head And Face	FREQUENCY	20	134	96	50	57	28	31	416
	ROW %	4.81	32.21	23.08	12.02	13.70	6.73	7.45	100.00
	COLUMN %	76.92	45.58	16.90	11.29	13.04	10.04	10.84	17.83
	% OF TOTAL	0.86	5.74	4.11	2.14	2.44	1.20	1.33	17.83
Upper Limbs	FREQUENCY	2	86	316	187	179	115	114	999
	ROW %	0.20	8.61	31.63	18.72	17.92	11.51	11.41	100.00
	COLUMN %	7.69	29.25	55.63	42.21	40.96	41.22	39.86	42.82
	% OF TOTAL	0.09	3.69	13.54	8.02	7.67	4.93	4.89	42.82
Lower Limbs	FREQUENCY	1	28	110	162	131	93	73	598
	ROW %	0.17	4.68	18.39	27.09	21.91	15.55	12.21	100.00
	COLUMN %	3.85	9.52	19.37	36.57	29.98	33.33	25.52	25.63
	% OF TOTAL	0.04	1.20	4.71	6.94	5.62	3.99	3.13	25.63
Other Parts	FREQUENCY	3	43	44	41	68	43	67	309
	ROW %	0.97	13.92	14.24	13.27	22.01	13.92	21.68	100.00
	COLUMN %	11.54	14.63	7.75	9.26	15.56	15.41	23.43	13.24
	% OF TOTAL	0.13	1.84	1.89	1.76	2.91	1.84	2.87	13.24
Not Known	FREQUENCY	.	3	2	3	2	.	1	11
	ROW %	.	27.27	18.18	27.27	18.18	.	9.09	100.00
	COLUMN %	.	1.02	0.35	0.68	0.46	.	0.35	0.47
	% OF TOTAL	.	0.13	0.09	0.13	0.09	.	0.04	0.47
TOTAL	FREQUENCY	26	294	568	443	437	279	286	2333
	ROW %	1.11	12.60	24.35	18.99	18.73	11.96	12.26	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	1.11	12.60	24.35	18.99	18.73	11.96	12.26	100.00

Part of Body Injured (Total)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	%ALL AGE,
		GROUPS							
Head And Face	FREQUENCY	39	316	298	351	205	71	58	1338
	ROW %	2.91	23.62	22.27	26.23	15.32	5.31	4.33	100.00
	COLUMN %	73.58	46.54	18.12	16.02	13.27	13.10	12.98	18.84
	% OF TOTAL	0.55	4.45	4.20	4.94	2.89	1.00	0.82	18.84
Upper Limbs	FREQUENCY	4	194	883	909	614	216	184	3004
	ROW %	0.13	6.46	29.39	30.26	20.44	7.19	6.13	100.00
	COLUMN %	7.55	28.57	53.68	41.49	39.74	39.85	41.16	42.30
	% OF TOTAL	0.06	2.73	12.43	12.80	8.65	3.04	2.59	42.30
Lower Limbs	FREQUENCY	5	71	330	755	517	170	111	1959
	ROW %	0.26	3.62	16.85	38.54	26.39	8.68	5.67	100.00
	COLUMN %	9.43	10.46	20.06	34.46	33.46	31.37	24.83	27.58
	% OF TOTAL	0.07	1.00	4.65	10.63	7.28	2.39	1.56	27.58
Other Parts	FREQUENCY	5	93	129	165	202	81	92	767
	ROW %	0.65	12.13	16.82	21.51	26.34	10.56	11.99	100.00
	COLUMN %	9.43	13.70	7.84	7.53	13.07	14.94	20.58	10.80
	% OF TOTAL	0.07	1.31	1.82	2.32	2.84	1.14	1.30	10.80
Not Known	FREQUENCY	.	5	5	11	7	4	2	34
	ROW %	.	14.71	14.71	32.35	20.59	11.76	5.88	100.00
	COLUMN %	.	0.74	0.30	0.50	0.45	0.74	0.45	0.48
	% OF TOTAL	.	0.07	0.07	0.15	0.10	0.06	0.03	0.48
TOTAL	FREQUENCY	53	679	1645	2191	1545	542	447	7102
	ROW %	0.75	9.56	23.16	30.85	21.75	7.63	6.29	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.75	9.56	23.16	30.85	21.75	7.63	6.29	100.00

Treatment and Follow-Up (Males)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE, GROUPS
Group A: Minor	FREQUENCY	10	152	359	632	438	129	67	1787
	ROW %	0.56	8.51	20.09	35.37	24.51	7.22	3.75	100.00
	COLUMN %	37.04	39.48	33.33	36.16	39.53	49.05	41.61	37.47
	% OF TOTAL	0.21	3.19	7.53	13.25	9.18	2.70	1.40	37.47
Group B: Treated	FREQUENCY	12	160	578	989	586	93	49	2467
	ROW %	0.49	6.49	23.43	40.09	23.75	3.77	1.99	100.00
	COLUMN %	44.44	41.56	53.67	56.58	52.89	35.36	30.43	51.73
	% OF TOTAL	0.25	3.36	12.12	20.74	12.29	1.95	1.03	51.73
Group C: Hospitalised	FREQUENCY	5	73	139	127	84	41	45	514
	ROW %	0.97	14.20	27.04	24.71	16.34	7.98	8.75	100.00
	COLUMN %	18.52	18.96	12.91	7.27	7.58	15.59	27.95	10.78
	% OF TOTAL	0.10	1.53	2.91	2.66	1.76	0.86	0.94	10.78
Death	FREQUENCY	.	.	1	1
	ROW %	.	.	100.00	100.00
	COLUMN %	.	.	0.09	0.02
	% OF TOTAL	.	.	0.02	0.02
TOTAL	FREQUENCY	27	385	1077	1748	1108	263	161	4769
	ROW %	0.57	8.07	22.58	36.65	23.23	5.51	3.38	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.57	8.07	22.58	36.65	23.23	5.51	3.38	100.00

Treatment and Follow-Up (Females)

		AGE GROUPS								
		%ALL AGE,								
		< 1	1-4	5-14	15-24	25-44	45-64	65+	GROUPS	
Group A: Minor	FREQUENCY	8	124	227	215	214	119	108	1015	
	ROW %	0.79	12.22	22.36	21.18	21.08	11.72	10.64	100.00	
	COLUMN %	30.77	42.18	39.96	48.53	48.97	42.65	37.76	43.51	
	% OF TOTAL	0.34	5.32	9.73	9.22	9.17	5.10	4.63	43.51	
Group B: Treated	FREQUENCY	11	121	274	199	180	114	94	993	
	ROW %	1.11	12.19	27.59	20.04	18.13	11.48	9.47	100.00	
	COLUMN %	42.31	41.16	48.24	44.92	41.19	40.86	32.87	42.56	
	% OF TOTAL	0.47	5.19	11.74	8.53	7.72	4.89	4.03	42.56	
Group C: Hospitalised	FREQUENCY	7	49	67	29	43	46	84	325	
	ROW %	2.15	15.08	20.62	8.92	13.23	14.15	25.85	100.00	
	COLUMN %	26.92	16.67	11.80	6.55	9.84	16.49	29.37	13.93	
	% OF TOTAL	0.30	2.10	2.87	1.24	1.84	1.97	3.60	13.93	
TOTAL	FREQUENCY	26	294	568	443	437	279	286	2333	
	ROW %	1.11	12.60	24.35	18.99	18.73	11.96	12.26	100.00	
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	
	% OF TOTAL	1.11	12.60	24.35	18.99	18.73	11.96	12.26	100.00	

Treatment and Follow-Up (Total)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	%ALL AGE,
		GROUPS							
Group A: Minor	FREQUENCY	18	276	586	847	652	248	175	2802
	ROW %	0.64	9.85	20.91	30.23	23.27	8.85	6.25	100.00
	COLUMN %	33.96	40.65	35.62	38.66	42.20	45.76	39.15	39.45
	% OF TOTAL	0.25	3.89	8.25	11.93	9.18	3.49	2.46	39.45
Group B: Treated	FREQUENCY	23	281	852	1188	766	207	143	3460
	ROW %	0.66	8.12	24.62	34.34	22.14	5.98	4.13	100.00
	COLUMN %	43.40	41.38	51.79	54.22	49.58	38.19	31.99	48.72
	% OF TOTAL	0.32	3.96	12.00	16.73	10.79	2.91	2.01	48.72
Group C: Hospitalised	FREQUENCY	12	122	206	156	127	87	129	839
	ROW %	1.43	14.54	24.55	18.59	15.14	10.37	15.38	100.00
	COLUMN %	22.64	17.97	12.52	7.12	8.22	16.05	28.86	11.81
	% OF TOTAL	0.17	1.72	2.90	2.20	1.79	1.23	1.82	11.81
Death	FREQUENCY	.	.	1	1
	ROW %	.	.	100.00	100.00
	COLUMN %	.	.	0.06	0.01
	% OF TOTAL	.	.	0.01	0.01
TOTAL	FREQUENCY	53	679	1645	2191	1545	542	447	7102
	ROW %	0.75	9.56	23.16	30.85	21.75	7.63	6.29	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.75	9.56	23.16	30.85	21.75	7.63	6.29	100.00

The Twenty Most Common Product Groups Involved in Accidents (Males)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	%ALL AGE,
		GROUPS							
Clothing or sportswear	FREQUENCY	3	118	303	99	2			525
	ROW %	0.57	22.48	57.71	18.86	0.38			100.00
	COLUMN %	0.78	10.96	17.33	8.94	0.76			11.01
	% OF TOTAL	0.06	2.47	6.35	2.08	0.04			11.01
House building elements	FREQUENCY	1	89	105	92	89	46	37	459
	ROW %	0.22	19.39	22.88	20.04	19.39	10.02	8.06	100.00
	COLUMN %	3.70	23.12	9.75	5.26	8.03	17.49	22.98	9.62
	% OF TOTAL	0.02	1.87	2.20	1.93	1.87	0.96	0.78	9.62
DIY equipment	FREQUENCY	2	6	19	41	31	11	110	
	ROW %	1.82	5.45	17.27	37.27	28.18	10.00	100.00	
	COLUMN %	0.52	0.56	1.09	3.70	11.79	6.83	2.31	
	% OF TOTAL	0.04	0.13	0.40	0.86	0.65	0.23	2.31	
Building materials, insulation, wood	FREQUENCY	6	10	14	10	13	9	62	
	ROW %	9.68	16.13	22.58	16.13	20.97	14.52	100.00	
	COLUMN %	1.56	0.93	0.80	0.90	4.94	5.59	1.30	
	% OF TOTAL	0.13	0.21	0.29	0.21	0.27	0.19	1.30	
Food, hot-liquids	FREQUENCY	3	17	5	15	13	7	5	65
	ROW %	4.62	26.15	7.69	23.08	20.00	10.77	7.69	100.00
	COLUMN %	11.11	4.42	0.46	0.86	1.17	2.66	3.11	1.36
	% OF TOTAL	0.06	0.36	0.10	0.31	0.27	0.15	0.10	1.36
Footwear	FREQUENCY			6	25	26	4		61
	ROW %			9.84	40.98	42.62	6.56		100.00
	COLUMN %			0.56	1.43	2.35	1.52		1.28
	% OF TOTAL			0.13	0.52	0.55	0.08		1.28

(Continued)

The Twenty Most Common Product Groups Involved in Accidents (Males)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE GROUPS
Garden equipment	FREQUENCY	7	5	6	11	9	2	40	
	ROW %	17.50	12.50	15.00	27.50	22.50	5.00	100.00	
	COLUMN %	1.82	0.46	0.34	0.99	3.42	1.24	0.84	
	% OF TOTAL	0.15	0.10	0.13	0.23	0.19	0.04	0.84	
Heating equipment	FREQUENCY	11	13	4	7	1	1	37	
	ROW %	29.73	35.14	10.81	18.92	2.70	2.70	100.00	
	COLUMN %	2.86	1.21	0.23	0.63	0.38	0.62	0.78	
	% OF TOTAL	0.23	0.27	0.08	0.15	0.02	0.02	0.78	
Bathroom equipment	FREQUENCY	6	3	2	3	6	5	25	
	ROW %	24.00	12.00	8.00	12.00	24.00	20.00	100.00	
	COLUMN %	1.56	0.28	0.11	0.27	2.28	3.11	0.52	
	% OF TOTAL	0.13	0.06	0.04	0.06	0.13	0.10	0.52	
Floor, inside coverings, stairs	FREQUENCY	2	5	2	5	5	4	29	
	ROW %	6.90	17.24	6.90	17.24	17.24	13.79	20.69	100.00
	COLUMN %	7.41	1.30	0.19	0.29	0.45	1.52	3.73	0.61
	% OF TOTAL	0.04	0.10	0.04	0.10	0.10	0.08	0.13	0.61
Household furniture	FREQUENCY	5	83	42	14	21	11	173	
	ROW %	2.59	43.01	21.76	7.25	10.88	5.70	8.81	100.00
	COLUMN %	18.52	21.56	3.90	0.80	1.90	4.18	10.56	4.05
	% OF TOTAL	0.10	1.74	0.88	0.29	0.44	0.23	0.36	4.05
Kitchen utensils, household electricity	FREQUENCY	1	14	19	25	25	6	92	
	ROW %	1.09	15.22	20.65	27.17	27.17	6.52	2.17	100.00
	COLUMN %	3.70	3.64	1.76	1.43	2.26	2.28	1.24	1.93
	% OF TOTAL	0.02	0.29	0.40	0.52	0.52	0.13	0.04	1.93

(Continued)

The Twenty Most Common Product Groups Involved in Accidents (Males)

	AGE GROUPS								
	< 1	1-4	5-14	15-24	25-44	45-64	65+	%ALL AGE	
Floor, footpath, street, water	FREQUENCY	1	21	29	17	42	28	17	155
	ROW %	0.65	13.55	18.71	10.97	27.10	18.06	10.97	100.00
	COLUMN %	3.70	5.45	2.69	0.97	3.79	10.65	10.56	3.25
	% OF TOTAL	0.02	0.44	0.61	0.36	0.88	0.59	0.36	3.25
Animal s, animal	FREQUENCY	.	3	17	5	12	8	6	51
accessori es	ROW %	.	5.88	33.33	9.80	23.53	15.69	11.76	100.00
	COLUMN %	.	0.78	1.58	0.29	1.08	3.04	3.73	1.07
	% OF TOTAL	.	0.06	0.36	0.10	0.25	0.17	0.13	1.07
Plants, trees	FREQUENCY	.	2	21	5	4	3	2	37
	ROW %	.	5.41	56.76	13.51	10.81	8.11	5.41	100.00
	COLUMN %	.	0.52	1.95	0.29	0.36	1.14	1.24	0.78
	% OF TOTAL	.	0.04	0.44	0.10	0.08	0.06	0.04	0.78
Fai rs, playgrounds	FREQUENCY	.	17	41	3	.	.	.	61
	ROW %	.	27.87	67.21	4.92	.	.	.	100.00
	COLUMN %	.	4.42	3.81	0.17	.	.	.	1.28
	% OF TOTAL	.	0.36	0.86	0.06	.	.	.	1.28
Vehi cl es, boats, bi kes & accessori es	FREQUENCY	.	18	84	47	25	14	4	192
	ROW %	.	9.38	43.75	24.48	13.02	7.29	2.08	100.00
	COLUMN %	.	4.68	7.80	2.69	2.26	5.32	2.48	4.03
	% OF TOTAL	.	0.38	1.76	0.99	0.52	0.29	0.08	4.03
Athl eti cs, boxi ng, gol f, horse ri di ng, etc.	FREQUENCY	.	1	11	20	22	7	3	64
	ROW %	.	1.56	17.19	31.25	34.38	10.94	4.69	100.00
	COLUMN %	.	0.26	1.02	1.14	1.99	2.66	1.86	1.34
	% OF TOTAL	.	0.02	0.23	0.42	0.46	0.15	0.06	1.34

(Conti nued)

The Twenty Most Common Product Groups Involved in Accidents (Males)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE, GROUPS
Skiing, tennis,	FREQUENCY	10	413	992	520	33	12	1980	
	ROW %	0.51	20.86	50.10	26.26	1.67	0.61	100.00	
	COLUMN %	2.60	38.35	56.75	46.93	12.55	7.45	41.52	
	% OF TOTAL	0.21	8.66	20.80	10.90	0.69	0.25	41.52	
Sports articles,	FREQUENCY	2	42	66	57	10	2	179	
	ROW %	1.12	23.46	36.87	31.84	5.59	1.12	100.00	
	COLUMN %	0.52	3.90	3.78	5.14	3.80	1.24	3.75	
	% OF TOTAL	0.04	0.88	1.38	1.20	0.21	0.04	3.75	
Other product	FREQUENCY	12	55	32	31	57	15	215	
	ROW %	5.58	25.58	14.88	14.42	26.51	6.98	6.05	100.00
	COLUMN %	44.44	14.29	2.97	1.77	5.14	5.70	8.07	4.51
	% OF TOTAL	0.25	1.15	0.67	0.65	1.20	0.31	0.27	4.51
No product stated	FREQUENCY	2	13	53	38	19	5	137	
	ROW %	1.46	9.49	38.69	27.74	13.87	3.65	5.11	100.00
	COLUMN %	7.41	3.38	4.92	2.17	1.71	1.90	4.35	2.87
	% OF TOTAL	0.04	0.27	1.11	0.80	0.40	0.10	0.15	2.87
TOTAL	FREQUENCY	27	385	1077	1748	1108	263	161	4769
	ROW %	0.57	8.07	22.58	36.65	23.23	5.51	3.38	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.57	8.07	22.58	36.65	23.23	5.51	3.38	100.00

The Twenty Most Common Product Groups Involved in Accidents (Females)

	AGE GROUPS							
	< 1	1-4	5-14	15-24	25-44	45-64	65+	%ALL AGE,
Clothing or sportswear	FREQUENCY	4	31	34	8	1	1	79
	ROW %	5.06	39.24	43.04	10.13	1.27	1.27	100.00
	COLUMN %	1.36	5.46	7.67	1.83	0.36	0.35	3.39
	% OF TOTAL	0.17	1.33	1.46	0.34	0.04	0.04	3.39
House building elements	FREQUENCY	3	66	80	83	103	73	84
	ROW %	0.61	13.41	16.26	16.87	20.93	14.84	17.07
	COLUMN %	11.54	22.45	14.08	18.74	23.57	26.16	29.37
	% OF TOTAL	0.13	2.83	3.43	3.56	4.41	3.13	3.60
DIY equipment	FREQUENCY	1	1	4	2	8	5	6
	ROW %	3.70	3.70	14.81	7.41	29.63	18.52	22.22
	COLUMN %	3.85	0.34	0.70	0.45	1.83	1.79	2.10
	% OF TOTAL	0.04	0.04	0.17	0.09	0.34	0.21	0.26
Building materials, insulation, wood	FREQUENCY	3	6	5	9	3	14	40
	ROW %	7.50	15.00	12.50	22.50	7.50	35.00	100.00
	COLUMN %	1.02	1.06	1.13	2.06	1.08	4.90	1.71
	% OF TOTAL	0.13	0.26	0.21	0.39	0.13	0.60	1.71
Food, hot-liquids	FREQUENCY	3	15	12	7	21	9	3
	ROW %	4.29	21.43	17.14	10.00	30.00	12.86	4.29
	COLUMN %	11.54	5.10	2.11	1.58	4.81	3.23	1.05
	% OF TOTAL	0.13	0.64	0.51	0.30	0.90	0.39	0.13
Footwear	FREQUENCY	6	4	2	1	1	14	
	ROW %	42.86	28.57	14.29	7.14	7.14	100.00	
	COLUMN %	1.06	0.90	0.46	0.36	0.35	0.60	
	% OF TOTAL	0.26	0.17	0.09	0.04	0.04	0.60	

(Continued)

The Twenty Most Common Product Groups Involved in Accidents (Females)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE GROUPS
Garden equipment	FREQUENCY	2	4	3	9	9	27		
	ROW %	7.41	14.81	11.11	33.33	33.33	100.00		
	COLUMN %	0.68	0.90	0.69	3.23	3.15	1.16		
	% OF TOTAL	0.09	0.17	0.13	0.39	0.39	1.16		
Heating equipment	FREQUENCY	5	6	4	4	2	7	28	
	ROW %	17.86	21.43	14.29	14.29	7.14	25.00	100.00	
	COLUMN %	1.70	1.06	0.90	0.92	0.72	2.45	1.20	
	% OF TOTAL	0.21	0.26	0.17	0.17	0.09	0.30	1.20	
Bathroom equipment	FREQUENCY	2	1	3	7	2	8	23	
	ROW %	8.70	4.35	13.04	30.43	8.70	34.78	100.00	
	COLUMN %	0.68	0.18	0.68	1.60	0.72	2.80	0.99	
	% OF TOTAL	0.09	0.04	0.13	0.30	0.09	0.34	0.99	
Floor, inside coverings, stairs	FREQUENCY	1	1	6	6	11	10	13	48
	ROW %	2.08	2.08	12.50	12.50	22.92	20.83	27.08	100.00
	COLUMN %	3.85	0.34	1.06	1.35	2.52	3.58	4.55	2.06
	% OF TOTAL	0.04	0.04	0.26	0.26	0.47	0.43	0.56	2.06
Household furniture	FREQUENCY	5	69	25	14	25	38	41	217
	ROW %	2.30	31.80	11.52	6.45	11.52	17.51	18.89	100.00
	COLUMN %	19.23	23.47	4.40	3.16	5.72	13.62	14.34	9.30
	% OF TOTAL	0.21	2.96	1.07	0.60	1.07	1.63	1.76	9.30
Kitchen utensils, household electricity	FREQUENCY	6	2	14	21	10	1	54	
	ROW %	11.11	3.70	25.93	38.89	18.52	1.85	100.00	
	COLUMN %	2.04	0.35	3.16	4.81	3.58	0.35	2.31	
	% OF TOTAL	0.26	0.09	0.60	0.90	0.43	0.04	2.31	

(Continued)

The Twenty Most Common Product Groups Involved in Accidents (Females)

2

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE GROUPS
Floor,	FREQUENCY	13	23	21	38	31	35	161	
Footpath,	ROW %	8.07	14.29	13.04	23.60	19.25	21.74	100.00	
Street, water	COLUMN %	4.42	4.05	4.74	8.70	11.11	12.24	6.90	
	% OF TOTAL	0.56	0.99	0.90	1.63	1.33	1.50	6.90	
Animal s, animal	FREQUENCY	1	5	13	8	9	17	9	62
Accessories	ROW %	1.61	8.06	20.97	12.90	14.52	27.42	14.52	100.00
	COLUMN %	3.85	1.70	2.29	1.81	2.06	6.09	3.15	2.66
	% OF TOTAL	0.04	0.21	0.56	0.34	0.39	0.73	0.39	2.66
Plants, trees	FREQUENCY	1	4		2	1		8	
	ROW %	12.50	50.00		25.00	12.50		100.00	
	COLUMN %	0.34	0.70		0.46	0.36		0.34	
	% OF TOTAL	0.04	0.17		0.09	0.04		0.34	
Fairs,	FREQUENCY	17	36	5	1			59	
Playgrounds	ROW %	28.81	61.02	8.47	1.69			100.00	
	COLUMN %	5.78	6.34	1.13	0.23			2.53	
	% OF TOTAL	0.73	1.54	0.21	0.04			2.53	
Vehicles,	FREQUENCY	11	47	25	16	5	5	109	
Boats, bikes &	ROW %	10.09	43.12	22.94	14.68	4.59	4.59	100.00	
Accessories	COLUMN %	3.74	8.27	5.64	3.66	1.79	1.75	4.67	
	% OF TOTAL	0.47	2.01	1.07	0.69	0.21	0.21	4.67	
Athletics,	FREQUENCY	2	13	11	10	2	2	40	
Boxing, golf,	ROW %	5.00	32.50	27.50	25.00	5.00	5.00	100.00	
Horse riding	COLUMN %	0.68	2.29	2.48	2.29	0.72	0.70	1.71	
etc.	% OF TOTAL	0.09	0.56	0.47	0.43	0.09	0.09	1.71	

(Continued)

The Twenty Most Common Product Groups Involved in Accidents (Females)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE
Skiing, tennis,	FREQUENCY	4	149	116	58	28	14	369	
	ROW %	1.08	40.38	31.44	15.72	7.59	3.79	100.00	
	COLUMN %	1.36	26.23	26.19	13.27	10.04	4.90	15.82	
	% OF TOTAL	0.17	6.39	4.97	2.49	1.20	0.60	15.82	
Sports articles,	FREQUENCY	5	36	30	24	5	2	102	
	ROW %	4.90	35.29	29.41	23.53	4.90	1.96	100.00	
	COLUMN %	1.70	6.34	6.77	5.49	1.79	0.70	4.37	
	% OF TOTAL	0.21	1.54	1.29	1.03	0.21	0.09	4.37	
Other product	FREQUENCY	11	49	19	30	40	18	179	
	ROW %	6.15	27.37	10.61	16.76	22.35	10.06	6.70	100.00
	COLUMN %	42.31	16.67	3.35	6.77	9.15	6.45	4.20	7.67
	% OF TOTAL	0.47	2.10	0.81	1.29	1.71	0.77	0.51	7.67
No product stated	FREQUENCY	1	13	49	17	17	9	19	125
	ROW %	0.80	10.40	39.20	13.60	13.60	7.20	15.20	100.00
	COLUMN %	3.85	4.42	8.63	3.84	3.89	3.23	6.64	5.36
	% OF TOTAL	0.04	0.56	2.10	0.73	0.73	0.39	0.81	5.36
TOTAL	FREQUENCY	26	294	568	443	437	279	286	2333
	ROW %	1.11	12.60	24.35	18.99	18.73	11.96	12.26	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	1.11	12.60	24.35	18.99	18.73	11.96	12.26	100.00

The Twenty Most Common Product Groups Involved in Accidents (Total)

	AGE GROUPS							
	< 1	1-4	5-14	15-24	25-44	45-64	65+	%ALL AGE, GROUPS
Clothing or sportswear	FREQUENCY	7	149	337	107	3	1	604
	ROW %	1.16	24.67	55.79	17.72	0.50	0.17	100.00
	COLUMN %	1.03	9.06	15.38	6.93	0.55	0.22	8.50
	% OF TOTAL	0.10	2.10	4.75	1.51	0.04	0.01	8.50
House building elements	FREQUENCY	4	155	185	175	192	119	121
	ROW %	0.42	16.30	19.45	18.40	20.19	12.51	12.72
	COLUMN %	7.55	22.83	11.25	7.99	12.43	21.96	27.07
	% OF TOTAL	0.06	2.18	2.60	2.46	2.70	1.68	1.70
DIY equipment	FREQUENCY	1	3	10	21	49	36	17
	ROW %	0.73	2.19	7.30	15.33	35.77	26.28	12.41
	COLUMN %	1.89	0.44	0.61	0.96	3.17	6.64	3.80
	% OF TOTAL	0.01	0.04	0.14	0.30	0.69	0.51	0.24
Building materials, insulation, wood	FREQUENCY	9	16	19	19	16	23	102
	ROW %	8.82	15.69	18.63	18.63	15.69	22.55	100.00
	COLUMN %	1.33	0.97	0.87	1.23	2.95	5.15	1.44
	% OF TOTAL	0.13	0.23	0.27	0.27	0.23	0.32	1.44
Food, hot-liquids	FREQUENCY	6	32	17	22	34	16	8
	ROW %	4.44	23.70	12.59	16.30	25.19	11.85	5.93
	COLUMN %	11.32	4.71	1.03	1.00	2.20	2.95	1.79
	% OF TOTAL	0.08	0.45	0.24	0.31	0.48	0.23	0.11
Footwear	FREQUENCY	12	29	28	5	1	75	
	ROW %	16.00	38.67	37.33	6.67	1.33	100.00	
	COLUMN %	0.73	1.32	1.81	0.92	0.22	1.06	
	% OF TOTAL	0.17	0.41	0.39	0.07	0.01	1.06	

(Continued)

The Twenty Most Common Product Groups Involved in Accidents (Total)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE GROUPS
Garden equipment	FREQUENCY	9	5	10	14	18	11	67	
	ROW %	13.43	7.46	14.93	20.90	26.87	16.42	100.00	
	COLUMN %	1.33	0.30	0.46	0.91	3.32	2.46	0.94	
	% OF TOTAL	0.13	0.07	0.14	0.20	0.25	0.15	0.94	
Heating equipment	FREQUENCY	16	19	8	11	3	8	65	
	ROW %	24.62	29.23	12.31	16.92	4.62	12.31	100.00	
	COLUMN %	2.36	1.16	0.37	0.71	0.55	1.79	0.92	
	% OF TOTAL	0.23	0.27	0.11	0.15	0.04	0.11	0.92	
Bathroom equipment	FREQUENCY	8	4	5	10	8	13	48	
	ROW %	16.67	8.33	10.42	20.83	16.67	27.08	100.00	
	COLUMN %	1.18	0.24	0.23	0.65	1.48	2.91	0.68	
	% OF TOTAL	0.11	0.06	0.07	0.14	0.11	0.18	0.68	
Floor, inside coverings, stairs	FREQUENCY	3	6	8	11	16	14	19	77
	ROW %	3.90	7.79	10.39	14.29	20.78	18.18	24.68	100.00
	COLUMN %	5.66	0.88	0.49	0.50	1.04	2.58	4.25	1.08
	% OF TOTAL	0.04	0.08	0.11	0.15	0.23	0.20	0.27	1.08
Household furniture	FREQUENCY	10	152	67	28	46	49	58	410
	ROW %	2.44	37.07	16.34	6.83	11.22	11.95	14.15	100.00
	COLUMN %	18.87	22.39	4.07	1.28	2.98	9.04	12.98	5.77
	% OF TOTAL	0.14	2.14	0.94	0.39	0.65	0.69	0.82	5.77
Kitchen utensils, household electricity	FREQUENCY	1	20	21	39	46	16	3	146
	ROW %	0.68	13.70	14.38	26.71	31.51	10.96	2.05	100.00
	COLUMN %	1.89	2.95	1.28	1.78	2.98	2.95	0.67	2.06
	% OF TOTAL	0.01	0.28	0.30	0.55	0.65	0.23	0.04	2.06

(Continued)

The Twenty Most Common Product Groups Involved in Accidents (Total)

		AGE GROUPS								
		%ALL AGE, GROUPS								
		< 1	1-4	5-14	15-24	25-44	45-64	65+		
Floor, footpath, street, water	FREQUENCY	1	34	52	38	80	59	52	316	
	ROW %	0.32	10.76	16.46	12.03	25.32	18.67	16.46	100.00	
	COLUMN %	1.89	5.01	3.16	1.73	5.18	10.89	11.63	4.45	
	% OF TOTAL	0.01	0.48	0.73	0.54	1.13	0.83	0.73	4.45	
Animal s, animal	FREQUENCY	1	8	30	13	21	25	15	113	
	ROW %	0.88	7.08	26.55	11.50	18.58	22.12	13.27	100.00	
	COLUMN %	1.89	1.18	1.82	0.59	1.36	4.61	3.36	1.59	
	% OF TOTAL	0.01	0.11	0.42	0.18	0.30	0.35	0.21	1.59	
Plants, trees	FREQUENCY	.	3	25	5	6	4	2	45	
	ROW %	.	6.67	55.56	11.11	13.33	8.89	4.44	100.00	
	COLUMN %	.	0.44	1.52	0.23	0.39	0.74	0.45	0.63	
	% OF TOTAL	.	0.04	0.35	0.07	0.08	0.06	0.03	0.63	
Fai rs, pl aygrounds	FREQUENCY	.	34	77	8	1	.	.	120	
	ROW %	.	28.33	64.17	6.67	0.83	.	.	100.00	
	COLUMN %	.	5.01	4.68	0.37	0.06	.	.	1.69	
	% OF TOTAL	.	0.48	1.08	0.11	0.01	.	.	1.69	
Vehi cl es, boats, bi kes & accessori es	FREQUENCY	.	29	131	72	41	19	9	301	
	ROW %	.	9.63	43.52	23.92	13.62	6.31	2.99	100.00	
	COLUMN %	.	4.27	7.96	3.29	2.65	3.51	2.01	4.24	
	% OF TOTAL	.	0.41	1.84	1.01	0.58	0.27	0.13	4.24	
Athl eti cs, boxi ng, gol f, horse ri di ng, etc.	FREQUENCY	.	3	24	31	32	9	5	104	
	ROW %	.	2.88	23.08	29.81	30.77	8.65	4.81	100.00	
	COLUMN %	.	0.44	1.46	1.41	2.07	1.66	1.12	1.46	
	% OF TOTAL	.	0.04	0.34	0.44	0.45	0.13	0.07	1.46	

(Conti nued)

The Twenty Most Common Product Groups Involved in Accidents (Total)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE, GROUPS
Skiing, tennis,	FREQUENCY	14	562	1108	578	61	26	2349	
	ROW %	0.60	23.93	47.17	24.61	2.60	1.11	100.00	
	COLUMN %	2.06	34.16	50.57	37.41	11.25	5.82	33.08	
	% OF TOTAL	0.20	7.91	15.60	8.14	0.86	0.37	33.08	
Sports articles,	FREQUENCY	7	78	96	81	15	4	281	
	ROW %	2.49	27.76	34.16	28.83	5.34	1.42	100.00	
	COLUMN %	1.03	4.74	4.38	5.24	2.77	0.89	3.96	
	% OF TOTAL	0.10	1.10	1.35	1.14	0.21	0.06	3.96	
Other product	FREQUENCY	23	104	51	61	97	33	394	
	ROW %	5.84	26.40	12.94	15.48	24.62	8.38	6.35	100.00
	COLUMN %	43.40	15.32	3.10	2.78	6.28	6.09	5.59	5.55
	% OF TOTAL	0.32	1.46	0.72	0.86	1.37	0.46	0.35	5.55
No product stated	FREQUENCY	3	26	102	55	36	14	262	
	ROW %	1.15	9.92	38.93	20.99	13.74	5.34	9.92	100.00
	COLUMN %	5.66	3.83	6.20	2.51	2.33	2.58	5.82	3.69
	% OF TOTAL	0.04	0.37	1.44	0.77	0.51	0.20	0.37	3.69
TOTAL	FREQUENCY	53	679	1645	2191	1545	542	447	7102
	ROW %	0.75	9.56	23.16	30.85	21.75	7.63	6.29	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.75	9.56	23.16	30.85	21.75	7.63	6.29	100.00

The Twenty Most Common Product Groups Causing Injuries (Males)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	%ALL AGE,
		GROUPS							
Clothing or sportswear	FREQUENCY	3	117	300	98	2		520	
	ROW %	0.58	22.50	57.69	18.85	0.38		100.00	
	COLUMN %	0.79	11.09	17.49	9.22	0.79		11.18	
	% OF TOTAL	0.06	2.52	6.45	2.11	0.04		11.18	
House building elements	FREQUENCY	2	91	106	84	88	41	34	446
	ROW %	0.45	20.40	23.77	18.83	19.73	9.19	7.62	100.00
	COLUMN %	7.41	24.07	10.05	4.90	8.28	16.21	21.25	9.59
	% OF TOTAL	0.04	1.96	2.28	1.81	1.89	0.88	0.73	9.59
DIY equipment	FREQUENCY	3	5	19	29	25	11	92	
	ROW %	3.26	5.43	20.65	31.52	27.17	11.96	100.00	
	COLUMN %	0.79	0.47	1.11	2.73	9.88	6.88	1.98	
	% OF TOTAL	0.06	0.11	0.41	0.62	0.54	0.24	1.98	
Building materials, insulation, wood	FREQUENCY	6	10	14	10	13	9	62	
	ROW %	9.68	16.13	22.58	16.13	20.97	14.52	100.00	
	COLUMN %	1.59	0.95	0.82	0.94	5.14	5.63	1.33	
	% OF TOTAL	0.13	0.22	0.30	0.22	0.28	0.19	1.33	
Food, hot-liquids	FREQUENCY	4	16	8	14	13	10	6	71
	ROW %	5.63	22.54	11.27	19.72	18.31	14.08	8.45	100.00
	COLUMN %	14.81	4.23	0.76	0.82	1.22	3.95	3.75	1.53
	% OF TOTAL	0.09	0.34	0.17	0.30	0.28	0.22	0.13	1.53
Garden equipment	FREQUENCY	7	5	6	9	10	2	39	
	ROW %	17.95	12.82	15.38	23.08	25.64	5.13	100.00	
	COLUMN %	1.85	0.47	0.35	0.85	3.95	1.25	0.84	
	% OF TOTAL	0.15	0.11	0.13	0.19	0.22	0.04	0.84	

(Continued)

The Twenty Most Common Product Groups Causing Injuries (Males)

		AGE GROUPS							
		%ALL AGE,							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	GROUPS
Heating equipment	FREQUENCY	11	10	4	7	1	1	34	
	ROW %	32.35	29.41	11.76	20.59	2.94	2.94	100.00	
	COLUMN %	2.91	0.95	0.23	0.66	0.40	0.63	0.73	
	% OF TOTAL	0.24	0.22	0.09	0.15	0.02	0.02	0.73	
Bathroom equipment	FREQUENCY	6	4	3	3	6	5	27	
	ROW %	22.22	14.81	11.11	11.11	22.22	18.52	100.00	
	COLUMN %	1.59	0.38	0.17	0.28	2.37	3.13	0.58	
	% OF TOTAL	0.13	0.09	0.06	0.06	0.13	0.11	0.58	
Floor, inside coverings, stairs	FREQUENCY	2	7	2	5	3	5	7	31
	ROW %	6.45	22.58	6.45	16.13	9.68	16.13	22.58	100.00
	COLUMN %	7.41	1.85	0.19	0.29	0.28	1.98	4.38	0.67
	% OF TOTAL	0.04	0.15	0.04	0.11	0.06	0.11	0.15	0.67
Household furniture	FREQUENCY	4	72	36	13	16	11	17	169
	ROW %	2.37	42.60	21.30	7.69	9.47	6.51	10.06	100.00
	COLUMN %	14.81	19.05	3.41	0.76	1.51	4.35	10.63	3.63
	% OF TOTAL	0.09	1.55	0.77	0.28	0.34	0.24	0.37	3.63
Kitchen utensils, household electricity	FREQUENCY	1	14	17	20	25	5	2	84
	ROW %	1.19	16.67	20.24	23.81	29.76	5.95	2.38	100.00
	COLUMN %	3.70	3.70	1.61	1.17	2.35	1.98	1.25	1.81
	% OF TOTAL	0.02	0.30	0.37	0.43	0.54	0.11	0.04	1.81
Floor, footpath, street, water	FREQUENCY	1	24	29	20	36	29	17	156
	ROW %	0.64	15.38	18.59	12.82	23.08	18.59	10.90	100.00
	COLUMN %	3.70	6.35	2.75	1.17	3.39	11.46	10.63	3.35
	% OF TOTAL	0.02	0.52	0.62	0.43	0.77	0.62	0.37	3.35

(Continued)

The Twenty Most Common Product Groups Causing Injuries (Males)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE GROUPS
Animal s, ani mal	FREQUENCY	3	17	5	12	8	6	51	
accessori es	ROW %	5.88	33.33	9.80	23.53	15.69	11.76	100.00	
	COLUMN %	0.79	1.61	0.29	1.13	3.16	3.75	1.10	
	% OF TOTAL	0.06	0.37	0.11	0.26	0.17	0.13	1.10	
Pl ants, trees	FREQUENCY	2	20	4	6	3	2	37	
	ROW %	5.41	54.05	10.81	16.22	8.11	5.41	100.00	
	COLUMN %	0.53	1.90	0.23	0.56	1.19	1.25	0.80	
	% OF TOTAL	0.04	0.43	0.09	0.13	0.06	0.04	0.80	
Fai rs,	FREQUENCY	17	40	3				60	
pl aygrounds	ROW %	28.33	66.67	5.00				100.00	
	COLUMN %	4.50	3.79	0.17				1.29	
	% OF TOTAL	0.37	0.86	0.06				1.29	
Vehi cl es,	FREQUENCY	18	81	45	23	14	4	185	
boats, bi kes &	ROW %	9.73	43.78	24.32	12.43	7.57	2.16	100.00	
accessori es	COLUMN %	4.76	7.68	2.62	2.16	5.53	2.50	3.98	
	% OF TOTAL	0.39	1.74	0.97	0.49	0.30	0.09	3.98	
Athl eti cs,	FREQUENCY	1	11	21	19	6	3	61	
boxi ng, gol f,	ROW %	1.64	18.03	34.43	31.15	9.84	4.92	100.00	
horse ri di ng	COLUMN %	0.26	1.04	1.22	1.79	2.37	1.88	1.31	
, etc.	% OF TOTAL	0.02	0.24	0.45	0.41	0.13	0.06	1.31	
Ski i ng, tenni s,	FREQUENCY	10	410	993	526	34	12	1985	
swi mmi ng, wi nd-	ROW %	0.50	20.65	50.03	26.50	1.71	0.60	100.00	
surfi ng etc.	COLUMN %	2.65	38.86	57.90	49.48	13.44	7.50	42.68	
	% OF TOTAL	0.22	8.82	21.35	11.31	0.73	0.26	42.68	

(Conti nued)

The Twenty Most Common Product Groups Causing Injuries (Males)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE, GROUPS
Sports articles	FREQUENCY	2	42	63	55	9	2	173	
	ROW %	1.16	24.28	36.42	31.79	5.20	1.16	100.00	
	COLUMN %	0.53	3.98	3.67	5.17	3.56	1.25	3.72	
	% OF TOTAL	0.04	0.90	1.35	1.18	0.19	0.04	3.72	
Other product	FREQUENCY	11	53	36	43	69	16	241	
	ROW %	4.56	21.99	14.94	17.84	28.63	6.64	5.39	100.00
	COLUMN %	40.74	14.02	3.41	2.51	6.49	6.32	8.13	5.18
	% OF TOTAL	0.24	1.14	0.77	0.92	1.48	0.34	0.28	5.18
No product stated	FREQUENCY	2	12	49	36	16	5	7	127
	ROW %	1.57	9.45	38.58	28.35	12.60	3.94	5.51	100.00
	COLUMN %	7.41	3.17	4.64	2.10	1.51	1.98	4.38	2.73
	% OF TOTAL	0.04	0.26	1.05	0.77	0.34	0.11	0.15	2.73
TOTAL	FREQUENCY	27	378	1055	1715	1063	253	160	4651
	ROW %	0.58	8.13	22.68	36.87	22.86	5.44	3.44	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.58	8.13	22.68	36.87	22.86	5.44	3.44	100.00

The Twenty Most Common Product Groups Causing Injuries (Females)

	AGE GROUPS								%ALL AGE
	< 1	1-4	5-14	15-24	25-44	45-64	65+	GROUPS	
Clothing or sportswear	FREQUENCY	4	31	34	8	1	1	79	
	ROW %	5.06	39.24	43.04	10.13	1.27	1.27	100.00	
	COLUMN %	1.40	5.61	7.82	1.90	0.37	0.36	3.48	
	% OF TOTAL	0.18	1.37	1.50	0.35	0.04	0.04	3.48	
House building elements	FREQUENCY	3	60	81	78	96	69	86	473
	ROW %	0.63	12.68	17.12	16.49	20.30	14.59	18.18	100.00
	COLUMN %	11.54	21.05	14.65	17.93	22.75	25.56	30.71	20.83
	% OF TOTAL	0.13	2.64	3.57	3.43	4.23	3.04	3.79	20.83
DIY equipment	FREQUENCY	2	4	2	7	5	6	26	
	ROW %	7.69	15.38	7.69	26.92	19.23	23.08	100.00	
	COLUMN %	0.70	0.72	0.46	1.66	1.85	2.14	1.14	
	% OF TOTAL	0.09	0.18	0.09	0.31	0.22	0.26	1.14	
Building materials, insulation, wood	FREQUENCY	3	6	5	9	3	14	40	
	ROW %	7.50	15.00	12.50	22.50	7.50	35.00	100.00	
	COLUMN %	1.05	1.08	1.15	2.13	1.11	5.00	1.76	
	% OF TOTAL	0.13	0.26	0.22	0.40	0.13	0.62	1.76	
Food, hot-liquids	FREQUENCY	3	15	10	7	26	13	2	76
	ROW %	3.95	19.74	13.16	9.21	34.21	17.11	2.63	100.00
	COLUMN %	11.54	5.26	1.81	1.61	6.16	4.81	0.71	3.35
	% OF TOTAL	0.13	0.66	0.44	0.31	1.14	0.57	0.09	3.35
Garden equipment	FREQUENCY	2	4	3	9	9	27		
	ROW %	7.41	14.81	11.11	33.33	33.33	100.00		
	COLUMN %	0.70	0.92	0.71	3.33	3.21	1.19		
	% OF TOTAL	0.09	0.18	0.13	0.40	0.40	1.19		

(Continued)

The Twenty Most Common Product Groups Causing Injuries (Females)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE GROUPS
Heating equipment	FREQUENCY	1	6	7	4	6	2	7	33
	ROW %	3.03	18.18	21.21	12.12	18.18	6.06	21.21	100.00
	COLUMN %	3.85	2.11	1.27	0.92	1.42	0.74	2.50	1.45
	% OF TOTAL	0.04	0.26	0.31	0.18	0.26	0.09	0.31	1.45
Bathroom equipment	FREQUENCY	..	2	..	3	6	1	8	20
	ROW %	..	10.00	..	15.00	30.00	5.00	40.00	100.00
	COLUMN %	..	0.70	..	0.69	1.42	0.37	2.86	0.88
	% OF TOTAL	..	0.09	..	0.13	0.26	0.04	0.35	0.88
Floor, inside coverings, stairs	FREQUENCY	1	5	3	5	7	6	11	38
	ROW %	2.63	13.16	7.89	13.16	18.42	15.79	28.95	100.00
	COLUMN %	3.85	1.75	0.54	1.15	1.66	2.22	3.93	1.67
	% OF TOTAL	0.04	0.22	0.13	0.22	0.31	0.26	0.48	1.67
Household furniture	FREQUENCY	6	64	24	14	22	39	40	209
	ROW %	2.87	30.62	11.48	6.70	10.53	18.66	19.14	100.00
	COLUMN %	23.08	22.46	4.34	3.22	5.21	14.44	14.29	9.20
	% OF TOTAL	0.26	2.82	1.06	0.62	0.97	1.72	1.76	9.20
Kitchen utensils, household electricity	FREQUENCY	..	5	1	14	20	9	1	50
	ROW %	..	10.00	2.00	28.00	40.00	18.00	2.00	100.00
	COLUMN %	..	1.75	0.18	3.22	4.74	3.33	0.36	2.20
	% OF TOTAL	..	0.22	0.04	0.62	0.88	0.40	0.04	2.20
Floor, footpath, street, water	FREQUENCY	..	13	24	22	36	31	35	161
	ROW %	..	8.07	14.91	13.66	22.36	19.25	21.74	100.00
	COLUMN %	..	4.56	4.34	5.06	8.53	11.48	12.50	7.09
	% OF TOTAL	..	0.57	1.06	0.97	1.59	1.37	1.54	7.09

(Continued)

The Twenty Most Common Product Groups Causing Injuries (Females)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE GROUPS
Animal s, ani mal	FREQUENCY	1	5	13	9	9	16	9	62
accessori es	ROW %	1.61	8.06	20.97	14.52	14.52	25.81	14.52	100.00
	COLUMN %	3.85	1.75	2.35	2.07	2.13	5.93	3.21	2.73
	% OF TOTAL	0.04	0.22	0.57	0.40	0.40	0.70	0.40	2.73
Pl ants, trees	FREQUENCY	.	1	4	.	2	1	.	8
	ROW %	.	12.50	50.00	.	25.00	12.50	.	100.00
	COLUMN %	.	0.35	0.72	.	0.47	0.37	.	0.35
	% OF TOTAL	.	0.04	0.18	.	0.09	0.04	.	0.35
Fai rs,	FREQUENCY	.	17	36	5	1	.	.	59
pl aygrounds	ROW %	.	28.81	61.02	8.47	1.69	.	.	100.00
	COLUMN %	.	5.96	6.51	1.15	0.24	.	.	2.60
	% OF TOTAL	.	0.75	1.59	0.22	0.04	.	.	2.60
Vehi cl es,	FREQUENCY	.	11	43	24	16	4	4	102
boats, bi kes &	ROW %	.	10.78	42.16	23.53	15.69	3.92	3.92	100.00
accessori es	COLUMN %	.	3.86	7.78	5.52	3.79	1.48	1.43	4.49
	% OF TOTAL	.	0.48	1.89	1.06	0.70	0.18	0.18	4.49
Athl eti cs,	FREQUENCY	.	2	12	11	10	3	2	40
boxi ng, gol f,	ROW %	.	5.00	30.00	27.50	25.00	7.50	5.00	100.00
horse ri di ng	COLUMN %	.	0.70	2.17	2.53	2.37	1.11	0.71	1.76
etc.	% OF TOTAL	.	0.09	0.53	0.48	0.44	0.13	0.09	1.76
Ski i ng, tenni s,	FREQUENCY	.	4	146	117	58	28	14	367
swi mmi ng, wi nd-	ROW %	.	1.09	39.78	31.88	15.80	7.63	3.81	100.00
surfi ng etc.	COLUMN %	.	1.40	26.40	26.90	13.74	10.37	5.00	16.16
	% OF TOTAL	.	0.18	6.43	5.15	2.55	1.23	0.62	16.16

(Conti nued)

The Twenty Most Common Product Groups Causing Injuries (Females)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE, GROUPS
Sports articles	FREQUENCY	4	33	29	23	4	2	95	
	ROW %	4.21	34.74	30.53	24.21	4.21	2.11	100.00	
	COLUMN %	1.40	5.97	6.67	5.45	1.48	0.71	4.18	
	% OF TOTAL	0.18	1.45	1.28	1.01	0.18	0.09	4.18	
Other product	FREQUENCY	10	47	26	34	40	17	185	
	ROW %	5.41	25.41	14.05	18.38	21.62	9.19	5.95	100.00
	COLUMN %	38.46	16.49	4.70	7.82	9.48	6.30	3.93	8.15
	% OF TOTAL	0.44	2.07	1.14	1.50	1.76	0.75	0.48	8.15
No product stated	FREQUENCY	1	13	49	14	17	9	18	121
	ROW %	0.83	10.74	40.50	11.57	14.05	7.44	14.88	100.00
	COLUMN %	3.85	4.56	8.86	3.22	4.03	3.33	6.43	5.33
	% OF TOTAL	0.04	0.57	2.16	0.62	0.75	0.40	0.79	5.33
TOTAL	FREQUENCY	26	285	553	435	422	270	280	2271
	ROW %	1.14	12.55	24.35	19.15	18.58	11.89	12.33	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	1.14	12.55	24.35	19.15	18.58	11.89	12.33	100.00

The Twenty Most Common Product Groups Causing Injuries (Total)

	AGE GROUPS								
	< 1	1-4	5-14	15-24	25-44	45-64	65+	%ALL AGE, GROUPS	
Clothing or sportswear	FREQUENCY	7	148	334	106	3	1	599	
	ROW %	1.17	24.71	55.76	17.70	0.50	0.17	100.00	
	COLUMN %	1.06	9.20	15.53	7.14	0.57	0.23	8.65	
	% OF TOTAL	0.10	2.14	4.83	1.53	0.04	0.01	8.65	
House building elements	FREQUENCY	5	151	187	162	184	110	120	919
	ROW %	0.54	16.43	20.35	17.63	20.02	11.97	13.06	100.00
	COLUMN %	9.43	22.78	11.63	7.53	12.39	21.03	27.27	13.28
	% OF TOTAL	0.07	2.18	2.70	2.34	2.66	1.59	1.73	13.28
DIY equipment	FREQUENCY	5	9	21	36	30	17	118	
	ROW %	4.24	7.63	17.80	30.51	25.42	14.41	100.00	
	COLUMN %	0.75	0.56	0.98	2.42	5.74	3.86	1.70	
	% OF TOTAL	0.07	0.13	0.30	0.52	0.43	0.25	1.70	
Building materials, insulation, wood	FREQUENCY	9	16	19	19	16	23	102	
	ROW %	8.82	15.69	18.63	18.63	15.69	22.55	100.00	
	COLUMN %	1.36	1.00	0.88	1.28	3.06	5.23	1.47	
	% OF TOTAL	0.13	0.23	0.27	0.27	0.23	0.33	1.47	
Food, hot-liquids	FREQUENCY	7	31	18	21	39	23	8	147
	ROW %	4.76	21.09	12.24	14.29	26.53	15.65	5.44	100.00
	COLUMN %	13.21	4.68	1.12	0.98	2.63	4.40	1.82	2.12
	% OF TOTAL	0.10	0.45	0.26	0.30	0.56	0.33	0.12	2.12
Garden equipment	FREQUENCY	9	5	10	12	19	11	66	
	ROW %	13.64	7.58	15.15	18.18	28.79	16.67	100.00	
	COLUMN %	1.36	0.31	0.47	0.81	3.63	2.50	0.95	
	% OF TOTAL	0.13	0.07	0.14	0.17	0.27	0.16	0.95	

(Continued)

The Twenty Most Common Product Groups Causing Injuries (Total)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE GROUPS
Heating equipment	FREQUENCY	1	17	17	8	13	3	8	67
	ROW %	1.49	25.37	25.37	11.94	19.40	4.48	11.94	100.00
	COLUMN %	1.89	2.56	1.06	0.37	0.88	0.57	1.82	0.97
	% OF TOTAL	0.01	0.25	0.25	0.12	0.19	0.04	0.12	0.97
Bathroom equipment	FREQUENCY		8	4	6	9	7	13	47
	ROW %		17.02	8.51	12.77	19.15	14.89	27.66	100.00
	COLUMN %		1.21	0.25	0.28	0.61	1.34	2.95	0.68
	% OF TOTAL		0.12	0.06	0.09	0.13	0.10	0.19	0.68
Floor, inside coverings, stairs	FREQUENCY	3	12	5	10	10	11	18	69
	ROW %	4.35	17.39	7.25	14.49	14.49	15.94	26.09	100.00
	COLUMN %	5.66	1.81	0.31	0.47	0.67	2.10	4.09	1.00
	% OF TOTAL	0.04	0.17	0.07	0.14	0.14	0.16	0.26	1.00
Household furniture	FREQUENCY	10	136	60	27	38	50	57	378
	ROW %	2.65	35.98	15.87	7.14	10.05	13.23	15.08	100.00
	COLUMN %	18.87	20.51	3.73	1.26	2.56	9.56	12.95	5.46
	% OF TOTAL	0.14	1.96	0.87	0.39	0.55	0.72	0.82	5.46
Kitchen utensils, household electricity	FREQUENCY	1	19	18	34	45	14	3	134
	ROW %	0.75	14.18	13.43	25.37	33.58	10.45	2.24	100.00
	COLUMN %	1.89	2.87	1.12	1.58	3.03	2.68	0.68	1.94
	% OF TOTAL	0.01	0.27	0.26	0.49	0.65	0.20	0.04	1.94
Floor, footpath, street, water	FREQUENCY	1	37	53	42	72	60	52	317
	ROW %	0.32	11.67	16.72	13.25	22.71	18.93	16.40	100.00
	COLUMN %	1.89	5.58	3.30	1.95	4.85	11.47	11.82	4.58
	% OF TOTAL	0.01	0.53	0.77	0.61	1.04	0.87	0.75	4.58

(Continued)

The Twenty Most Common Product Groups Causing Injuries (Total)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE GROUPS
Animal s, ani mal	FREQUENCY	1	8	30	14	21	24	15	113
accessori es	ROW %	0.88	7.08	26.55	12.39	18.58	21.24	13.27	100.00
	COLUMN %	1.89	1.21	1.87	0.65	1.41	4.59	3.41	1.63
	% OF TOTAL	0.01	0.12	0.43	0.20	0.30	0.35	0.22	1.63
Pl ants, trees	FREQUENCY	.	3	24	4	8	4	2	45
	ROW %	.	6.67	53.33	8.89	17.78	8.89	4.44	100.00
	COLUMN %	.	0.45	1.49	0.19	0.54	0.76	0.45	0.65
	% OF TOTAL	.	0.04	0.35	0.06	0.12	0.06	0.03	0.65
Fai rs,	FREQUENCY	.	34	76	8	1	.	.	119
pl aygrounds	ROW %	.	28.57	63.87	6.72	0.84	.	.	100.00
	COLUMN %	.	5.13	4.73	0.37	0.07	.	.	1.72
	% OF TOTAL	.	0.49	1.10	0.12	0.01	.	.	1.72
Vehi cl es,	FREQUENCY	.	29	124	69	39	18	8	287
boats, bi kes &	ROW %	.	10.10	43.21	24.04	13.59	6.27	2.79	100.00
accessori es	COLUMN %	.	4.37	7.71	3.21	2.63	3.44	1.82	4.15
	% OF TOTAL	.	0.42	1.79	1.00	0.56	0.26	0.12	4.15
Athl eti cs,	FREQUENCY	.	3	23	32	29	9	5	101
boxi ng, gol f,	ROW %	.	2.97	22.77	31.68	28.71	8.91	4.95	100.00
horse ri di ng	COLUMN %	.	0.45	1.43	1.49	1.95	1.72	1.14	1.46
etc.	% OF TOTAL	.	0.04	0.33	0.46	0.42	0.13	0.07	1.46
Ski i ng, tenni s,	FREQUENCY	.	14	556	1110	584	62	26	2352
swi mmi ng, wi nd-	ROW %	.	0.60	23.64	47.19	24.83	2.64	1.11	100.00
surfi ng etc.	COLUMN %	.	2.11	34.58	51.63	39.33	11.85	5.91	33.98
	% OF TOTAL	.	0.20	8.03	16.04	8.44	0.90	0.38	33.98

(Conti nued)

The Twenty Most Common Product Groups Causing Injuries (Total)

		AGE GROUPS							
		< 1	1-4	5-14	15-24	25-44	45-64	65+	ALL AGE, GROUPS
Sports articles	FREQUENCY	6	75	92	78	13	4	268	
	ROW %	2.24	27.99	34.33	29.10	4.85	1.49	100.00	
	COLUMN %	0.90	4.66	4.28	5.25	2.49	0.91	3.87	
	% OF TOTAL	0.09	1.08	1.33	1.13	0.19	0.06	3.87	
Other product	FREQUENCY	21	100	62	77	109	33	24	426
	ROW %	4.93	23.47	14.55	18.08	25.59	7.75	5.63	100.00
	COLUMN %	39.62	15.08	3.86	3.58	7.34	6.31	5.45	6.15
	% OF TOTAL	0.30	1.44	0.90	1.11	1.57	0.48	0.35	6.15
No product stated	FREQUENCY	3	25	98	50	33	14	25	248
	ROW %	1.21	10.08	39.52	20.16	13.31	5.65	10.08	100.00
	COLUMN %	5.66	3.77	6.09	2.33	2.22	2.68	5.68	3.58
	% OF TOTAL	0.04	0.36	1.42	0.72	0.48	0.20	0.36	3.58
TOTAL	FREQUENCY	53	663	1608	2150	1485	523	440	6922
	ROW %	0.77	9.58	23.23	31.06	21.45	7.56	6.36	100.00
	COLUMN %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
	% OF TOTAL	0.77	9.58	23.23	31.06	21.45	7.56	6.36	100.00

