

THE MEDICO-SOCIAL RESEARCH BOARD



THE THREE COUNTY AND ST. LOMAN'S
PSYCHIATRIC CASE REGISTERS

1974 and 1982

BY
AILEEN O'HARE
and
DERMOT WALSH

73 LOWER BAGGOT STREET
DUBLIN 2 IRELAND 1987

THE MEDICO-SOCIAL RESEARCH BOARD
An Bord Taighde Pobal-Liachta

THE THREE COUNTY AND ST. LOMAN'S
PSYCHIATRIC CASE REGISTERS
1974 and 1982

BY
AILEEN O'HARE
and
DERMOT WALSH

73 LOWER BAGGOT STREET
DUBLIN 2 IRELAND 1987

ACKNOWLEDGEMENTS

We wish to thank the register controllers, register interviewers, psychiatrists, nurses and clerical staffs of St. Dymphna's, Carlow, St. Loman's, Mullingar, St. Patrick's, Castlereagh and St. Loman's, Ballyowen whose wholehearted co-operation in the setting up and operation of the registers laid the ground work for this report. Thanks are also due to the register controllers and medical staff of St. Patrick's and St. John of God's Hospitals, Dublin.

We wish to acknowledge our indebtedness to the personnel of the Computer Department, Eastern Health Board for their assistance with the planning and establishment of the registers and for the output of information from them.

We are particularly grateful to Deirdre Carey for her important contribution to the operation of the register and to the preparation of this report and to Siobhán Hannan who typed it.

Contents

| | Page |
|----------------------|------|
| INTRODUCTION | 7 |
| COMMENTARY | 13 |
| TABLES | 23 |
| APPENDIX | 107 |

THREE COUNTIES COMBINED AND ST. LOMAN'S REGISTERS. 1974 and 1982

One Day Prevalence

| | | | |
|--------|-------|--|----|
| TABLES | 1- 2 | Age and Sex. Numbers and Rates | 24 |
| TABLES | 3- 4 | Age and Diagnosis. Rates | 26 |
| TABLES | 5- 6 | Diagnosis and Length of Stay. Rates | 28 |
| TABLES | 7-10 | Type of Care and Diagnosis. Rates | 30 |
| TABLES | 11-14 | Type of Care and Length of Stay. Rates | 34 |
| TABLES | 15-16 | Age and Length of Stay. Rates | 36 |
| TABLES | 17-18 | Socio-Economic Group and Sex. Rates | 38 |

One Year Prevalence

| | | | |
|--------|-------|---|----|
| TABLES | 19-22 | Type of Care, Sex and Age. Rates | 40 |
| TABLES | 23-26 | Type of Care and Diagnosis. Rates | 44 |
| TABLES | 27-28 | Socio-Economic Group and Sex. Rates | 48 |

Incidence

| | | | |
|--------|-------|---|----|
| TABLES | 29-32 | Type of Care, Sex and Age. Rates | 50 |
| TABLES | 33-36 | Sex, Diagnosis and Type of Care. Rates | 54 |
| TABLES | 37-40 | Age, Diagnosis and Type of Care. Rates | 58 |
| TABLES | 41-44 | Diagnosis and Socio-Economic Group. Rates | 62 |
| TABLES | 45-48 | Socio-Economic Group, Sex and Type of Care. Rates | 66 |


CARLOW, WESTMEATH AND ROSCOMMON REGISTERS. 1974 and 1982

One Day Prevalence

| | | | |
|--------|-------|---|----|
| TABLES | 49-54 | Type of Care and Diagnosis. Rates | 70 |
| TABLES | 55-60 | Age and Diagnosis. Rates | 74 |
| TABLES | 61-66 | Age and Length of Stay. Rates | 78 |
| TABLES | 67-72 | Diagnosis and Length of Stay. Rates | 80 |
| TABLES | 73-78 | Socio-Economic Group, Sex and Type of Care. Rates | 84 |

| | Page |
|--|------|
| <i>One Year Prevalence</i> | |
| TABLES 79-84 Type of Care and Diagnosis. Rates | 90 |
| TABLES 85-90 Age and Diagnosis. Rates | 94 |
| TABLES 91-96 Socio-Economic Group, Sex and Type of Care. Rates | 98 |
| <i>Incidence</i> | |
| TABLE 97 Type of Care. Rates | 104 |
| TABLE 98 Sex. Rates | 104 |
| TABLE 99 Age. Rates | 104 |
| TABLE 100 Diagnosis. Rates | 105 |
| TABLE 101 Socio-Economic Group. Rates | 105 |
| Appendix | 107 |

Case Register Areas



INTRODUCTION

Psychiatric services in Ireland have, until comparatively recently, been mainly institution-based. The need for extension of these services to the community was emphasised by the report of the Commission of Inquiry on Mental Illness (1966).¹ Even at that time patients with psychiatric problems were being treated increasingly in community settings and as a result the large number of hospitalised patients, slightly over 21,000 in 1958, had begun to fall and as the years passed the services for psychiatric illness provided outside hospital became more important. Whereas information on patient movement in psychiatric institutions has been available since the 1840's little reliable data were available on out-patient and other forms of care. For this reason the Medico-Social Research Board on its foundation decided to compile an accurate picture of what was happening in out-patient services, day centres and community residences in a sample of psychiatric services. The most effective way to bring this about was through the instigation of psychiatric case registers and so the Three County Psychiatric Case Register was inaugurated in 1973 by the Medico-Social Research Board. At the same time St. Loman's Psychiatric Case Register was established by the Eastern Health Board.

Psychiatric Case Registers

Psychiatric Case Registers are information systems which record the contacts of patients with psychiatric services who reside in a defined geographical area. Information so recorded is kept in a register which is a cumulative, longitudinal, linked record system so that individual groups of patients with common characteristics can be followed through over periods of time. Because the register is geographically-based the denominator is known and rates of morbidity per 100,000 of population can be calculated.

Unlike routine patient movement statistics, recording admissions and discharges (an event-linked system), case register data are person-linked. As registers are local, rather than national information systems, high quality, accurate data can be collected. This is particularly true of the St. Loman's and the Three County Case Registers because the staff have been specifically trained in the gathering of socio-demographic and medical data and, in the case of the St. Loman's register, are full-time in this work. Furthermore, register data as well as being longitudinal, are much more comprehensive than statistics gathered nationally. Thus the Irish psychiatric case register

¹Department of Health, Report of the Commission of Enquiry on Mental Illness. Dublin. The Stationery Office. 1966.

data can be seen as complementing and extending the National Psychiatric Inpatient Reporting System information which covers inpatients only but is, of course, based on the whole country. On the other hand, psychiatric case registers have the limitation that they only cover psychiatric illness treated by the psychiatric services. Thus psychiatric illness appearing in primary health care settings and untreated illness in the community is not recorded.

In Ireland we have a twin system of health care, public and private. The public service is locally-based and adheres to rigid catchment areas so there is no difficulty in collecting information on patients from a defined geographical area because they are dealt with by a single service. However, eighty per cent of those using private services go to one or other of two services in Dublin. Because of the generous co-operation of these services we have been able to gather information on persons from the four case register areas using these private services. The case registers are locally-based and neither names nor addresses are transmitted to any central source and so complete anonymity of patient identity is preserved.

The uses of psychiatric case register data are several. Firstly such data are indispensable for administrative and planning purposes. Secondly case register data are invaluable for epidemiological research. In this context it is worth mentioning that the case register in Co. Roscommon is being used as the basis for an extensive, United States-funded, joint family study of schizophrenia, between the Medico-Social Research Board, the Western Health Board and the Medical College of Virginia. St. Loman's Case Register and the county Westmeath component of the Three County Case Register served as the basis for our participation in a multi-centre cooperative international study of Schizophrenia.¹

Operational Aspects of Case Registers

Broadly speaking case registers can obtain their information in two ways, either from the records offices in hospitals, clinics etc, or by direct interview of patients by trained interviewers. We decided that both case registers should follow the latter model because admission offices do not exist in some hospitals or clinics and because the interviewer system is inherently more reliable in obtaining high quality data. Our senior staff involved in setting up the registers visited the Scottish North Eastern Psychiatric Case Register where the Director, the late Dr. John Baldwin and his staff gave much helpful advice. We also consulted Professor John Wing of the Camberwell Psychiatric Case Register in London and Dr. Thomas Fryers from the Salford Psychiatric Case Register in Manchester.

In the Three Counties all the interviewers are community psychiatric nurses but in the St. Loman's service they are clerical personnel. The Registers commenced operation in each of the four areas on March 31st 1973 with a census of patients in all forms of psychiatric care. After that date as new patients, not included in the census, came into care they were added to the register. Considerable medico-social and demographic information is collected by the interviewers when patients make their initial contact with the register

¹Sartorius, N. Jablensky, A., Korten, A., Ernberg, G., Anker, M., Cooper, J. E. & Day, R. Early manifestations and first contact incidence of schizophrenia in different cultures. *Psychological Medicine*, 1986, 16, 909-928.

(see patient detail 1 and 2 forms, appendix). The contact form, with an admission and discharge section (appendix) monitors patients' use of the different types of care.

Definitions

The term "**episode of care**" is used in the context of the case register to refer to a period during which a patient is in contact with the psychiatric service. In any particular episode a patient may have contact with one or more types of facility — inpatient, clinic, daycare or hostel. By definition, an episode of care finishes when a patient is formally discharged from all types of psychiatric care or when ninety days have elapsed since the patient's last contact with the service. This choice of ninety days as the "cut off point", after which the patient is no longer considered to be in care, is somewhat arbitrary but facilitates comparison with other registers which apply the same criterion. When a patient is in more than one form of care simultaneously a hierarchical ranking system is adopted and only the more comprehensive form of care is recorded. Thus inpatient care takes precedence over hostel care followed by daycare and finally outpatient care.

"**One-day prevalence**" refers to all those patients in contact with the psychiatric service on a selected "census" date. For this purpose an inpatient is defined as one who was actually resident in the hospital at midnight on the census date, or who, though not resident in the hospital — for example absent on leave — is technically "on the books" of the hospital. In relation to outpatients, an individual is regarded as being still in care if he has not been formally discharged and has had an attendance at some form of psychiatric facility in the ninety days prior to the census date.

"**One-year prevalence**" is a count of all patients in care on December 31st and all those who, not included in the census count, commenced new episodes of care in the year following. There is, therefore, no question of multiple counting of individual patients. For instance a patient in care on December 31st, 1981, who also begins a new episode of care in 1982 will be counted once only. Furthermore, a patient who begins two or more episodes of care in a given year will appear only once in one-year prevalence statistics.

"**One-year incidence**" refers to those patients who, as far as can be ascertained have never been in psychiatric contact before. They therefore represent "one-year administrative incidence" to distinguish them from those patients who may have become ill but have never contacted a psychiatric service.

Standardisation of definitions utilised by psychiatric case registers and the tabular output from these registers has in recent years been supported by the Regional Office for Europe of the World Health Organisation. As there are now psychiatric case registers in the majority of Western European countries and as their utility for administrative and research purposes is beyond question, WHO has taken the initiative in establishing a European Psychiatric Case Register Group which is centred in the Social Psychiatric Research Unit at the University of Groningen in the Netherlands.¹ We participate in this

¹Ten Horn, G.H.M.N., Giel, R., Gulbinat, W.H., Henderson, J.H. (eds.). *Psychiatric Case Registers in Public Health*. Amsterdam, Elsevier, 1986.

register users' group and our output is therefore comparable with other European psychiatric case register outputs.

The **socio-economic groups** are those of the Central Statistics Office, based on occupation. Sufficient detail of occupation is collected to allocate each patient to a particular group by using the Glossary of Occupations from the coding manual of the Central Statistics Office. Patients aged under 15 years (or aged under 14 prior to the 1981 census) and those not gainfully occupied have been allocated to the socio-economic group of the head of their household in accordance with normal Central Statistics Office practice.

Rates appearing in the tables have been derived from the 1971 and 1981 Census of Population.

The **diagnostic groups** used in this report are an amalgamation of individual International Classification of Diseases (ICD), 9th edition categories, and ICD 8 categories used prior to 1981 have been converted to ICD 9 equivalents as follows:

| <i>Category</i> | <i>ICD Number</i> |
|--|--|
| Organic Psychoses: | 290, 293, 294, 310, 314 |
| Schizophrenia: | 295, 297, 298.3, 298.4 |
| Other and Unspecified Psychoses: | 298.1, 298.2, 298.8, 298.9, 299 |
| Depressive Disorders: | 296.1, 296.3, 298.0, 300.4, 309.0, 309.1, 311 |
| Mania: | 296.0, 296.2, 296.4, 296.5, 296.6, 296.8, 296.9 |
| Neuroses: | 300.0, 300.1, 300.2, 300.3, 300.5, 300.6, 300.7, 300.8, 300.9, 306, 307, 308, 309.2, 309.3, 309.4, 309.8, 309.9, 313, 315, 316 |
| Personality Disorders: | 301, 302, 312 |
| Alcohol Abuse and Alcoholic Psychoses: | 291, 303, 305.0 |
| Drug Dependence: | 292, 304, 305.1, 305.2, 305.3, 305.4, 305.5, 305.6, 305.7, 305.8, 305.9 |
| Mental Handicap: | 317, 318, 319. |

Computerisation

From the beginning the processing of our psychiatric case register data has been entrusted to the computer department of the Eastern Health Board (EHB). The Three County case register data come first to the Medico-Social Research Board for checking before going to the EHB computer department while the St. Loman's register data go from the case register office in Usher's Island directly to the EHB computer department after checking.

Case Register Output

Both registers began operation with a census, or one-day prevalence count of all patients in care on March 31st, 1973, thereafter every contact with all phases of the respective psychiatric services was monitored. For each year

from then on statistical data on one-day prevalence, one-year prevalence and incidence are available. To avoid repetition and unwieldiness this report presents data for the two years of 1974 and 1982.

The Three County Register Areas

Counties Carlow and South Kildare (a composite county for administrative and population size purposes), Roscommon and Westmeath were selected because they showed widely differing hospital admission and resident rates with Carlow/South Kildare having the lowest, Roscommon the highest and Westmeath intermediate rates. In addition, they represent between them a scale of socio-economic development characteristic of rural Ireland as a whole. Thus Carlow/South Kildare represented the most favourable county in socio-economic terms, with highest per-capita income, highest proportion married and lowest out-migration since 1900 whilst Westmeath was intermediate and Roscommon most deprived in terms of these socio-economic variables. All these areas had a population of approximately 50,000, that of Carlow/South Kildare being the youngest and that of Roscommon the oldest. Whilst the population of all three areas has declined since 1900 this has been far greater in Roscommon than Carlow/South Kildare and Westmeath but in later years, since the 1971 census, Carlow/South Kildare has grown substantially, Westmeath's population has increased and Roscommon has remained relatively static with the population decline of previous decennia halted. In Carlow/South Kildare the chief town is Carlow. Westmeath has two large towns at each extremity of the county, one to the east, Mullingar, and one to the west, Athlone. Athlone west of the Shannon also forms part of county Roscommon whose main town is Roscommon with another large town at Castlerea.

The Psychiatric Services of the Three County Areas

There are psychiatric hospitals in Carlow town for Carlow/South Kildare, Mullingar for Westmeath and Castlerea for Roscommon. In the cases of both Carlow/South Kildare and Roscommon the psychiatric hospital serves the catchment area exclusively whereas Westmeath shares St. Loman's Hospital, Mullingar with counties Meath and Longford. There are out-patient services held at regular intervals, varying from weekly to monthly at towns of any importance in the three counties. In 1973, community care, provided by day centres, was already in operation in Carlow/South Kildare but was only at the planning stage in Westmeath and Roscommon. Since that time considerable developments have taken place in all three counties with a much wider range of alternatives to hospitalisation.

The St. Loman's Register Area.

The St. Loman's area, in contrast to the Three County areas, is predominantly urban and most of it has been created since the Second World war. It consists of middle-to-large sized housing estates most of which are local authority and, since it contains two of the three new towns destined for Dublin city, Ronanstown and Tallaght, both of which will reach populations

of 90,000 each, it is still growing. To that extent census data relating to the catchment population are always out of date. The best estimate of the population of that part of the St. Loman's catchment area covered by the case register was, in 1981, 234,300.

The Psychiatric Services of St. Loman's Area

The St. Loman's service is based on a one hundred and ninety bedded hospital for adults with, in addition, thirty beds for children which are not covered by the case register and which serve a wider catchment area than the St. Loman's service. Out-patient clinics are operated at twelve separate clinic sessions per week. In addition many out-patients come, either by appointment or spontaneously to the hospital itself. A hostel, opened in 1965, consists of four flats and provides sixteen places. It is located in the building of St. Mary's Hospital in Chapelizod. A day centre providing thirty places opened in 1968 and is located behind St. Agnes's church in Crumlin, being kindly lent by the parish. In addition, some forty to fifty day places are available in the hospital itself and patients either come independently or by hospital minibus. In 1975 a floor of a new building in Usher's Island was given to the St. Loman's service as an additional day centre and this accommodates a further thirty patients.

A bungalow at the hospital entrance has also been converted to hostel usage and provides a further six places. Additionally seven local authority houses in various parts of the catchment area are run by the service as community residences for discharged patients. Between them these provide a further 28 places. A residential retraining and socialisation unit with six places is located in Ballydowd House, a former dispensary doctor's residence. More recently, in 1985, and therefore not relevant to the present report, a community workshop providing sixty places was opened in Chapelizod.

It must be borne in mind that these community facilities have gradually been introduced and so their impact on the case register data has been a phased one.

COMMENTARY

This report is organized in two main sections. The first, (Tables 1-48) presents and compares data from the Three Counties Combined and St. Loman's case registers. The second, (tables 49-101) presents data from the Three Counties separately enabling intercounty comparisons to be made. Both sections give data for one day prevalence, one year prevalence and for incidence. In each case data are presented for the years 1974 and 1982. The data are given as rates per 100,000 population for the appropriate category; numerical data are not provided but are available on request as are prevalence data for the intervening years. The concluding section makes some comparisons between Irish and British Case Register data.

THREE COUNTIES COMBINED AND ST. LOMAN'S REGISTERS

One Day Prevalence

Total rates for one day prevalence by age show that rates at all age groups for the Three Counties Combined are substantially greater than those in St. Loman's, particularly in the older age groups. There is no great difference in the figures between 1974 and 1982 for the Three Counties Combined but St. Loman's rates increased for age groups over 24 between 1974 and 1982. Unpublished data for intervening years indicate that most of this increase occurred between 1974 and 1978. Since then the St. Loman's one day prevalence rates have remained unchanged (Tables 1 and 2). These differences between the two registers are true for all diagnoses but particularly so for schizophrenia at older ages and for mental handicap at all ages. There is also an excess of depression, manic psychoses, neuroses and alcohol abuse in the Three Counties compared to St. Loman's for those aged 45 and over (Tables 3 and 4).

The differences in all diagnoses between the length of stay categories for both registers and for both years were largely confined to the long stay category of one year or more. In 1974 the Three Counties' rate was eight times that of St. Loman's but by 1982 this had reduced to three times the rate. This higher overall rate was due to patients from the Three County areas with schizophrenia and mental handicap (Table 5 and 6).

An examination of one day prevalence by type of care and diagnosis (Tables 7-10) shows a marked difference between the Three Counties and St. Loman's. Whereas in the Three Counties approximately half of all patients are in hospital care, the situation is quite otherwise in St. Loman's where the ratio of all forms of out-patient care to hospital care is 6:1. In both areas most care is accounted for by a combination of hospital and out-patient clinics. In contrast to St. Loman's, a substantial amount of care is provided on a domiciliary basis in the Three Counties whereas virtually no domiciliary care is recorded as been given by the St. Loman's service. This is artifactual rather

than real because domiciliary visits are not routinely recorded by the St. Loman's register. The extent of daycare and hostel care, which differed considerably between the two register areas in 1974, had become almost equal by 1982. The majority of patients with schizophrenia in the Three Counties are catered for in hospital whereas five times as many schizophrenics are looked after in the community in St. Loman's compared to the hospital. Whereas half the patients with mental handicap are cared for in the community in St. Loman's, the majority are catered for in hospital in the Three Counties. The differences for other diagnostic groups, with the exception of depression, as to the distribution of care between various elements of the services are not so marked.

Tables 11-14 give data for one day prevalence and type of care by length of stay. For both services, the highest rates are in the longest length of stay categories with the exception of St. Loman's for 1974. In the Three Counties the long-stay patients are predominantly in hospital with rates that are two to three times those for clinic or domiciliary care. For St. Loman's on the other hand, twice as many long-stay patients are in clinic care as in hospital care. In both cases the majority of patients in hostel and daycare are long-stay. Short stay patients, in both register areas, are more often found in clinic care than in any other form of care. In the case of both registers there has been a substantial increase in long-stay patients in both daycare and hostel care. This is most likely due to the increased provision of these forms of care over the years in question.

In Tables 15 and 16 length of stay by age is presented for the two areas. These tables confirm the expectation that older patients figure in the longer stay categories. This is more evident in the Three Counties than in St. Loman's, where at age 45 and over, there is not an appreciable increase in the rates in the long-stay category of one year and over.

Rates for the various socio-economic groups were distinctly different for the two registers in 1974. For the Three Counties Combined there were striking differences in rates for persons whose occupation is ranked at the bottom of the socio-economic scale and those at the top. Highest rates occurred in the unskilled manual group with male rates twenty-eight times those of the higher professional group and female rates ten times higher. Other groups with high rates included other agricultural workers and farmers. For the same year the highest one day prevalence rate for St. Loman's register was for the higher professional group. In this case male rates were only one and a half times those of the unskilled manual group with female rates almost double.

In 1982 the same pattern existed for the Three Counties with highest rates for the unskilled manual group and lowest rates for the higher professional group, but the disparity observed in 1974 was not as marked. The St. Loman's data had changed from 1974 to show the same characteristics as the Three Counties Combined Register in having highest rates for the unskilled manual group. However the lowest rate for that register was for the employers and managers group.

There is little doubt that unskilled manual and agricultural workers are more likely to be admitted to psychiatric care in the Three Counties area and this may also be a developing trend in the St. Loman's area (Tables 17 and 18).

One Year Prevalence

Tables 19-22 present data on the distribution between inpatient and outpatient care (including other community facilities) between the two registers. The main features of these tables are the difference in the proportions of patients distributed between inpatient and outpatient care between the two registers and the substantial increase, proportional to age, of those in inpatient care in the Three County register which is not apparent in the St. Loman's register. On the other hand there is a steady growth of the rates of patients in outpatient care in the St. Loman's register up to age 54. The distribution of patients by diagnosis between more detailed forms of community care for the two registers is presented in Tables 23-26. Once again the considerably higher proportion of patients in forms of care outside hospital in the St. Loman's area compared to the Three Counties is evident. This is particularly true for schizophrenia and mental handicap. The differences between the Three Counties and St. Loman's are greater for one year prevalence than they are for one day prevalence because the greater number of contacts (which are included in the one year prevalence counts) in the St. Loman's services increases its figure relative to that of the Three Counties Combined. For example the one day prevalence rate of 1,787 per 100,000 of the population in 1982 for the Three Counties Combined is almost twice the equivalent figure for St. Loman's of 936 (Tables 9 and 10). In contrast the equivalent figures for 1982 one year prevalence are much less discrepant, 2,285 for Three Counties Combined and 1,699 for St. Loman's (Tables 25 and 26).

The data presented in Tables 27 and 28 relating to one year prevalence counts by socio-economic group show the same differences between groups and between registers as for one day prevalence (Tables 17 and 18). Comparison of the two sets of data show clearly that one year prevalence rates are substantially greater for upper socio-economic groups in relation to one day prevalence compared to lower socio-economic groups whose one year prevalence figures are generally a little higher than one day prevalence rates. This is because, compared to lower socio-economic groups, those in professional, employers and managerial and skilled groups are more likely to have short-lived episodes than those in lower groups whose tendency is to remain long-term in care.

Incidence

Tables 29-32 present incidence rates by age, sex and type of care for the two registers for 1974 and 1982. Incidence rates are higher for St. Loman's for both years and for both sexes. This occurrence, however, is largely due to a difference in outpatient rates between registers as inpatient incidence rates do not differ much between registers. In both registers female rates exceed male for 1974 but by 1982 these differences had largely disappeared. For women the most common incidence diagnosis in both registers was depression followed by neuroses (Tables 33-36). Between them these two diagnoses account for approximately fifty-five per cent of female incidence. Male incidence rates are generally highest for alcohol abuse and depressive disorders. Whilst for all diagnoses incidence rates fell for both registers between 1974 and 1982 this was most evident for neuroses, schizophrenia, and for organic

psychoses in the Three Counties. For both registers and for both years under review, as might be expected, alcohol abuse was four times more common as an incidence diagnosis in men than women, and depressive disorders and neuroses were more often first encountered at outpatient level. The difference between the types of care was marked by a higher proportion of women than men availing of outpatient care. No cases of drug dependence were registered in the Three Counties.

Tables 37-40 cross classify age by type of care and diagnosis. In all cases it is striking that elderly organic psychoses incidence cases make their contact as inpatients. Alcohol abuse incidence cases, particularly the younger age groups predominantly present as inpatients. Collapsing the socio-economic groupings of the register into upper, middle and lower groupings shows that in both registers and in both years there is a gradient in rates from upper to lower, so that apart from St. Loman's in 1974, lower group rates are at least twice those of upper. With the exception of alcohol abuse for the Three Counties Combined in 1974 this is true for all diagnostic groups (Tables 41-44). Tables 45-48 present socio-economic group by sex and type of care. In all groups women have higher outpatient incidence rates than men with the situation being reversed for inpatient care, except for St. Loman's in 1974.

CARLOW, WESTMEATH AND ROSCOMMON REGISTERS INDIVIDUALLY

One Day Prevalence

In Westmeath the rates for people in care increased from 1974 to 1982 but declined by almost a quarter in Carlow and to a lesser degree in Roscommon (Tables 49-54). Nonetheless, in both years the rates of those in care on census day were higher in Carlow than in the other two counties with Westmeath having the lowest rates. In 1974 substantially the greatest part of care was given in hospital in Roscommon with a slight preponderance of hospital care in Westmeath. On the other hand, both domiciliary and clinic care outweighed hospital care in Carlow in 1974. By 1982 substantial changes had occurred in Carlow whereby, in addition to the total care rate having fallen as already stated, the rate of persons in clinic care had shrivelled to less than a third of the 1974 figure with domiciliary care also falling. This was in contrast to the other two counties whose positions remained relatively static between the two years. Little care was provided in hostel accommodation in 1974 but the position had improved a little by 1982. Daycare was commoner and had increased between 1974 and 1982, particularly in Westmeath and Roscommon. However as a proportion of all care the contribution of daycare and hostel accommodation was very slight indeed. In all three services, and in both years, schizophrenia accounted for more hospital care than any other condition and was followed in all cases by mental handicap. Together these conditions accounted for well over half of all inpatient rates. A substantial proportion of schizophrenia was nevertheless being cared for outside the hospital but this proportion which was almost two-thirds in Carlow in 1974, had by 1982 decreased to almost half. The data from which these observations are derived can be seen in Tables 49-54.

Tables 55-60 show that in general, rates for all diagnoses increased with

age, except for Roscommon. The most obvious and most expected age influence is with organic psychoses rates which increased dramatically after 65 although this is not as evident in Roscommon as elsewhere. Rates for schizophrenia increase up to age 65 and in both Carlow and Westmeath in 1982 after 65. Neuroses and alcohol abuse generally do not increase after age 65.

Carlow had much lower under one month length of stay rates than the other two counties in both 1974 and 1982. Lower rates, too, were evident for Carlow for the one to six months length of stay and it is noticeable that rates in this category fell in all Three Counties between 1974 and 1982. Rates also fell between the two years in the six months to one year category and in the long stay category of one year and over in Carlow and Roscommon (Tables 61-66). In Carlow longest length of stay categories in 1974 and 1982 were first for schizophrenia and then secondly, at approximately half that rate, for neuroses, reflecting respectively the long-stay inpatient and outpatient components of the service. Neuroses, unlike schizophrenia, did not rate highly in the length of stay category of one year and over in either Westmeath or Roscommon. (Tables 67-72).

In 1982 agricultural occupations contributed the highest rates for males and females in Carlow, and for males only in Roscommon. Surprisingly, rates were much lower for this group in Westmeath where the unskilled had the highest rates. This group also had high rates in the other two counties. The higher professional group had generally low rates as had the lower professional and employers and managers (Tables 76-78).

One Year Prevalence

Tables 79-84 provide data on this parameter for type of care and diagnosis in the three counties for the two years and for the most part confirm without further elaboration the data already presented for one day prevalence. Since the one year prevalence count also includes one day prevalence patients in addition to those making contact during the ensuing year, the figures are naturally somewhat higher. This is particularly evident for clinic care since most persons beginning new episodes of care are likely to do this at an outpatient clinic rather than elsewhere. However certain conditions are more likely to make contact by hospital admission than by outpatient attendance at a clinic. Therefore the inflation of one year prevalence figures is seen largely in clinic data for neuroses, personality disorders and alcohol abuse and to a lesser extent depression, organic psychoses, schizophrenia and mental handicap.

Tables 85-90 present data on age by diagnosis and the principal differences between one day and one year prevalence data are, as one would expect, in the younger age groups. One year prevalence data by type of care and socio-economic group are presented in Tables 91-96. These expand the differences already evident between social groups for one day prevalence in Tables 73-78.

Incidence

Incidence rates for 1974 were almost identical between counties but whereas in Carlow the rate for outpatient incidence was twice that of inpatient, in

Roscommon the reverse obtained with Westmeath in an intermediate position. By 1982 however, incidence rates in all three counties had fallen, slightly in Westmeath and Roscommon but by almost two-thirds in Carlow. Furthermore Carlow now had a very low outpatient incidence rate which was only a third that of the inpatient rate whereas Roscommon had increased the outpatient to inpatient incidence ratio (Table 97).

Sex differences for the years and the counties are shown in Table 98. In 1974 female incidence rates were greater in Carlow and Westmeath than male but the reverse obtained in Roscommon. By 1982, however male rates exceeded female in Westmeath and the female/male difference in Carlow had considerably reduced since 1974 and rates were almost similar in Roscommon. In Table 99 the main point to note is the considerable decrease in the incidence rate of the elderly, particularly in Carlow, between 1974 and 1982. Presumably this is due to more selectivity on the part of hospitals in accepting the elderly demented patient. However, there has also been a decrease in incidence in the age group of 45-64 with an increase in incidence in the youngest age group of all, 15 to 24, with the exception of Carlow where the decrease was considerable.

Incidence by diagnosis is given in Table 100 and the decrease in incidence rates for the elderly which was evident in the age groups is here seen as being largely due to a decrease in rates for organic psychoses. There has also been a very substantial decrease in incidence rates for schizophrenia between the two years particularly in Carlow, whereas those for neuroses have declined. There is also a noteworthy decrease in incidence rates for mental handicap between the two years indicating, again, a policy change on the part of services. Finally in both 1974 and 1982 a condensation of earlier socio-economic groupings shows that the highest incidence rates are for the lower socio-economic group (Table 101).

COMPARISONS WITH BRITISH REGISTERS

During the last 25 years and particularly during the last decade there has been a considerable growth in the number of European psychiatric case registers. This has given potential for comparisons between the data from services in different European countries and the possibility of critical analysis of how these services function. Recognising the unique opportunities for international comparisons thus made available the World Health Organisation has acted to co-ordinate the energies of those involved by creating a European psychiatric case register users' group. Initial activities have included attempts to standardise definition of terms and output from these registers so that meaningful comparisons can be made. For the moment, and in this publication, we will confine ourselves to comparisons with British psychiatric case registers and for selected output parameters where comparability is possible.

This is a comparison of basic facilities in structures and personnel between some British and Irish Register areas (Table 1). The British data in this and

all subsequent comparisons relate to the year 1981 and come from the published data of British Registers.¹

TABLE 1: *Psychiatric Beds in Register Areas 1981. Numbers and Rates.**

| | <i>Psychiatric Hospitals</i> | <i>General Hospitals</i> | <i>Other Hospitals</i> | <i>Total</i> | <i>Beds per 1,000 total population</i> |
|-----------------------------------|----------------------------------|------------------------------|----------------------------|--------------|--|
| Salford | 426 | 81 | 7 | 514 | 2.1 |
| Southampton | 163 | 64 | 82 | 309 | 1.5 |
| Nottingham | 734 | — | — | 734 | 1.9 |
| Worcester | 234 | 210 | 20 | 464 | 1.4 |
| Oxford | 617 | 15 | — | 632 | 1.3 |
| Aberdeen | 1,594 | — | — | 1,594 | 3.0 |
| Three Counties Combined (1982) | 1,019 | — | — | 1,019 | 6.2 |
| St. Loman's (1982) | 174 | — | — | 174 | 0.7 |

*British data exclude Regional Specialities, and in the case of Salford, beds in areas more than 10 miles from the Register area boundary.

This table shows the considerable variation in the provision of beds in the different register areas, with the Three Counties having the highest allocation of beds, St. Loman's the lowest and the other areas intermediate.

Table 2 sets out information on personnel employed in the services in which the registers operate.

TABLE 2: *Consultant Psychiatrists and Support Staff (whole time equivalent) 1981. Numbers.*

| | <i>Consultant Psychiatrists*</i> | | <i>Support Staff</i> | | | |
|-------------------------|--------------------------------------|------------------------------------|--------------------------|----------------------------|---------------------------|------------------------|
| | <i>N</i> | <i>Per 10⁵ Pop.</i> | <i>C.P. Nurses</i> | <i>Psych- ologists</i> | <i>Social Workers</i> | <i>O.T.s I.T.s</i> |
| Salford | 5.5 | 2.3 | 13 | 9 | 6 | 14 |
| Southampton | 7 | 3.4 | 11 | 2.1 | 12 | 5.8 |
| Nottingham | 12 | 3.2 | 11 | 5 | 13 | 16.7 |
| Worcester | 4.8 | 1.5 | 16 | 7 | 4 | 45 |
| Oxford | 12.1 | 2.4 | 18.8 | 15.6 | n.a. | 27.3 |
| Aberdeen | 17.5 | 3.3 | 11 | 12 | 12 | 32 |
| Three Counties Combined | 8 | 4.8 | 16 | 2 | 2 | 6 |
| St. Loman's | 7.5 | 3.2 | 9 | 0.3 | 2 | 6 |

*Includes Professors and Senior Lecturers. Excludes Adolescent psychiatry and Regional Specialities. Southampton: O.T. figure for DGH unit only.

¹Jennings, C. (ed.) *Psychiatric Care in 8 Register areas. Statistics for eight Psychiatric Case Registers in Great Britain 1976-1981.* University of Southampton, Farnham, N.D.

On the whole Irish register areas compare well with those of Britain in relation to psychiatrists per head of population, fairly well for community psychiatric nurses but poorly for other staff (although these are given in numerical rather than rate terms).

Table 3 presents data from British and Irish registers for one year prevalence by age. The Three Counties Combined emerges as the only register with higher male than females rates. All other registers, including St. Loman's, had a female excess of approximately one third, except for Oxford where the excess is lower. Whereas the Three County rate for females is not dissimilar from the British Registers, again except for Oxford, the male rate on average is 40 per cent higher than British Register rates and 58 per cent higher than St. Loman's.

TABLE 3: *One Year Prevalence by sex and 10 year age group: 1981. Age and sex specific rates per 100,000 population.**

| | <i>All aged</i> | | | | | | | |
|--------------------|-----------------|-------|-------|-------|-------|-------|-------|-------|
| | 15+ | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75+* |
| <i>Males</i> | | | | | | | | |
| Salford | 1,629 | 952 | 1,777 | 1,900 | 1,906 | 1,657 | 1,673 | 2,442 |
| Southampton | 1,731 | 933 | 1,726 | 2,224 | 1,675 | 1,351 | 2,014 | 4,579 |
| Nottingham | 1,648 | 998 | 1,798 | 2,075 | 1,713 | 1,650 | 1,584 | 2,778 |
| Oxford | 1,532 | 1,197 | 1,942 | 1,810 | 1,584 | 1,377 | 1,179 | 1,824 |
| Aberdeen | 1,667 | 1,132 | 1,548 | 1,867 | 1,816 | 1,688 | 1,571 | 3,529 |
| Three Counties | | | | | | | | |
| Combined (1982) | 2,329 | 593 | 1,741 | 2,361 | 3,320 | 3,652 | | 3,669 |
| St. Loman's (1982) | 1,478 | 682 | 1,404 | 2,168 | 2,312 | 1,877 | | 1,501 |
| <i>Females</i> | | | | | | | | |
| Salford | 2,215 | 1,133 | 2,036 | 2,589 | 2,428 | 2,337 | 2,383 | 3,448 |
| Southampton | 2,322 | 1,175 | 1,980 | 2,156 | 1,842 | 1,913 | 2,825 | 6,214 |
| Nottingham | 2,144 | 1,275 | 2,075 | 2,422 | 2,248 | 2,152 | 2,170 | 3,605 |
| Oxford | 1,750 | 1,450 | 1,954 | 2,050 | 1,812 | 1,533 | 1,440 | 2,284 |
| Aberdeen | 2,284 | 1,370 | 2,210 | 2,277 | 2,033 | 1,953 | 2,206 | 5,224 |
| Three Counties | | | | | | | | |
| Combined (1982) | 2,240 | 477 | 1,289 | 2,323 | 2,959 | 3,878 | | 3,662 |
| St. Loman's (1982) | 1,906 | 733 | 1,846 | 3,097 | 2,903 | 2,657 | | 1,555 |

*In the British context refers to in-patient and day patient care and those types of care which involve direct contact with a psychiatrist; this is a somewhat narrower definition than that used in Ireland.

TABLE 4: *Resident in-patients, 31st December 1981, by length of stay (continuous residence) and age. Rates per 100,000 total population.*

| | <i>Less than one year</i> | <i>One year and over</i> | <i>Total</i> |
|--------------------------------|-------------------------------|------------------------------|--------------|
| Camberwell | 127 | 146 | 272 |
| Salford | 70 | 166 | 236 |
| Southampton | 70 | 74 | 144 |
| Nottingham | 70 | 88 | 158 |
| Cardiff | 65 | 113 | 178 |
| Worcester | 42 | 78 | 119 |
| Oxford | 37 | 46 | 83 |
| Three Counties Combined (1982) | 75 | 542 | 617 |
| St. Loman's (1982) | 50 | 24 | 74 |
| England* | 57 | 99 | 156 |
| Wales | 57 | 98 | 155 |
| Aberdeen | 102 | 174 | 276 |
| Scotland | 87 | 218 | 305 |
| Ireland (1981) | 103 | 312 | 415 |

*England figures for 1981 are provisional.

St. Loman's inpatient rate emerges as the lowest of any register and the Three Counties the highest by far. For the most part these differences are accounted for by the rates for long stay patients (one year and over) which are 20 times higher in the Three Counties compared to St. Loman's. By contrast the Three Counties short-stay rates are only fifty per cent higher than St. Loman's. The Three Counties long stay rates are over twice as high as the national figures for Scotland and indeed are almost twice as high as the Irish national figure.

Comparison with the English register areas shows that the Three Counties have high rates of short stay as well as long-stay inpatients. However it is this latter category which mainly accounts for the very high proportion of residents per head of population which sets the Three Counties apart from English register areas and St. Loman's. St. Loman's on the other hand is remarkable for its very low proportion of long-stay inpatients, almost one half that of the lowest English register area.

THREE COUNTIES COMBINED AND ST. LOMAN'S REGISTERS
1974 and 1982

One Day Prevalence

TABLE 1: *Three Counties Combined and St. Loman's. One Day Prevalence 1974. Age and Sex. Numbers and Rates per 100,000 Population Aged 15+.*

| | <i>Three Counties Combined</i> | | | | <i>St. Loman's</i> | | | |
|--------------|--------------------------------|--------------|----------------|--------------|--------------------|--------------|----------------|--------------|
| | <i>Male</i> | | <i>Female</i> | | <i>Male</i> | | <i>Female</i> | |
| | <i>Numbers</i> | <i>Rates</i> | <i>Numbers</i> | <i>Rates</i> | <i>Numbers</i> | <i>Rates</i> | <i>Numbers</i> | <i>Rates</i> |
| 15-19 | 23 | 292 | 31 | 434 | 19 | 167 | 22 | 201 |
| 20-24 | 46 | 746 | 44 | 802 | 35 | 365 | 56 | 566 |
| 25-34 | 133 | 1,250 | 107 | 1,126 | 64 | 340 | 106 | 568 |
| 35-44 | 173 | 2,145 | 181 | 2,499 | 69 | 608 | 118 | 1,039 |
| 45-54 | 220 | 2,784 | 245 | 3,296 | 62 | 702 | 122 | 1,275 |
| 55-64 | 228 | 2,878 | 253 | 3,418 | 29 | 428 | 65 | 833 |
| 65+ | 258 | 2,697 | 287 | 2,901 | 22 | 391 | 47 | 566 |
| All Aged 15+ | 1,081 | 1,859 | 1,148 | 2,122 | 300 | 414 | 536 | 700 |

TABLE 2: *Three Counties Combined and St. Loman's. One Day Prevalence 1982. Age and Sex. Numbers and Rates per 100,000 Population Aged 15+.*

| | <i>Three Counties Combined</i> | | | | <i>St. Loman's</i> | | | |
|--------------|--------------------------------|--------------|----------------|--------------|--------------------|--------------|----------------|--------------|
| | <i>Male</i> | | <i>Female</i> | | <i>Male</i> | | <i>Female</i> | |
| | <i>Numbers</i> | <i>Rates</i> | <i>Numbers</i> | <i>Rates</i> | <i>Numbers</i> | <i>Rates</i> | <i>Numbers</i> | <i>Rates</i> |
| 15-19 | 10 | 17 | 10 | 18 | 20 | 175 | 15 | 133 |
| 20-24 | 41 | 69 | 27 | 48 | 42 | 397 | 53 | 492 |
| 25-34 | 127 | 215 | 90 | 161 | 135 | 663 | 185 | 897 |
| 35-44 | 145 | 246 | 130 | 233 | 139 | 1,116 | 223 | 1,822 |
| 45-54 | 207 | 351 | 173 | 311 | 129 | 1,434 | 179 | 1,870 |
| 55-64 | 225 | 381 | 240 | 431 | 75 | 1,075 | 149 | 1,824 |
| 65+ | 302 | 512 | 321 | 577 | 56 | 945 | 81 | 920 |
| All Aged 15+ | 1,057 | 1,793 | 991 | 1,781 | 596 | 777 | 885 | 1,086 |

TABLE 3: *Three Counties Combined and St. Loman's. One Day Prevalence 1974. Age and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | <i>Three Counties Combined</i> | | | | <i>St. Loman's</i> | | | |
|---------------------------------------|--------------------------------|-------|-------|-------|--------------------|-------|-------|-----|
| | 15-24 | 25-44 | 45-64 | 65+ | 15-24 | 25-44 | 45-64 | 65+ |
| Organic Psychoses | 18 | 59 | 75 | 375 | 5 | 13 | 12 | 43 |
| Schizophrenia | 179 | 727 | 1,216 | 1,089 | 50 | 183 | 240 | 100 |
| Other and Unspecified Psychoses | 7 | 11 | 75 | 56 | 5 | 20 | 24 | 7 |
| Depressive Disorders | 45 | 152 | 606 | 544 | 48 | 86 | 224 | 108 |
| Mania | 3 | 50 | 159 | 179 | 31 | 58 | 85 | 151 |
| Neuroses | 71 | 228 | 453 | 298 | 96 | 130 | 164 | 72 |
| Personality Disorders | 56 | 84 | 68 | 25 | 50 | 23 | 21 | 7 |
| Alcohol Abuse and Alcoholic Psychoses | 11 | 64 | 114 | 36 | 0 | 35 | 45 | 7 |
| Drug Dependence | 0 | 2 | 0 | 5 | 2 | 3 | 3 | 0 |
| Mental Handicap | 134 | 279 | 316 | 174 | 24 | 20 | 9 | 0 |
| Unspecified | 11 | 14 | 0 | 15 | 5 | 22 | 15 | 0 |
| All Diagnoses | 539 | 1,675 | 3,085 | 2,800 | 316 | 593 | 843 | 495 |

TABLE 4: *Three Counties Combined and St. Loman's. One Day Prevalence 1982. Age and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | <i>Three Counties Combined</i> | | | | <i>St. Loman's</i> | | | |
|---------------------------------------|--------------------------------|-------|-------|-------|--------------------|-------|-------|-----|
| | 15-24 | 25-44 | 45-64 | 65+ | 15-24 | 25-44 | 45-64 | 65+ |
| Organic Psychoses | 18 | 45 | 66 | 374 | 5 | 21 | 53 | 217 |
| Schizophrenia | 88 | 538 | 1,102 | 1,271 | 54 | 317 | 430 | 129 |
| Other and Unspecified Psychoses | 3 | 34 | 72 | 91 | 18 | 43 | 59 | 88 |
| Depressive Disorders | 44 | 165 | 480 | 612 | 79 | 241 | 436 | 271 |
| Mania | 7 | 53 | 241 | 268 | 14 | 70 | 119 | 122 |
| Neuroses | 29 | 120 | 274 | 253 | 54 | 160 | 219 | 75 |
| Personality Disorders | 40 | 80 | 99 | 25 | 36 | 62 | 62 | 0 |
| Alcohol Abuse and Alcoholic Psychoses | 18 | 56 | 172 | 65 | 9 | 75 | 151 | 14 |
| Drug Dependence | 3 | 0 | 6 | 0 | 7 | 3 | 6 | 0 |
| Mental Handicap | 66 | 218 | 278 | 172 | 9 | 41 | 27 | 7 |
| Unspecified | 3 | 0 | 3 | 20 | 9 | 6 | 15 | 7 |
| All Diagnoses | 324 | 1,312 | 2,798 | 3,154 | 295 | 1,038 | 1,578 | 930 |

TABLE 5: *Three Counties Combined and St. Loman's. One Day Prevalence 1974. Diagnosis and Length of Stay. Rates per 100,000 Population Aged 15+.*

| | <i>Three Counties Combined</i> | | | | <i>St. Loman's</i> | | | |
|---------------------------------------|--------------------------------|---------------------------|---------------------------------|-----------------|--------------------------|---------------------------|---------------------------------|-----------------|
| | <i>Under 1 Month</i> | <i>1-<6 Months</i> | <i>6 Months -<1 Year</i> | <i>1 Year +</i> | <i>Under 1 Month</i> | <i>1-<6 Months</i> | <i>6 Months -<1 Year</i> | <i>1 Year +</i> |
| Organic Psychoses | 3 | 17 | 9 | 77 | 2 | 2 | 1 | 9 |
| Schizophrenia | 34 | 83 | 50 | 624 | 10 | 44 | 32 | 64 |
| Other and Unspecified Psychoses | 3 | 6 | 7 | 18 | 1 | 7 | 3 | 5 |
| Depressive Disorders | 26 | 71 | 54 | 166 | 13 | 40 | 30 | 25 |
| Mania | 5 | 16 | 9 | 59 | 8 | 30 | 9 | 17 |
| Neuroses | 5 | 38 | 24 | 196 | 13 | 49 | 26 | 35 |
| Personality Disorders | 3 | 3 | 6 | 49 | 5 | 11 | 9 | 5 |
| Alcohol Abuse and Alcoholic Psychoses | 10 | 23 | 7 | 19 | 5 | 12 | 3 | 4 |
| Drug Dependence | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 |
| Mental Handicap | 7 | 14 | 11 | 204 | 0 | 6 | 1 | 10 |
| Unspecified | 1 | 3 | 0 | 4 | 1 | 6 | 2 | 5 |
| All Diagnoses | 102 | 279 | 181 | 1,421 | 58 | 208 | 116 | 179 |

TABLE 6: *Three Counties Combined and St. Loman's. One Day Prevalence 1982. Diagnosis and Length of Stay. Rates per 100,000 Population Aged 15+.*

| | <i>Three Counties Combined</i> | | | | <i>St. Loman's</i> | | | |
|---------------------------------------|--------------------------------|---------------------------|---------------------------------|-----------------|--------------------------|---------------------------|---------------------------------|-----------------|
| | <i>Under 1 Month</i> | <i>1-<6 Months</i> | <i>6 Months -<1 Year</i> | <i>1 Year +</i> | <i>Under 1 Month</i> | <i>1-<6 Months</i> | <i>6 Months -<1 Year</i> | <i>1 Year +</i> |
| Organic Psychoses | 6 | 7 | 9 | 77 | 2 | 13 | 3 | 24 |
| Schizophrenia | 14 | 72 | 48 | 571 | 17 | 56 | 34 | 144 |
| Other and Unspecified Psychoses | 3 | 9 | 4 | 29 | 3 | 23 | 8 | 10 |
| Depressive Disorders | 20 | 51 | 38 | 186 | 25 | 102 | 30 | 83 |
| Mania | 7 | 31 | 20 | 69 | 3 | 28 | 8 | 30 |
| Neuroses | 9 | 17 | 12 | 123 | 13 | 51 | 14 | 56 |
| Personality Disorders | 1 | 21 | 4 | 39 | 2 | 20 | 9 | 19 |
| Alcohol Abuse and Alcoholic Psychoses | 8 | 17 | 9 | 43 | 9 | 27 | 9 | 22 |
| Drug Dependence | 0 | 0 | 0 | 1 | 0 | 3 | 1 | 1 |
| Mental Handicap | 0 | 4 | 3 | 182 | 1 | 1 | 3 | 21 |
| Unspecified | 0 | 0 | 0 | 5 | 1 | 3 | 3 | 3 |
| All Diagnoses | 73 | 233 | 150 | 1,331 | 78 | 326 | 119 | 413 |

TABLE 7: Three Counties Combined. One Day Prevalence 1974. Type of Care and Diagnosis. Rates per 100,000 Population Aged 15+.

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|---------------------------------------|-----------------|---------------|----------------|---------------|--------------------|------------------------------|
| Organic Psychoses | 79 | 15 | 0 | 0 | 14 | 108 |
| Schizophrenia | 434 | 196 | 17 | 1 | 143 | 793 |
| Other and Unspecified Psychoses | 6 | 22 | 0 | 0 | 7 | 35 |
| Depressive Disorders | 46 | 166 | 4 | 0 | 101 | 318 |
| Mania | 40 | 28 | 0 | 0 | 22 | 91 |
| Neuroses | 27 | 127 | 2 | 0 | 106 | 264 |
| Personality Disorders | 10 | 10 | 0 | 0 | 41 | 63 |
| Alcohol Abuse and Alcoholic Psychoses | 18 | 19 | 0 | 0 | 22 | 60 |
| Drug Dependence | 0 | 0 | 0 | 0 | 0 | 1 |
| Mental Handicap | 194 | 19 | 0 | 0 | 22 | 237 |
| Unspecified | 0 | 4 | 0 | 1 | 3 | 9 |
| All Diagnoses | 859 | 611 | 27 | 1 | 485 | 1,985 |

TABLE 8: *St. Loman's Case Register. One Day Prevalence 1974. Type of Care and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|---------------------------------------|-----------------|---------------|----------------|---------------|--------------------|--------------------------|
| Organic Psychoses | 5 | 8 | 0 | 0 | 0 | 13 |
| Schizophrenia | 42 | 98 | 0 | 6 | 2 | 150 |
| Other and Unspecified Psychoses | 2 | 13 | 0 | 0 | 0 | 15 |
| Depressive Disorders | 14 | 92 | 0 | 0 | 0 | 108 |
| Mania | 12 | 51 | 1 | 0 | 0 | 65 |
| Neuroses | 6 | 115 | 0 | 0 | 0 | 122 |
| Personality Disorders | 4 | 24 | 0 | 0 | 0 | 28 |
| Alcohol Abuse and Alcoholic Psychoses | 7 | 16 | 0 | 0 | 0 | 24 |
| Drug Dependence | 0 | 2 | 0 | 0 | 0 | 2 |
| Mental Handicap | 6 | 9 | 0 | 0 | 0 | 16 |
| Unspecified | 1 | 12 | 0 | 0 | 0 | 13 |
| All Diagnoses | 101 | 445 | 2 | 8 | 3 | 561 |

TABLE 9: *Three Counties Combined. One Day Prevalence 1982. Type of Care and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|---------------------------------------|-----------------|---------------|----------------|---------------|--------------------|--------------------------|
| Organic Psychoses | 74 | 10 | 1 | 1 | 13 | 101 |
| Schizophrenia | 401 | 129 | 37 | 4 | 134 | 707 |
| Other and Unspecified Psychoses | 16 | 21 | 0 | 0 | 8 | 47 |
| Depressive Disorders | 76 | 130 | 7 | 4 | 76 | 296 |
| Mania | 49 | 46 | 2 | 3 | 27 | 129 |
| Neuroses | 39 | 56 | 6 | 0 | 59 | 162 |
| Personality Disorders | 16 | 23 | 2 | 1 | 21 | 66 |
| Alcohol Abuse and Alcoholic Psychoses | 41 | 23 | 2 | 0 | 11 | 79 |
| Drug Dependence | 2 | 0 | 0 | 0 | 0 | 2 |
| Mental Handicap | 166 | 8 | 4 | 0 | 9 | 190 |
| Unspecified | 4 | 0 | 0 | 0 | 0 | 5 |
| All Diagnoses | 889 | 450 | 67 | 18 | 362 | 1,787 |

TABLE 10: *St. Loman's. One-Day Prevalence 1982. Type of Care and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|---------------------------------------|-----------------|---------------|----------------|---------------|--------------------|--------------------------|
| Organic Psychoses | 24 | 12 | 3 | 0 | 0 | 41 |
| Schizophrenia | 49 | 148 | 43 | 7 | 0 | 250 |
| Other and Unspecified Psychoses | 5 | 36 | 1 | 0 | 0 | 43 |
| Depressive Disorders | 29 | 203 | 5 | 0 | 1 | 240 |
| Mania | 8 | 54 | 5 | 1 | 0 | 69 |
| Neuroses | 10 | 117 | 5 | 1 | 1 | 135 |
| Personality Disorders | 3 | 35 | 8 | 1 | 0 | 49 |
| Alcohol Abuse and Alcoholic Psychoses | 18 | 43 | 2 | 1 | 0 | 67 |
| Drug Dependence | 0 | 3 | 0 | 0 | 0 | 4 |
| Mental Handicap | 12 | 10 | 3 | 0 | 0 | 25 |
| Unspecified | 0 | 7 | 0 | 0 | 0 | 8 |
| All Diagnoses | 161 | 673 | 80 | 15 | 5 | 936 |

TABLE 11: *Three Counties Combined. One Day Prevalence 1974. Type of Care and Length of Stay. Rates per 100,000 Population Aged 15+.*

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|---------------------|-----------------|---------------|----------------|---------------|--------------------|--------------------------|
| Under 1 Month | 46 | 32 | 0 | 0 | 24 | 102 |
| 1-<6 Months | 58 | 151 | 0 | 1 | 66 | 279 |
| 6 Months-<1 Year | 33 | 81 | 2 | 0 | 65 | 181 |
| 1 Year + | 721 | 346 | 24 | 0 | 329 | 1,421 |
| All Lengths of Stay | 859 | 611 | 27 | 1 | 485 | 1,985 |

TABLE 12: *St. Loman's. One Day Prevalence 1974. Type of Care and Length of Stay. Rates per 100,000 Population Aged 15+.*

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|---------------------|-----------------|---------------|----------------|---------------|--------------------|--------------------------|
| Under 1 Month | 14 | 41 | 0 | 0 | 0 | 57 |
| 1-<6 Months | 32 | 169 | 1 | 4 | 0 | 208 |
| 6 Months-<1 Year | 11 | 102 | 2 | 0 | 0 | 116 |
| 1 Year + | 42 | 131 | 5 | 0 | 0 | 179 |
| All Lengths of Stay | 101 | 445 | 9 | 4 | 0 | 561 |

TABLE 13: *Three Counties Combined. One Day Prevalence 1982. Type of Care and Length of Stay. Rates per 100,000 Population Aged 15+.*

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|---------------------|-----------------|---------------|----------------|---------------|--------------------|--------------------------|
| Under 1 Month | 33 | 18 | 1 | 6 | 14 | 73 |
| 1-<6 Months | 50 | 131 | 7 | 1 | 41 | 233 |
| 6 Months-<1 Year | 24 | 69 | 11 | 2 | 41 | 150 |
| 1 Year + | 781 | 230 | 47 | 7 | 264 | 1,331 |
| All Lengths of Stay | 889 | 450 | 67 | 18 | 362 | 1,787 |

TABLE 14: *St. Loman's. One Day Prevalence 1982. Type of Care and Length of Stay. Rates per 100,000 Population Aged 15+.*

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|---------------------|-----------------|---------------|----------------|---------------|--------------------|--------------------------|
| Under 1 Month | 17 | 53 | 5 | 0 | 1 | 77 |
| 1-<6 Months | 25 | 287 | 6 | 2 | 3 | 325 |
| 6 Months-<1 Year | 9 | 103 | 6 | 0 | 0 | 119 |
| 1 Year + | 108 | 228 | 63 | 12 | 0 | 413 |
| All Lengths of Stay | 161 | 673 | 80 | 15 | 5 | 936 |

TABLE 15: *Three Counties Combined and St. Loman's. One Day Prevalence 1974. Age and Length of Stay. Rates per 100,000 Population Aged 15+.*

| | <i>Three Counties Combined</i> | | | | <i>St. Loman's</i> | | | |
|--------------|--------------------------------|---------------------------|---------------------------------|-----------------|--------------------------|---------------------------|---------------------------------|-----------------|
| | <i>Under 1 Month</i> | <i>1-<6 Months</i> | <i>6 Months -<1 Year</i> | <i>1 Year +</i> | <i>Under 1 Month</i> | <i>1-<6 Months</i> | <i>6 Months -<1 Year</i> | <i>1 Year +</i> |
| 15-19 | 39 | 73 | 46 | 199 | 9 | 90 | 54 | 31 |
| 20-24 | 103 | 188 | 85 | 394 | 62 | 221 | 87 | 97 |
| 25-34 | 84 | 253 | 119 | 734 | 40 | 195 | 120 | 99 |
| 35-44 | 78 | 385 | 248 | 1,600 | 66 | 269 | 137 | 352 |
| 45-54 | 195 | 358 | 260 | 2,217 | 103 | 343 | 239 | 315 |
| 55-64 | 143 | 411 | 358 | 2,225 | 75 | 219 | 110 | 240 |
| 65+ | 82 | 272 | 154 | 2,292 | 86 | 129 | 57 | 222 |
| All Aged 15+ | 102 | 279 | 181 | 1,421 | 58 | 208 | 116 | 179 |

TABLE 16: *Three Counties Combined and St. Loman's. One Day Prevalence 1982. Age and Length of Stay. Rates per 100,000 Population Aged 15+.*

| | <i>Three Counties Combined</i> | | | | <i>St. Loman's</i> | | | |
|--------------|--------------------------------|-----------------------|---------------------------------|-----------------|--------------------------|-----------------------|---------------------------------|-----------------|
| | <i>Under 1 Month</i> | <i>1-6 Months</i> | <i>6 Months -<1 Year</i> | <i>1 Year +</i> | <i>Under 1 Month</i> | <i>1-6 Months</i> | <i>6 Months -<1 Year</i> | <i>1 Year +</i> |
| 15-19 | 19 | 39 | 13 | 59 | 31 | 79 | 18 | 26 |
| 20-24 | 41 | 141 | 108 | 274 | 23 | 244 | 84 | 94 |
| 25-34 | 61 | 188 | 136 | 636 | 68 | 327 | 83 | 302 |
| 35-44 | 86 | 246 | 178 | 1,181 | 130 | 462 | 211 | 664 |
| 45-54 | 106 | 380 | 213 | 1,837 | 129 | 549 | 151 | 829 |
| 55-64 | 131 | 387 | 223 | 2,311 | 119 | 416 | 231 | 713 |
| 65+ | 65 | 243 | 167 | 2,678 | 61 | 217 | 122 | 529 |
| All Aged 15+ | 73 | 233 | 150 | 1,331 | 78 | 326 | 119 | 413 |

TABLE 17: *Three Counties Combined and St. Loman's. One Day Prevalence 1974. Socio-Economic Group and Sex. Rates per 100,000 Population Aged 14+**.

| | <i>Three Counties Combined</i> | | <i>St. Loman's</i> | |
|------------------------|--------------------------------|---------------|--------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| Farmers etc. | 1,861 | 2,365 | 398 | 272 |
| Other Agricultural | 3,598 | 4,405 | 1,056 | 964 |
| Higher Professional | 185 | 566 | 1,296 | 2,473 |
| Lower Professional | 951 | 983 | 321 | 458 |
| Employers and Managers | 659 | 544 | 239 | 664 |
| Salaried Employees | 1,146 | 1,666 | 263 | 340 |
| Inter. Non-manual | 813 | 882 | 280 | 595 |
| Other Non-manual | 1,501 | 4,741 | 543 | 1,344 |
| Skilled Manual | 1,266 | 2,574 | 516 | 1,077 |
| Semi-skilled Manual | 1,993 | 1,840 | 692 | 875 |
| Unskilled Manual | 5,136 | 6,019 | 839 | 1,371 |
| Unspecified | 1,138 | 779 | 658 | 543 |
| All S.E. Groups | 1,967 | 2,263 | 547 | 924 |

*School leaving age, 1971 Census.

TABLE 18: *Three Counties Combined and St. Loman's. One Day Prevalence 1982. Socio-Economic Group and Sex. Rates per 100,000 Population Aged 15+.*

| | <i>Three Counties Combined</i> | | <i>St. Loman's</i> | |
|------------------------|--------------------------------|---------------|--------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| Farmers etc. | 2,267 | 2,918 | 491 | 701 |
| Other Agricultural | 4,831 | 5,820 | 1,149 | 1,548 |
| Higher Professional | 322 | 721 | 1,015 | 1,307 |
| Lower Professional | 744 | 458 | 625 | 451 |
| Employers and Managers | 472 | 515 | 222 | 402 |
| Salaried Employees | 529 | 1,027 | 247 | 951 |
| Inter. Non-manual | 968 | 715 | 467 | 622 |
| Other Non-manual | 1,147 | 3,424 | 824 | 1,398 |
| Skilled Manual | 892 | 1,429 | 627 | 1,416 |
| Semi-skilled Manual | 950 | 1,046 | 1,411 | 1,568 |
| Unskilled Manual | 5,402 | 5,607 | 1,764 | 2,248 |
| Unspecified | 656 | 567 | 900 | 740 |
| All S.E. Groups | 1,793 | 1,781 | 777 | 1,084 |

THREE COUNTIES COMBINED AND ST. LOMAN'S REGISTERS
1974 and 1982

One Year Prevalence

TABLE 19: *Three Counties Combined. One Year Prevalence 1974. Type of Care, Sex and Age. Rates per 100,000 Population Aged 15+.*

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|--------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| 15-19 | 202 | 252 | 240 | 448 | 443 | 700 |
| 20-24 | 535 | 401 | 518 | 1,093 | 1,054 | 1,494 |
| 25-34 | 733 | 420 | 968 | 1,262 | 1,701 | 1,683 |
| 35-44 | 1,252 | 952 | 1,723 | 2,208 | 2,975 | 3,161 |
| 45-54 | 1,809 | 1,331 | 1,771 | 2,731 | 3,581 | 4,063 |
| 55-64 | 2,019 | 1,513 | 1,729 | 2,634 | 3,748 | 4,148 |
| 65+ | 2,195 | 2,213 | 1,160 | 1,384 | 3,356 | 3,598 |
| All Aged 15+ | 1,274 | 1,070 | 1,170 | 1,676 | 2,445 | 2,746 |

TABLE 20: *St. Loman's. One Year Prevalence 1974. Type of Care, Sex and Age. Rates per 100,000 Population Aged 15+.*

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|--------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| 15-19 | 105 | 146 | 342 | 493 | 447 | 639 |
| 20-24 | 302 | 323 | 719 | 1,181 | 1,022 | 1,504 |
| 25-34 | 345 | 305 | 562 | 1,071 | 907 | 1,376 |
| 35-44 | 661 | 422 | 846 | 1,752 | 1,507 | 2,175 |
| 45-54 | 532 | 480 | 1,030 | 2,101 | 1,563 | 2,582 |
| 55-64 | 501 | 435 | 619 | 1,217 | 1,120 | 1,653 |
| 65+ | 213 | 349 | 603 | 902 | 816 | 1,251 |
| All Aged 15+ | 378 | 342 | 658 | 1,229 | 1,037 | 1,571 |

TABLE 21: *Three Counties Combined. One Year Prevalence 1982. Type of Care, Sex and Age. Rates per 100,000 Population Aged 15+.*

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|--------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| 15-19 | 115 | 95 | 140 | 164 | 255 | 260 |
| 20-24 | 567 | 298 | 441 | 457 | 1,008 | 756 |
| 25-34 | 870 | 416 | 870 | 872 | 1,741 | 1,289 |
| 35-44 | 1,222 | 864 | 1,139 | 1,458 | 2,361 | 2,323 |
| 45-54 | 1,698 | 986 | 1,621 | 1,973 | 3,320 | 2,959 |
| 55-64 | 2,025 | 1,831 | 1,627 | 2,047 | 3,652 | 3,878 |
| 65+ | 2,613 | 2,474 | 1,055 | 1,188 | 3,669 | 3,662 |
| All Aged 15+ | 1,333 | 1,064 | 995 | 1,175 | 2,329 | 2,240 |

TABLE 22: *St. Loman's, One Year Prevalence 1982. Type of Care, Sex and Age. Rates per 100,000 Population Aged 15+.*

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|--------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| 15-19 | 122 | 44 | 298 | 318 | 421 | 362 |
| 20-24 | 189 | 176 | 775 | 946 | 964 | 1,123 |
| 25-34 | 427 | 353 | 977 | 1,492 | 1,404 | 1,846 |
| 35-44 | 634 | 555 | 1,533 | 2,541 | 2,168 | 3,097 |
| 45-54 | 589 | 449 | 1,723 | 2,454 | 2,312 | 2,903 |
| 55-64 | 659 | 465 | 1,217 | 2,191 | 1,877 | 2,657 |
| 65+ | 759 | 567 | 742 | 987 | 1,501 | 1,555 |
| All Aged 15+ | 448 | 363 | 1,030 | 1,543 | 1,478 | 1,906 |

TABLE 23: *Three Counties Combined. One Year Prevalence 1974. Type of Care and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|---------------------------------------|-----------------|---------------|----------------|---------------|--------------------|------------------------------|
| Organic Psychoses | 110 | 24 | 0 | 4 | 15 | 154 |
| Schizophrenia | 500 | 245 | 17 | 1 | 149 | 914 |
| Other and Unspecified Psychoses | 15 | 35 | 0 | 1 | 7 | 59 |
| Depressive Disorders | 123 | 246 | 4 | 10 | 102 | 488 |
| Mania | 52 | 33 | 0 | 0 | 23 | 110 |
| Neuroses | 42 | 179 | 2 | 5 | 107 | 337 |
| Personality Disorders | 16 | 20 | 0 | 0 | 41 | 81 |
| Alcohol Abuse and Alcoholic Psychoses | 99 | 31 | 0 | 2 | 22 | 155 |
| Drug Dependence | 1 | 0 | 0 | 0 | 0 | 3 |
| Mental Handicap | 208 | 28 | 0 | 2 | 22 | 262 |
| Unspecified | 3 | 11 | 0 | 3 | 3 | 22 |
| All Diagnoses | 1,175 | 856 | 27 | 34 | 496 | 2,590 |

TABLE 24: *St. Loman's Case Register. One Year Prevalence 1974. Type of Care and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|---------------------------------------|-----------------|---------------|----------------|---------------|--------------------|--------------------------|
| Organic Psychoses | 10 | 16 | 0 | 0 | 0 | 26 |
| Schizophrenia | 90 | 157 | 4 | 7 | 2 | 261 |
| Other and Unspecified Psychoses | 14 | 29 | 0 | 0 | 0 | 43 |
| Depressive Disorders | 61 | 199 | 0 | 0 | 0 | 262 |
| Mania | 36 | 104 | 1 | 0 | 0 | 141 |
| Neuroses | 30 | 257 | 0 | 1 | 0 | 289 |
| Personality Disorders | 20 | 65 | 0 | 0 | 0 | 86 |
| Alcohol Abuse and Alcoholic Psychoses | 72 | 44 | 0 | 1 | 0 | 118 |
| Drug Dependence | 8 | 6 | 0 | 0 | 0 | 14 |
| Mental Handicap | 12 | 16 | 1 | 0 | 0 | 30 |
| Unspecified | 2 | 33 | 0 | 0 | 0 | 35 |
| All Diagnoses | 359 | 930 | 7 | 10 | 4 | 1,311 |

TABLE 25: Three Counties Combined. One Year Prevalence 1982. Type of Care and Diagnosis. Rates per 100,000 Population Aged 15+.

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|---------------------------------------|-----------------|---------------|----------------|---------------|--------------------|------------------------------|
| Organic Psychoses | 92 | 17 | 1 | 1 | 13 | 126 |
| Schizophrenia | 442 | 144 | 38 | 6 | 136 | 768 |
| Other and Unspecified Psychoses | 27 | 32 | 0 | 0 | 9 | 69 |
| Depressive Disorders | 146 | 191 | 7 | 13 | 80 | 439 |
| Mania | 75 | 68 | 2 | 5 | 27 | 178 |
| Neuroses | 48 | 79 | 6 | 1 | 59 | 195 |
| Personality Disorders | 32 | 30 | 2 | 3 | 21 | 90 |
| Alcohol Abuse and Alcoholic Psychoses | 155 | 28 | 2 | 5 | 12 | 204 |
| Drug Dependence | 2 | 0 | 0 | 0 | 0 | 2 |
| Mental Handicap | 172 | 11 | 4 | 1 | 9 | 199 |
| Unspecified | 7 | 2 | 0 | 0 | 0 | 11 |
| All Diagnoses | 1,202 | 606 | 68 | 39 | 369 | 2,285 |

TABLE 26: *St. Loman's, One Year Prevalence 1982. Type of Care and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|---------------------------------------|-----------------|---------------|----------------|---------------|--------------------|--------------------------|
| Organic Psychoses | 37 | 21 | 3 | 0 | 3 | 67 |
| Schizophrenia | 83 | 199 | 44 | 7 | 0 | 335 |
| Other and Unspecified Psychoses | 19 | 81 | 2 | 0 | 1 | 104 |
| Depressive Disorders | 79 | 360 | 5 | 0 | 17 | 463 |
| Mania | 24 | 82 | 5 | 1 | 0 | 113 |
| Neuroses | 30 | 220 | 5 | 1 | 5 | 262 |
| Personality Disorders | 19 | 72 | 8 | 1 | 3 | 104 |
| Alcohol Abuse and Alcoholic Psychoses | 91 | 76 | 2 | 1 | 5 | 177 |
| Drug Dependence | 1 | 10 | 0 | 0 | 1 | 13 |
| Mental Handicap | 15 | 12 | 3 | 0 | 0 | 31 |
| Unspecified | 2 | 22 | 0 | 0 | 0 | 25 |
| All Diagnoses | 404 | 1,159 | 82 | 15 | 37 | 1,699 |

TABLE 27: *Three Counties Combined and St. Loman's. One Year Prevalence 1974. Socio-Economic Group and Sex. Rates per 100,000 Population Aged 14+**.

| | <i>Three Counties Combined</i> | | <i>St. Loman's</i> | |
|------------------------|--------------------------------|---------------|--------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| Farmers etc. | 2,480 | 3,012 | 1,195 | 1,634 |
| Other Agricultural | 4,042 | 5,198 | 1,760 | 1,929 |
| Higher Professional | 1,295 | 1,052 | 2,389 | 3,975 |
| Lower Professional | 1,463 | 1,437 | 899 | 1,500 |
| Employers and Managers | 2,044 | 1,428 | 622 | 1,384 |
| Salaried Employees | 1,432 | 2,407 | 857 | 1,360 |
| Inter. Non-manual | 1,220 | 1,434 | 666 | 1,414 |
| Other Non-manual | 2,396 | 6,145 | 1,550 | 2,736 |
| Skilled Manual | 1,778 | 3,583 | 1,290 | 2,560 |
| Semi-skilled Manual | 2,305 | 2,537 | 1,635 | 1,985 |
| Unskilled Manual | 6,305 | 7,131 | 2,312 | 2,955 |
| Unspecified | 1,196 | 792 | 1,097 | 1,131 |
| All S.E. Groups | 2,587 | 2,930 | 1,367 | 2,070 |

*School leaving age. 1971 Census.

TABLE 28: *Three Counties Combined and St. Loman's. One Year Prevalence 1982. Socio-Economic Group and Sex. Rates per 100,000 Population Aged 15+.*

| | <i>Three Counties Combined</i> | | <i>St. Loman's</i> | |
|------------------------|--------------------------------|---------------|--------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| Farmers etc. | 2,779 | 3,699 | 491 | 1,052 |
| Other Agricultural | 5,220 | 6,213 | 1,313 | 2,167 |
| Higher Professional | 644 | 1,009 | 1,637 | 2,816 |
| Lower Professional | 1,382 | 747 | 1,288 | 863 |
| Employers and Managers | 1,259 | 983 | 514 | 785 |
| Salaried Employees | 1,271 | 1,615 | 618 | 1,521 |
| Inter. Non-manual | 1,614 | 1,049 | 906 | 1,175 |
| Other Non-manual | 1,779 | 4,028 | 1,625 | 2,432 |
| Skilled Manual | 1,255 | 1,936 | 1,197 | 2,339 |
| Semi-skilled Manual | 1,178 | 1,354 | 2,627 | 2,523 |
| Unskilled Manual | 6,840 | 7,075 | 3,544 | 4,172 |
| Unspecified | 656 | 577 | 1,310 | 1,410 |
| All S.E. Groups | 2,329 | 2,240 | 1,478 | 1,905 |

THREE COUNTIES COMBINED AND ST. LOMAN'S REGISTERS
1974 and 1982

Incidence

TABLE 29: *Three Counties Combined. Incidence 1974. Type of Care, Sex and Age. Rates per 100,000 Population Aged 15+.*

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|--------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| 15-19 | 63 | 70 | 88 | 154 | 152 | 224 |
| 20-24 | 48 | 145 | 97 | 328 | 145 | 473 |
| 25-34 | 122 | 63 | 94 | 252 | 216 | 315 |
| 35-44 | 198 | 193 | 161 | 193 | 359 | 386 |
| 45-54 | 177 | 107 | 164 | 228 | 341 | 336 |
| 55-64 | 214 | 121 | 214 | 283 | 429 | 405 |
| 65+ | 261 | 212 | 62 | 151 | 324 | 363 |
| All Aged 15+ | 159 | 131 | 123 | 221 | 283 | 353 |

TABLE 30: *St. Loman's. Incidence 1974. Type of Care, Sex and Age. Rates per 100,000 Population Aged 15+.*

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|--------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| 15-19 | 52 | 118 | 175 | 283 | 228 | 402 |
| 20-24 | 125 | 161 | 354 | 505 | 479 | 666 |
| 25-34 | 116 | 133 | 212 | 257 | 329 | 390 |
| 35-44 | 185 | 140 | 229 | 405 | 414 | 546 |
| 45-54 | 113 | 104 | 203 | 345 | 317 | 449 |
| 55-64 | 177 | 179 | 132 | 243 | 309 | 422 |
| 65+ | 177 | 144 | 195 | 264 | 372 | 409 |
| All Aged 15+ | 128 | 138 | 218 | 325 | 346 | 463 |

TABLE 31: *Three Counties Combined, Incidence, 1982. Type of Care, Sex and Age. Rates per 100,000 Population Aged 15+.*

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|--------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| 15-19 | 102 | 27 | 51 | 137 | 153 | 164 |
| 20-24 | 141 | 87 | 126 | 123 | 267 | 211 |
| 25-34 | 143 | 69 | 170 | 128 | 314 | 198 |
| 35-44 | 188 | 193 | 11 | 90 | 199 | 284 |
| 45-54 | 154 | 69 | 77 | 41 | 231 | 111 |
| 55-64 | 115 | 134 | 128 | 80 | 243 | 215 |
| 65+ | 135 | 137 | 52 | 58 | 188 | 196 |
| All Aged 15+ | 140 | 104 | 89 | 93 | 230 | 197 |

TABLE 32: *St. Loman's. Incidence 1982. Type of Care, Sex and Age. Rates per 100,000 Population Aged 15+.*

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|--------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| 15-19 | 79 | 17 | 131 | 220 | 210 | 238 |
| 20-24 | 75 | 92 | 274 | 380 | 350 | 473 |
| 25-34 | 171 | 92 | 255 | 411 | 427 | 504 |
| 35-44 | 168 | 106 | 192 | 253 | 361 | 359 |
| 45-54 | 133 | 94 | 278 | 240 | 411 | 334 |
| 55-64 | 143 | 98 | 157 | 183 | 300 | 281 |
| 65+ | 236 | 124 | 118 | 147 | 354 | 272 |
| All Aged 15+ | 142 | 88 | 212 | 285 | 354 | 374 |

TABLE 33: *Three Counties Combined. Incidence 1974. Sex, Diagnosis and Type of Care. Rates per 100,000 Population Aged 15+.*

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|---------------------------------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| Organic Psychoses | 27 | 20 | 3 | 14 | 31 | 35 |
| Schizophrenia | 15 | 31 | 27 | 12 | 43 | 14 |
| Other and Unspecified Psychoses | 1 | 0 | 0 | 0 | 1 | 0 |
| Depressive Disorders | 24 | 29 | 36 | 81 | 60 | 110 |
| Mania | 1 | 11 | 1 | 12 | 3 | 24 |
| Neuroses | 12 | 11 | 17 | 68 | 29 | 79 |
| Personality Disorders | 1 | 1 | 10 | 7 | 12 | 9 |
| Alcohol Abuse and Alcoholic Psychoses | 65 | 14 | 17 | 5 | 82 | 20 |
| Drug Dependence | 0 | 0 | 0 | 0 | 0 | 0 |
| Mental Handicap | 6 | 9 | 3 | 11 | 10 | 20 |
| Unspecified | 3 | 1 | 6 | 7 | 10 | 1 |
| All Diagnoses | 159 | 131 | 123 | 221 | 283 | 353 |

TABLE 34: *St. Loman's. Incidence 1974. Sex, Diagnosis and Type of Care. Rates per 100,000 Population Aged 15+.*

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|---------------------------------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| Organic Psychoses | 5 | 10 | 4 | 3 | 9 | 14 |
| Schizophrenia | 19 | 14 | 12 | 17 | 31 | 31 |
| Other and Unspecified Psychoses | 1 | 1 | 1 | 2 | 2 | 3 |
| Depressive Disorders | 24 | 36 | 30 | 104 | 55 | 141 |
| Mania | 9 | 30 | 19 | 48 | 29 | 78 |
| Neuroses | 2 | 18 | 74 | 101 | 77 | 120 |
| Personality Disorders | 6 | 7 | 27 | 17 | 34 | 24 |
| Alcohol Abuse and Alcoholic Psychoses | 45 | 11 | 31 | 7 | 77 | 19 |
| Drug Dependence | 5 | 2 | 4 | 5 | 9 | 7 |
| Mental Handicap | 5 | 2 | 0 | 5 | 5 | 7 |
| Unspecified | 1 | 2 | 12 | 11 | 13 | 14 |
| All Diagnoses | 128 | 138 | 218 | 325 | 346 | 463 |

TABLE 35: Three Counties Combined. Incidence 1982. Sex, Diagnosis and Type of Care. Rates per 100,000 Population Aged 15+.

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|---------------------------------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| Organic Psychoses | 13 | 12 | 1 | 5 | 15 | 18 |
| Schizophrenia | 18 | 7 | 5 | 5 | 23 | 12 |
| Other and Unspecified Psychoses | 0 | 1 | 0 | 1 | 0 | 3 |
| Depressive Disorders | 25 | 34 | 44 | 55 | 69 | 89 |
| Mania | 5 | 10 | 0 | 3 | 5 | 14 |
| Neuroses | 3 | 7 | 11 | 12 | 15 | 19 |
| Personality Disorders | 8 | 7 | 10 | 3 | 18 | 10 |
| Alcohol Abuse and Alcoholic Psychoses | 62 | 19 | 13 | 0 | 76 | 19 |
| Drug Dependence | 0 | 0 | 0 | 0 | 0 | 0 |
| Mental Handicap | 3 | 3 | 3 | 0 | 6 | 3 |
| Unspecified | 0 | 0 | 0 | 5 | 0 | 5 |
| All Diagnoses | 140 | 104 | 89 | 93 | 230 | 197 |

TABLE 36: *St. Loman's. Incidence 1982. Sex, Diagnosis and Type of Care. Rates per 100,000 Population Aged 15+.*

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|---------------------------------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| Organic Psychoses | 17 | 4 | 2 | 4 | 19 | 9 |
| Schizophrenia | 9 | 8 | 6 | 7 | 15 | 16 |
| Other and Unspecified Psychoses | 0 | 1 | 2 | 8 | 2 | 9 |
| Depressive Disorders | 26 | 40 | 73 | 146 | 99 | 186 |
| Mania | 3 | 4 | 5 | 6 | 9 | 11 |
| Neuroses | 17 | 3 | 50 | 71 | 67 | 74 |
| Personality Disorders | 3 | 8 | 17 | 16 | 20 | 24 |
| Alcohol Abuse and Alcoholic Psychoses | 60 | 14 | 36 | 8 | 96 | 23 |
| Drug Dependence | 0 | 0 | 7 | 2 | 7 | 2 |
| Mental Handicap | 3 | 0 | 0 | 0 | 3 | 0 |
| Unspecified | 1 | 1 | 10 | 14 | 11 | 16 |
| All Diagnoses | 142 | 88 | 212 | 285 | 354 | 374 |

TABLE 37: *Three Counties Combined. Incidence 1974. Age, Diagnosis and Type of Care. Rates per 100,000 Population Aged 15+.*

| | 15-24 | | 25-44 | | 45-64 | | 65+ | | All Aged 15+ | |
|---------------------------------------|------------|-------------|------------|-------------|------------|-------------|------------|-------------|--------------|-------------|
| | In-patient | Out-patient | In-patient | Out-patient | In-patient | Out-patient | In-patient | Out-patient | In-patient | Out-patient |
| Organic Psychoses | 3 | 3 | 2 | 8 | 6 | 3 | 118 | 25 | 24 | 8 |
| Schizophrenia | 22 | 18 | 25 | 33 | 19 | 13 | 25 | 10 | 23 | 20 |
| Other and Unspecified Psychoses | 0 | 0 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Depressive Disorders | 15 | 33 | 16 | 39 | 32 | 124 | 51 | 20 | 26 | 57 |
| Mania | 0 | 0 | 2 | 2 | 19 | 16 | 0 | 10 | 6 | 7 |
| Neuroses | 11 | 41 | 8 | 50 | 9 | 39 | 20 | 30 | 11 | 41 |
| Personality Disorders | 3 | 26 | 0 | 5 | 3 | 3 | 0 | 0 | 1 | 8 |
| Alcohol Abuse and Alcoholic Psychoses | 7 | 3 | 76 | 19 | 48 | 13 | 10 | 5 | 41 | 11 |
| Drug Dependence | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Mental Handicap | 11 | 11 | 2 | 5 | 13 | 9 | 5 | 0 | 8 | 7 |
| Unspecified | 3 | 18 | 0 | 5 | 3 | 0 | 5 | 5 | 2 | 7 |
| All Diagnoses | 78 | 157 | 138 | 172 | 156 | 221 | 236 | 107 | 146 | 171 |

TABLE 38: *St. Loman's. Incidence 1974. Age, Diagnosis and Type of Care. Rates per 100,000 Population Aged 15+.*

| | 15-24 | | 25-44 | | 45-64 | | 65+ | | All Aged 15+ | |
|---------------------------------------|-------------------|--------------------|-------------------|--------------------|-------------------|--------------------|-------------------|--------------------|-------------------|--------------------|
| | <i>In-patient</i> | <i>Out-patient</i> | <i>In-patient</i> | <i>Out-patient</i> | <i>In-patient</i> | <i>Out-patient</i> | <i>In-patient</i> | <i>Out-patient</i> | <i>In-patient</i> | <i>Out-patient</i> |
| Organic Psychoses | 2 | 2 | 1 | 3 | 0 | 3 | 71 | 14 | 8 | 4 |
| Schizophrenia | 16 | 23 | 23 | 13 | 9 | 3 | 7 | 21 | 16 | 14 |
| Other and Unspecified Psychoses | 0 | 0 | 1 | 1 | 3 | 6 | 0 | 0 | 1 | 2 |
| Depressive Disorders | 19 | 74 | 24 | 59 | 51 | 72 | 43 | 78 | 30 | 68 |
| Mania | 14 | 28 | 24 | 31 | 24 | 39 | 7 | 50 | 20 | 34 |
| Neuroses | 14 | 124 | 13 | 83 | 6 | 72 | 0 | 43 | 10 | 88 |
| Personality Disorders | 14 | 43 | 0 | 19 | 12 | 6 | 7 | 7 | 7 | 22 |
| Alcohol Abuse and Alcoholic Psychoses | 4 | 7 | 43 | 26 | 33 | 27 | 21 | 7 | 28 | 19 |
| Drug Dependence | 9 | 2 | 3 | 8 | 0 | 3 | 0 | 0 | 4 | 4 |
| Mental Handicap | 12 | 9 | 1 | 0 | 0 | 0 | 0 | 0 | 4 | 2 |
| Unspecified | 4 | 7 | 1 | 18 | 0 | 6 | 0 | 14 | 2 | 12 |
| All Diagnoses | 112 | 322 | 139 | 265 | 139 | 239 | 157 | 236 | 133 | 273 |

TABLE 39: Three Counties Combined. Incidence 1982. Age, Diagnosis and Type of Care. Rates per 100,000 Population Aged 15+.

| | 15-24 | | 25-44 | | 45-64 | | 65+ | | All Aged 15+ | |
|---------------------------------------|------------|-------------|------------|-------------|------------|-------------|------------|-------------|--------------|-------------|
| | In-patient | Out-patient | In-patient | Out-patient | In-patient | Out-patient | In-patient | Out-patient | In-patient | Out-patient |
| Organic Psychoses | 3 | 0 | 0 | 0 | 0 | 3 | 70 | 15 | 13 | 3 |
| Schizophrenia | 14 | 11 | 21 | 2 | 9 | 6 | 0 | 0 | 13 | 5 |
| Other and Unspecified Psychoses | 0 | 3 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Depressive Disorders | 11 | 44 | 26 | 53 | 29 | 62 | 60 | 30 | 29 | 49 |
| Mania | 3 | 3 | 13 | 2 | 9 | 0 | 0 | 0 | 7 | 1 |
| Neuroses | 3 | 14 | 8 | 16 | 6 | 9 | 0 | 5 | 5 | 12 |
| Personality Disorders | 22 | 18 | 5 | 8 | 3 | 0 | 0 | 0 | 7 | 7 |
| Alcohol Abuse and Alcoholic Psychoses | 22 | 3 | 64 | 18 | 56 | 0 | 5 | 0 | 41 | 7 |
| Drug Dependence | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Mental Handicap | 7 | 3 | 2 | 2 | 3 | 0 | 0 | 0 | 3 | 1 |
| Unspecified | 0 | 3 | 0 | 2 | 0 | 0 | 0 | 5 | 0 | 2 |
| All Diagnoses | 88 | 106 | 144 | 106 | 119 | 82 | 136 | 55 | 123 | 91 |

TABLE 40: *St. Loman's. Incidence 1982. Age, Diagnosis and Type of Care. Rates per 100,000 Population Aged 15+.*

| | 15-24 | | 25-44 | | 45-64 | | 65+ | | All Aged 15+ | |
|---------------------------------------|-------------------|--------------------|-------------------|--------------------|-------------------|--------------------|-------------------|--------------------|-------------------|--------------------|
| | <i>In-patient</i> | <i>Out-patient</i> | <i>In-patient</i> | <i>Out-patient</i> | <i>In-patient</i> | <i>Out-patient</i> | <i>In-patient</i> | <i>Out-patient</i> | <i>In-patient</i> | <i>Out-patient</i> |
| Organic Psychoses | 0 | 0 | 1 | 0 | 14 | 5 | 74 | 27 | 10 | 3 |
| Schizophrenia | 9 | 9 | 7 | 7 | 11 | 5 | 6 | 0 | 8 | 7 |
| Other and Unspecified Psychoses | 0 | 6 | 1 | 7 | 0 | 0 | 0 | 6 | 0 | 5 |
| Depressive Disorders | 22 | 95 | 35 | 135 | 35 | 103 | 54 | 61 | 33 | 110 |
| Mania | 2 | 4 | 4 | 6 | 0 | 5 | 20 | 6 | 4 | 5 |
| Neuroses | 6 | 56 | 13 | 77 | 11 | 56 | 0 | 13 | 10 | 61 |
| Personality Disorders | 6 | 31 | 7 | 13 | 5 | 5 | 0 | 6 | 6 | 16 |
| Alcohol Abuse and Alcoholic Psychoses | 13 | 6 | 59 | 32 | 32 | 26 | 13 | 13 | 36 | 22 |
| Drug Dependence | 0 | 11 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 5 |
| Mental Handicap | 2 | 0 | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| Unspecified | 2 | 27 | 0 | 7 | 3 | 8 | 0 | 0 | 1 | 12 |
| All Diagnoses | 65 | 249 | 134 | 292 | 115 | 219 | 169 | 135 | 114 | 250 |

TABLE 41: *Three Counties Combined. Incidence 1974. Diagnosis and Socio-Economic Group. Rates per 100,000 Population Aged 14+**.

| | <i>Upper</i> ¹ | <i>Middle</i> ² | <i>Lower</i> ³ | <i>Unspecified</i> | <i>All S.E. Groups</i> |
|---------------------------------------|---------------------------|----------------------------|---------------------------|--------------------|------------------------|
| Organic Psychoses | 10 | 40 | 42 | 8 | 35 |
| Schizophrenia | 32 | 45 | 73 | 0 | 46 |
| Other and Unspecified Psychoses | 0 | 0 | 3 | 0 | 1 |
| Depressive Disorders | 43 | 98 | 126 | 0 | 89 |
| Mania | 10 | 18 | 11 | 0 | 14 |
| Neuroses | 32 | 50 | 103 | 0 | 56 |
| Personality Disorders | 0 | 8 | 26 | 0 | 11 |
| Alcohol Abuse and Alcoholic Psychoses | 128 | 42 | 80 | 8 | 55 |
| Drug Dependence | 0 | 0 | 0 | 0 | 0 |
| Mental Handicap | 10 | 13 | 30 | 0 | 16 |
| Unspecified | 0 | 10 | 19 | 0 | 10 |
| All Diagnoses | 268 | 328 | 519 | 17 | 336 |

*School leaving age, 1971 census.

¹Higher and Lower Professional, Employers and Managers.

²Salaried Employees, Farmers, Skilled Manual, and Intermediate Non-manual.

³Other Non-manual, Semi-skilled Manual, Other Agricultural and Unskilled Manual.

TABLE 42: *St. Loman's, Incidence 1974. Diagnosis and Socio-Economic Group. Rates per 100,000 Population Aged 14+**.

| | <i>Upper</i> ¹ | <i>Middle</i> ² | <i>Lower</i> ³ | <i>Unspecified</i> | <i>All S.E. Groups</i> |
|---------------------------------------|---------------------------|----------------------------|---------------------------|--------------------|------------------------|
| Organic Psychoses | 0 | 3 | 11 | 164 | 16 |
| Schizophrenia | 95 | 26 | 30 | 149 | 41 |
| Other and Unspecified Psychoses | 0 | 5 | 2 | 14 | 4 |
| Depressive Disorders | 105 | 122 | 143 | 164 | 131 |
| Mania | 38 | 76 | 55 | 194 | 72 |
| Neuroses | 95 | 116 | 134 | 283 | 131 |
| Personality Disorders | 19 | 23 | 57 | 74 | 39 |
| Alcohol Abuse and Alcoholic Psychoses | 9 | 55 | 76 | 119 | 63 |
| Drug Dependence | 0 | 7 | 2 | 119 | 11 |
| Mental Handicap | 0 | 7 | 4 | 59 | 8 |
| Unspecified | 9 | 23 | 13 | 29 | 18 |
| All Diagnoses | 373 | 468 | 533 | 1,373 | 538 |

*School leaving age, 1971 census.

¹Higher and Lower Professional, Employers and Managers.

²Salaried Employees, Farmers, Skilled Manual, and Intermediate Non-manual.

³Other Non-manual, Semi-skilled Manual, Other Agricultural and Unskilled Manual.

TABLE 43: *Three Counties Combined. Incidence 1982. Diagnosis and Socio-Economic Group. Rates per 100,000 Population Aged 15+.*

| | <i>Upper</i> ¹ | <i>Middle</i> ² | <i>Lower</i> ³ | <i>Unspecified</i> | <i>All S.E. Groups</i> |
|---------------------------------------|---------------------------|----------------------------|---------------------------|--------------------|------------------------|
| Organic Psychoses | 0 | 28 | 7 | 0 | 16 |
| Schizophrenia | 7 | 20 | 29 | 0 | 18 |
| Other and Unspecified Psychoses | 7 | 0 | 3 | 0 | 1 |
| Depressive Disorders | 14 | 95 | 120 | 0 | 79 |
| Mania | 0 | 8 | 21 | 0 | 9 |
| Neuroses | 7 | 17 | 32 | 0 | 17 |
| Personality Disorders | 7 | 10 | 36 | 0 | 14 |
| Alcohol Abuse and Alcoholic Psychoses | 36 | 57 | 62 | 0 | 48 |
| Drug Dependence | 0 | 0 | 0 | 0 | 0 |
| Mental Handicap | 0 | 0 | 21 | 0 | 5 |
| Unspecified | 0 | 3 | 3 | 0 | 2 |
| All Diagnoses | 80 | 241 | 339 | 0 | 214 |

¹Higher and Lower Professional, Employers and Managers.

²Salaried Employees, Farmers, Skilled Manual, and Intermediate Non-manual.

³Other Non-manual, Semi-skilled Manual, Other Agricultural and Unskilled Manual.

TABLE 44: *St. Loman's. Incidence 1982. Diagnosis and Socio-Economic Group. Rates per 100,000 Population Aged 15+.*

| | <i>Upper</i> ¹ | <i>Middle</i> ² | <i>Lower</i> ³ | <i>Unspecified</i> | <i>All S.E. Groups</i> |
|---------------------------------------|---------------------------|----------------------------|---------------------------|--------------------|------------------------|
| Organic Psychoses | 8 | 6 | 13 | 74 | 14 |
| Schizophrenia | 4 | 13 | 27 | 0 | 15 |
| Other and Unspecified Psychoses | 0 | 1 | 11 | 24 | 6 |
| Depressive Disorders | 97 | 116 | 190 | 207 | 144 |
| Mania | 4 | 9 | 8 | 33 | 10 |
| Neuroses | 29 | 51 | 109 | 116 | 71 |
| Personality Disorders | 0 | 24 | 31 | 16 | 22 |
| Alcohol Abuse and Alcoholic Psychoses | 25 | 44 | 95 | 58 | 58 |
| Drug Dependence | 0 | 2 | 8 | 16 | 5 |
| Mental Handicap | 0 | 0 | 2 | 16 | 1 |
| Unspecified | 4 | 6 | 25 | 24 | 13 |
| All Diagnoses | 173 | 278 | 525 | 590 | 364 |

¹Higher and Lower Professional, Employers and Managers.²Salaried Employees, Farmers, Skilled Manual, and Intermediate Non-manual.³Other Non-manual, Semi-skilled Manual, Other Agricultural and Unskilled Manual.

TABLE 15: Three Counties Combined. Incidence 1974. Socio-Economic Group, Sex and Type of Care. Rates per 100,000 Population Aged 14+*.

| | Inpatient | | Outpatient | | Both Types of Care | |
|---------------------|-----------|--------|------------|--------|--------------------|--------|
| | Male | Female | Male | Female | Male | Female |
| Upper ¹ | 227 | 168 | 0 | 130 | 227 | 299 |
| Middle ² | 169 | 118 | 121 | 256 | 291 | 375 |
| Lower ³ | 185 | 262 | 219 | 402 | 405 | 664 |
| Unspecified | 29 | 12 | 0 | 0 | 29 | 12 |
| All S.E. Groups | 169 | 140 | 131 | 236 | 300 | 376 |

TABLE 16: St. Loman's. Incidence 1974. Socio-Economic Group, Sex and Type of Care. Rates per 100,000 Population Aged 14+*.

| | Inpatient | | Outpatient | | Both Types of Care | |
|---------------------|-----------|--------|------------|--------|--------------------|--------|
| | Male | Female | Male | Female | Male | Female |
| Upper ¹ | 97 | 187 | 117 | 337 | 215 | 524 |
| Middle ² | 124 | 147 | 223 | 445 | 347 | 592 |
| Lower ³ | 168 | 120 | 366 | 411 | 534 | 531 |
| Unspecified | 877 | 701 | 745 | 543 | 1,623 | 1,244 |
| All S.E. Groups | 170 | 182 | 289 | 429 | 459 | 612 |

*School leaving age. 1971 Census.

¹Higher and Lower Professional, Employers and Managers.²Salaried Employees, Farmers, Skilled Manual and Intermediate Non-manual.³Other Non-manual, Semi-skilled Manual, Other Agricultural and Unskilled Manual.

TABLE 47: *Three Counties Combined. Incidence 1982. Socio-Economic Group, Sex and Type of Care. Rates per 100,000 Population Aged 15+.*

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|---------------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| Upper ¹ | 117 | 52 | 0 | 0 | 117 | 52 |
| Middle ² | 137 | 141 | 86 | 121 | 224 | 262 |
| Lower ³ | 202 | 143 | 161 | 167 | 363 | 310 |
| Unspecified | 0 | 0 | 0 | 0 | 0 | 0 |
| All S.E. Groups | 140 | 104 | 89 | 93 | 230 | 197 |

TABLE 48: *St. Loman's. Incidence 1982. Socio-Economic Group, Sex and Type of Care. Rates per 100,000 Population Aged 15+.*

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|---------------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| Upper ¹ | 77 | 58 | 112 | 99 | 189 | 157 |
| Middle ² | 93 | 78 | 143 | 242 | 236 | 320 |
| Lower ³ | 227 | 83 | 362 | 376 | 590 | 460 |
| Unspecified | 245 | 191 | 191 | 466 | 436 | 657 |
| All S.E. Groups | 142 | 88 | 212 | 285 | 354 | 374 |

¹Higher and Lower Professional, Employers and Managers.²Salaried Employees, Farmers, Skilled Manual and Intermediate Non-manual.³Other Non-manual, Semi-skilled Manual, Other Agricultural and Unskilled Manual.

CARLOW, WESTMEATH AND ROSCOMMON REGISTERS
1974 and 1982

One Day Prevalence

TABLE 49: *Carlow. One Day Prevalence 1974. Type of Care and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|-----------------------|-----------------|---------------|----------------|---------------|--------------------|--------------------------|
| Organic Psychoses | 83 | 26 | 0 | 0 | 26 | 135 |
| Schizophrenia | 352 | 235 | 47 | 0 | 269 | 903 |
| Other and Unspecified | | | | | | |
| Psychoses | 7 | 13 | 0 | 0 | 15 | 36 |
| Depressive Disorders | 26 | 164 | 13 | 0 | 175 | 378 |
| Mania | 26 | 18 | 2 | 0 | 31 | 78 |
| Neuroses | 31 | 263 | 7 | 0 | 284 | 587 |
| Personality Disorders | 10 | 18 | 2 | 0 | 112 | 143 |
| Alcohol Abuse and | | | | | | |
| Alcoholic Psychoses | 15 | 18 | 0 | 0 | 44 | 78 |
| Drug Dependence | 0 | 0 | 0 | 0 | 2 | 2 |
| Mental Handicap | 128 | 31 | 0 | 0 | 31 | 190 |
| Unspecified | 0 | 7 | 0 | 0 | 0 | 7 |
| All Diagnoses | 681 | 796 | 73 | 0 | 992 | 2,544 |

TABLE 50: *Westmeath. One Day Prevalence 1974. Type of Care and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|-----------------------|-----------------|---------------|----------------|---------------|--------------------|--------------------------|
| Organic Psychoses | 92 | 12 | 0 | 0 | 7 | 112 |
| Schizophrenia | 338 | 151 | 0 | 2 | 70 | 563 |
| Other and Unspecified | | | | | | |
| Psychoses | 0 | 34 | 0 | 0 | 4 | 39 |
| Depressive Disorders | 60 | 136 | 0 | 0 | 95 | 292 |
| Mania | 29 | 21 | 0 | 0 | 21 | 73 |
| Neuroses | 19 | 46 | 0 | 0 | 19 | 85 |
| Personality Disorders | 7 | 4 | 0 | 0 | 2 | 14 |
| Alcohol Abuse and | | | | | | |
| Alcoholic Psychoses | 21 | 17 | 0 | 0 | 14 | 53 |
| Drug Dependence | 0 | 0 | 0 | 0 | 0 | 0 |
| Mental Handicap | 238 | 12 | 2 | 0 | 19 | 273 |
| Unspecified | 2 | 4 | 0 | 2 | 7 | 17 |
| All Diagnoses | 881 | 441 | 2 | 4 | 263 | 1,523 |

TABLE 51: Roscommon. One Day Prevalence 1974. Type of Care and Diagnosis. Rates per 100,000 Population Aged 15+.

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|--|-----------------|---------------|----------------|---------------|--------------------|------------------------------|
| Organic Psychoses | 57 | 6 | 0 | 0 | 9 | 72 |
| Schizophrenia | 649 | 209 | 6 | 0 | 88 | 952 |
| Other and Unspecified Psychoses | 12 | 18 | 0 | 0 | 0 | 30 |
| Depressive Disorders | 51 | 206 | 0 | 0 | 24 | 282 |
| Mania | 69 | 48 | 0 | 0 | 12 | 130 |
| Neuroses | 33 | 69 | 0 | 0 | 9 | 112 |
| Personality Disorders | 15 | 9 | 0 | 0 | 6 | 30 |
| Alcohol Abuse and Alcoholic Psychoses | 18 | 24 | 0 | 0 | 6 | 48 |
| Drug Dependence | 3 | 0 | 0 | 0 | 0 | 3 |
| Mental Handicap | 215 | 15 | 0 | 0 | 15 | 245 |
| Unspecified | 0 | 0 | 0 | 0 | 3 | 3 |
| All Diagnoses | 1,125 | 606 | 6 | 0 | 173 | 1,911 |

TABLE 52: *Carlou. One Day Prevalence 1982. Type of Care and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|--|-----------------|---------------|----------------|---------------|--------------------|------------------------------|
| Organic Psychoses | 93 | 2 | 2 | 0 | 25 | 124 |
| Schizophrenia | 450 | 98 | 43 | 7 | 199 | 799 |
| Other and Unspecified Psychoses | 10 | 5 | 0 | 0 | 12 | 27 |
| Depressive Disorders | 60 | 88 | 10 | 0 | 134 | 293 |
| Mania | 27 | 20 | 2 | 0 | 30 | 81 |
| Neuroses | 58 | 73 | 15 | 0 | 156 | 303 |
| Personality Disorders | 20 | 40 | 2 | 2 | 45 | 111 |
| Alcohol Abuse and Alcoholic Psychoses | 22 | 27 | 5 | 0 | 22 | 78 |
| Drug Dependence | 0 | 0 | 0 | 0 | 0 | 0 |
| Mental Handicap | 136 | 0 | 5 | 2 | 20 | 164 |
| Unspecified | 5 | 0 | 0 | 0 | 0 | 5 |
| All Diagnoses | 885 | 356 | 86 | 12 | 647 | 1,989 |

TABLE 53: *Westmeath. One Day Prevalence 1982. Type of Care and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|--|-----------------|---------------|----------------|---------------|--------------------|------------------------------|
| Organic Psychoses | 63 | 11 | 2 | 4 | 7 | 90 |
| Schizophrenia | 296 | 135 | 19 | 0 | 90 | 540 |
| Other and Unspecified Psychoses | 9 | 19 | 2 | 0 | 7 | 37 |
| Depressive Disorders | 113 | 182 | 0 | 11 | 61 | 369 |
| Mania | 63 | 61 | 2 | 7 | 40 | 175 |
| Neuroses | 26 | 42 | 2 | 0 | 7 | 78 |
| Personality Disorders | 9 | 14 | 4 | 0 | 7 | 35 |
| Alcohol Abuse and Alcoholic Psychoses | 59 | 23 | 2 | 2 | 9 | 97 |
| Drug Dependence | 4 | 0 | 0 | 0 | 0 | 4 |
| Mental Handicap | 196 | 21 | 4 | 0 | 2 | 225 |
| Unspecified | 4 | 0 | 0 | 0 | 0 | 4 |
| All Diagnoses | 847 | 511 | 40 | 26 | 232 | 1,657 |

TABLE 54: Roscommon. One Day Prevalence 1982. Type of Care and Diagnosis. Rates per 100,000 Population Aged 15+.

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|--|-----------------|---------------|----------------|---------------|--------------------|------------------------------|
| Organic Psychoses | 64 | 18 | 0 | 0 | 6 | 88 |
| Schizophrenia | 478 | 158 | 54 | 6 | 112 | 810 |
| Other and Unspecified Psychoses | 33 | 42 | 0 | 0 | 6 | 82 |
| Depressive Disorders | 48 | 115 | 15 | 0 | 27 | 207 |
| Mania | 57 | 57 | 3 | 3 | 6 | 127 |
| Neuroses | 33 | 54 | 0 | 3 | 9 | 100 |
| Personality Disorders | 21 | 15 | 0 | 3 | 12 | 51 |
| Alcohol Abuse and Alcoholic Psychoses | 39 | 18 | 0 | 0 | 0 | 57 |
| Drug Dependence | 3 | 0 | 0 | 0 | 0 | 3 |
| Mental Handicap | 164 | 3 | 3 | 0 | 6 | 176 |
| Unspecified | 3 | 0 | 3 | 0 | 0 | 6 |
| All Diagnoses | 947 | 484 | 79 | 15 | 185 | 1,711 |

TABLE 55: *Carlton. One Day Prevalence 1974. Age and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | 15-24 | 25-44 | 45-64 | 65+ | All Aged 15+ |
|---------------------------------------|-------|-------|-------|-------|-----------------|
| Organic Psychoses | 31 | 69 | 41 | 639 | 135 |
| Schizophrenia | 195 | 819 | 1,303 | 1,634 | 903 |
| Other and Unspecified Psychoses | 0 | 15 | 71 | 89 | 36 |
| Depressive Disorders | 92 | 222 | 723 | 639 | 378 |
| Mania | 0 | 61 | 81 | 249 | 78 |
| Neuroses | 123 | 459 | 1,119 | 764 | 587 |
| Personality Disorders | 113 | 214 | 153 | 18 | 143 |
| Alcohol Abuse and Alcoholic Psychoses | 10 | 77 | 142 | 89 | 78 |
| Drug Dependence | 0 | 0 | 0 | 18 | 2 |
| Mental Handicap | 164 | 184 | 295 | 71 | 190 |
| Unspecified | 21 | 8 | 0 | 0 | 7 |
| All Diagnoses | 748 | 2,127 | 3,928 | 4,210 | 2,544 |

TABLE 56: *Westmeath. One Day Prevalence 1974. Age and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | 15-24 | 25-44 | 45-64 | 65+ | All Aged 15+ |
|---------------------------------------|-------|-------|-------|-------|-----------------|
| Organic Psychoses | 19 | 59 | 74 | 444 | 112 |
| Schizophrenia | 183 | 497 | 920 | 714 | 563 |
| Other and Unspecified Psychoses | 19 | 15 | 83 | 48 | 39 |
| Depressive Disorders | 19 | 119 | 607 | 571 | 292 |
| Mania | 0 | 52 | 138 | 127 | 73 |
| Neuroses | 48 | 89 | 101 | 111 | 85 |
| Personality Disorders | 19 | 0 | 18 | 32 | 14 |
| Alcohol Abuse and Alcoholic Psychoses | 19 | 52 | 110 | 16 | 53 |
| Drug Dependence | 0 | 0 | 0 | 0 | 0 |
| Mental Handicap | 145 | 326 | 294 | 333 | 273 |
| Unspecified | 10 | 30 | 0 | 32 | 17 |
| All Diagnoses | 482 | 1,238 | 2,347 | 2,427 | 1,523 |

TABLE 57: Roscommon. One Day Prevalence 1974. Age and Diagnosis. Rates per 100,000 Population Aged 15+.

| | 15-24 | 25-44 | 45-64 | 65+ | All Aged 15+ |
|---------------------------------------|-------|-------|-------|-------|-----------------|
| Organic Psychoses | 0 | 45 | 110 | 120 | 72 |
| Schizophrenia | 152 | 944 | 1,455 | 997 | 952 |
| Other and Unspecified Psychoses | 0 | 0 | 70 | 40 | 30 |
| Depressive Disorders | 15 | 101 | 492 | 452 | 282 |
| Mania | 15 | 34 | 261 | 173 | 130 |
| Neuroses | 30 | 101 | 181 | 106 | 112 |
| Personality Disorders | 30 | 22 | 40 | 27 | 30 |
| Alcohol Abuse and Alcoholic Psychoses | 0 | 67 | 90 | 13 | 48 |
| Drug Dependence | 0 | 11 | 0 | 0 | 3 |
| Mental Handicap | 76 | 348 | 361 | 120 | 245 |
| Unspecified | 0 | 0 | 0 | 13 | 3 |
| All Diagnoses | 320 | 1,674 | 3,061 | 2,060 | 1,911 |

TABLE 58: *Carlton. One Day Prevalence 1982. Age and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | 15-24 | 25-44 | 45-64 | 65+ | All Aged 15+ |
|---------------------------------------|-------|-------|-------|-------|-----------------|
| Organic Psychoses | 19 | 43 | 71 | 588 | 124 |
| Schizophrenia | 49 | 599 | 1,192 | 1,922 | 799 |
| Other and Unspecified Psychoses | 0 | 7 | 40 | 103 | 27 |
| Depressive Disorders | 29 | 166 | 509 | 692 | 293 |
| Mania | 0 | 28 | 132 | 259 | 81 |
| Neuroses | 39 | 202 | 550 | 588 | 303 |
| Personality Disorders | 39 | 130 | 193 | 52 | 111 |
| Alcohol Abuse and Alcoholic Psychoses | 9 | 43 | 173 | 121 | 78 |
| Drug Dependence | 0 | 0 | 0 | 0 | 0 |
| Mental Handicap | 39 | 173 | 305 | 121 | 164 |
| Unspecified | 9 | 0 | 0 | 17 | 5 |
| All Diagnoses | 237 | 1,394 | 3,169 | 4,467 | 1,989 |

TABLE 59: *Westmeath. One Day Prevalence 1982. Age and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | 15-24 | 25-44 | 45-64 | 65+ | All Aged 15+ |
|---------------------------------------|-------|-------|-------|-------|-----------------|
| Organic Psychoses | 18 | 55 | 73 | 313 | 90 |
| Schizophrenia | 131 | 432 | 865 | 908 | 540 |
| Other and Unspecified Psychoses | 0 | 34 | 73 | 47 | 37 |
| Depressive Disorders | 47 | 209 | 607 | 861 | 369 |
| Mania | 0 | 69 | 386 | 344 | 175 |
| Neuroses | 28 | 83 | 110 | 93 | 78 |
| Personality Disorders | 37 | 34 | 55 | 0 | 35 |
| Alcohol Abuse and Alcoholic Psychoses | 28 | 69 | 220 | 62 | 97 |
| Drug Dependence | 9 | 0 | 9 | 0 | 4 |
| Mental Handicap | 94 | 272 | 248 | 297 | 225 |
| Unspecified | 0 | 0 | 9 | 15 | 4 |
| All Diagnoses | 394 | 1,263 | 2,659 | 2,943 | 1,657 |

TABLE 60: *Roscommon. One Day Prevalence 1982. Age and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | 15-24 | 25-44 | 45-64 | 65+ | All Aged 15+ |
|---------------------------------------|-------|-------|-------|-------|-----------------|
| Organic Psychoses | 15 | 32 | 52 | 263 | 88 |
| Schizophrenia | 77 | 612 | 1,282 | 1,080 | 810 |
| Other and Unspecified Psychoses | 15 | 75 | 105 | 118 | 82 |
| Depressive Disorders | 62 | 96 | 304 | 342 | 207 |
| Mania | 31 | 64 | 189 | 210 | 127 |
| Neuroses | 15 | 53 | 178 | 131 | 100 |
| Personality Disorders | 46 | 75 | 52 | 26 | 51 |
| Alcohol Abuse and Alcoholic Psychoses | 15 | 53 | 115 | 26 | 57 |
| Drug Dependence | 0 | 0 | 10 | 0 | 3 |
| Mental Handicap | 62 | 204 | 283 | 105 | 176 |
| Unspecified | 0 | 0 | 0 | 26 | 6 |
| All Diagnoses | 343 | 1,267 | 2,574 | 2,332 | 1,711 |

TABLE 61: *Carlow. One Day Prevalence 1974. Age and Length of Stay. Rates per 100,000 Population Aged 15+.*

| | <i>Under 1 Month</i> | <i>1-6 Months</i> | <i>6 Months- <1 Year</i> | <i>1 Year +</i> | <i>All Lengths of Stay</i> |
|--------------|----------------------|-------------------|---------------------------------|-----------------|--------------------------------|
| 15-24 | 30 | 143 | 102 | 471 | 748 |
| 25-44 | 38 | 168 | 191 | 1,729 | 2,127 |
| 45-64 | 81 | 346 | 305 | 3,195 | 3,928 |
| 65+ | 71 | 195 | 195 | 3,747 | 4,209 |
| All Aged 15+ | 52 | 211 | 198 | 2,082 | 2,544 |

TABLE 62: *Westmeath. One Day Prevalence 1974. Age and Length of Stay. Rates per 100,000 Population Aged 15+.*

| | <i>Under 1 Month</i> | <i>1-6 Months</i> | <i>6 Months- <1 Year</i> | <i>1 Year +</i> | <i>All Lengths of Stay</i> |
|--------------|----------------------|-------------------|---------------------------------|-----------------|--------------------------------|
| 15-24 | 67 | 135 | 48 | 231 | 482 |
| 25-44 | 96 | 348 | 170 | 622 | 1,238 |
| 45-64 | 230 | 441 | 230 | 1,444 | 2,346 |
| 65+ | 47 | 285 | 142 | 1,950 | 2,426 |
| All Aged 15+ | 117 | 309 | 151 | 945 | 1,523 |

TABLE 63: *Roscommon. One Day Prevalence 1974. Age and Length of Stay. Rates per 100,000 Population Aged 15+.*

| | <i>Under 1 Month</i> | <i>1-6 Months</i> | <i>6 Months- <1 Year</i> | <i>1 Year +</i> | <i>All Lengths of Stay</i> |
|--------------|----------------------|-------------------|---------------------------------|-----------------|--------------------------------|
| 15-24 | 121 | 76 | 30 | 91 | 319 |
| 25-44 | 123 | 460 | 157 | 932 | 1,674 |
| 45-64 | 190 | 361 | 401 | 2,107 | 3,060 |
| 65+ | 119 | 319 | 132 | 1,488 | 2,060 |
| All Aged 15+ | 142 | 321 | 200 | 1,247 | 1,911 |

TABLE 64: *Carlow. One Day Prevalence 1982. Age and Length of Stay. Rates per 100,000 Population Aged 15+.*

| | <i>Under 1 Month</i> | <i>1-<6 Months</i> | <i>6 Months-<1 Year</i> | <i>1 Year +</i> | <i>All Lengths of Stay</i> |
|--------------|----------------------|-----------------------|----------------------------|-----------------|----------------------------|
| 15-24 | 19 | 69 | 49 | 99 | 237 |
| 25-44 | 43 | 151 | 180 | 1,018 | 1,394 |
| 45-64 | 51 | 346 | 285 | 2,487 | 3,169 |
| 65+ | 17 | 121 | 155 | 4,173 | 4,467 |
| All Aged 15+ | 35 | 174 | 169 | 1,609 | 1,989 |

TABLE 65: *Westmeath. One Day Prevalence 1982. Age and Length of Stay. Rates per 100,000 Population Aged 15+.*

| | <i>Under 1 Month</i> | <i>1-<6 Months</i> | <i>6 Months-<1 Year</i> | <i>1 Year +</i> | <i>All Lengths of Stay</i> |
|--------------|----------------------|-----------------------|----------------------------|-----------------|----------------------------|
| 15-24 | 28 | 103 | 56 | 206 | 394 |
| 25-44 | 97 | 223 | 90 | 851 | 1,263 |
| 45-64 | 165 | 423 | 165 | 1,904 | 2,659 |
| 65+ | 78 | 234 | 203 | 2,426 | 2,943 |
| All Aged 15+ | 94 | 246 | 118 | 1,198 | 1,657 |

TABLE 66: *Roscommon. One Day Prevalence 1982. Age and Length of Stay. Rates per 100,000 Population Aged 15+.*

| | <i>Under 1 Month</i> | <i>1-<6 Months</i> | <i>6 Months-<1 Year</i> | <i>1 Year +</i> | <i>All Lengths of Stay</i> |
|--------------|----------------------|-----------------------|----------------------------|-----------------|----------------------------|
| 15-24 | 46 | 77 | 62 | 155 | 343 |
| 25-44 | 75 | 289 | 214 | 687 | 1,267 |
| 45-64 | 136 | 378 | 210 | 1,849 | 2,574 |
| 65+ | 92 | 342 | 145 | 1,753 | 2,332 |
| All Aged 15+ | 91 | 286 | 167 | 1,166 | 1,711 |

TABLE 67: *Carlton. One Day Prevalence 1974. Diagnosis and Length of Stay. Rates per 100,000 Population Aged 15+.*

| | <i>Under 1 Month</i> | <i>1-6 Months</i> | <i>6 Months- <1 Year</i> | <i>1 Year +</i> | <i>All Lengths of Stay</i> |
|--|--------------------------|-----------------------|---------------------------------|-----------------|--------------------------------|
| Organic Psychoses | 5 | 16 | 5 | 110 | 135 |
| Schizophrenia | 8 | 50 | 50 | 797 | 903 |
| Other and Unspecified Psychoses | 0 | 3 | 8 | 26 | 36 |
| Depressive Disorders | 18 | 34 | 47 | 280 | 378 |
| Mania | 0 | 13 | 8 | 57 | 78 |
| Neuroses | 8 | 65 | 37 | 478 | 587 |
| Personality Disorders | 3 | 8 | 18 | 115 | 143 |
| Alcohol Abuse and Alcoholic Psychoses | 5 | 13 | 18 | 42 | 78 |
| Drug Dependence | 0 | 0 | 0 | 3 | 2 |
| Mental Handicap | 3 | 8 | 8 | 172 | 190 |
| Unspecified | 3 | 3 | 0 | 3 | 7 |
| All Diagnoses | 52 | 212 | 199 | 2,082 | 2,544 |

TABLE 68: *Westmeath. One Day Prevalence 1974. Diagnosis and Length of Stay. Rates per 100,000 Population Aged 15+.*

| | <i>Under 1 Month</i> | <i>1-6 Months</i> | <i>6 Months- <1 Year</i> | <i>1 Year +</i> | <i>All Lengths of Stay</i> |
|--|--------------------------|-----------------------|---------------------------------|-----------------|--------------------------------|
| Organic Psychoses | 0 | 19 | 12 | 80 | 112 |
| Schizophrenia | 37 | 90 | 49 | 388 | 563 |
| Other and Unspecified Psychoses | 2 | 12 | 7 | 17 | 39 |
| Depressive Disorders | 39 | 93 | 41 | 119 | 292 |
| Mania | 7 | 19 | 7 | 39 | 73 |
| Neuroses | 2 | 22 | 19 | 41 | 85 |
| Personality Disorders | 0 | 0 | 0 | 15 | 14 |
| Alcohol Abuse and Alcoholic Psychoses | 15 | 32 | 2 | 5 | 53 |
| Drug Dependence | 0 | 0 | 0 | 0 | 0 |
| Mental Handicap | 12 | 17 | 12 | 232 | 273 |
| Unspecified | 2 | 5 | 0 | 10 | 17 |
| All Diagnoses | 117 | 310 | 151 | 946 | 1,523 |

TABLE 69: Roscommon. One Day Prevalence 1974. Diagnosis and Length of Stay. Rates per 100,000 Population Aged 15+.

| | Under 1 Month | 1-6 Months | 6 Months- < 1 Year | 1 Year + | All Lengths of Stay |
|--|------------------|---------------|-----------------------|----------|------------------------|
| Organic Psychoses | 6 | 18 | 12 | 36 | 72 |
| Schizophrenia | 64 | 115 | 55 | 719 | 952 |
| Other and Unspecified Psychoses | 9 | 3 | 6 | 12 | 30 |
| Depressive Disorders | 21 | 88 | 79 | 94 | 282 |
| Mania | 9 | 18 | 15 | 88 | 130 |
| Neuroses | 6 | 27 | 18 | 61 | 112 |
| Personality Disorders | 9 | 3 | 0 | 18 | 30 |
| Alcohol Abuse and Alcoholic Psychoses | 12 | 24 | 0 | 12 | 48 |
| Drug Dependence | 0 | 3 | 0 | 0 | 3 |
| Mental Handicap | 6 | 18 | 15 | 206 | 245 |
| Unspecified | 0 | 3 | 0 | 0 | 3 |
| All Diagnoses | 143 | 322 | 200 | 1,247 | 1,911 |

TABLE 70: *Carlton. One Day Prevalence 1982. Diagnosis and Length of Stay. Rates per 100,000 Population Aged 15+.*

| | <i>Under 1 Month</i> | <i>1-6 Months</i> | <i>6 Months- <1 Year</i> | <i>1 Year +</i> | <i>All Lengths of Stay</i> |
|--|--------------------------|-----------------------|---------------------------------|-----------------|--------------------------------|
| Organic Psychoses | 0 | 5 | 5 | 114 | 124 |
| Schizophrenia | 8 | 61 | 63 | 668 | 799 |
| Other and Unspecified Psychoses | 0 | 5 | 5 | 18 | 27 |
| Depressive Disorders | 15 | 30 | 38 | 210 | 293 |
| Mania | 0 | 13 | 18 | 51 | 81 |
| Neuroses | 10 | 23 | 18 | 253 | 303 |
| Personality Disorders | 3 | 23 | 5 | 81 | 111 |
| Alcohol Abuse and Alcoholic Psychoses | 0 | 10 | 15 | 53 | 78 |
| Drug Dependence | 0 | 0 | 0 | 0 | 0 |
| Mental Handicap | 0 | 5 | 3 | 157 | 164 |
| Unspecified | 0 | 0 | 0 | 5 | 5 |
| All Diagnoses | 35 | 175 | 170 | 1,609 | 1,989 |

TABLE 71: *Westmeath. One Day Prevalence 1982. Diagnosis and Length of Stay. Rates per 100,000 Population Aged 15+.*

| | <i>Under 1 Month</i> | <i>1-6 Months</i> | <i>6 Months- <1 Year</i> | <i>1 Year +</i> | <i>All Lengths of Stay</i> |
|--|--------------------------|-----------------------|---------------------------------|-----------------|--------------------------------|
| Organic Psychoses | 12 | 7 | 7 | 64 | 90 |
| Schizophrenia | 9 | 62 | 33 | 436 | 540 |
| Other and Unspecified Psychoses | 5 | 2 | 0 | 31 | 37 |
| Depressive Disorders | 26 | 69 | 36 | 239 | 369 |
| Mania | 17 | 50 | 24 | 85 | 175 |
| Neuroses | 9 | 9 | 5 | 54 | 78 |
| Personality Disorders | 0 | 19 | 5 | 12 | 35 |
| Alcohol Abuse and Alcoholic Psychoses | 14 | 28 | 2 | 50 | 97 |
| Drug Dependence | 0 | 0 | 0 | 5 | 4 |
| Mental Handicap | 0 | 0 | 7 | 218 | 225 |
| Unspecified | 0 | 0 | 0 | 5 | 4 |
| All Diagnoses | 92 | 246 | 118 | 1,198 | 1,657 |

TABLE 72: Roscommon. One Day Prevalence 1982. Diagnosis and Length of Stay. Rates per 100,000 Population Aged 15+.

| | Under 1 Month | 1-6 Months | 6 Months- 1 Year | 1 Year + | All Lengths of Stay |
|--|------------------|---------------|---------------------|----------|------------------------|
| Organic Psychoses | 6 | 12 | 18 | 52 | 88 |
| Schizophrenia | 30 | 101 | 49 | 631 | 810 |
| Other and Unspecified Psychoses | 6 | 24 | 9 | 43 | 82 |
| Depressive Disorders | 15 | 55 | 43 | 91 | 207 |
| Mania | 6 | 30 | 18 | 73 | 127 |
| Neuroses | 9 | 21 | 15 | 55 | 100 |
| Personality Disorders | 3 | 21 | 3 | 24 | 51 |
| Alcohol Abuse and Alcoholic Psychoses | 6 | 12 | 12 | 24 | 57 |
| Drug Dependence | 3 | 0 | 0 | 0 | 3 |
| Mental Handicap | 0 | 9 | 0 | 168 | 176 |
| Unspecified | 0 | 0 | 0 | 6 | 6 |
| All Diagnoses | 85 | 286 | 168 | 1,167 | 1,711 |

TABLE 73: *Carlton. One Day Prevalence 1974. Socio-Economic Group, Sex and Type of Care. Rates per 100,000 Population Aged 14+.**

| | Inpatient | | Outpatient | | Both Types of Care | |
|------------------------|-----------|--------|------------|--------|-----------------------|--------|
| | Male | Female | Male | Female | Male | Female |
| Farmers etc. | 666 | 697 | 2,024 | 2,323 | 2,690 | 3,020 |
| Other Agricultural | 1,088 | 567 | 2,888 | 6,082 | 3,976 | 6,650 |
| Higher Professional | 0 | 212 | 0 | 425 | 0 | 638 |
| Lower Professional | 259 | 522 | 779 | 1,045 | 1,039 | 1,568 |
| Employers and Managers | 382 | 0 | 191 | 411 | 573 | 411 |
| Salaried Employees | 529 | 0 | 1,058 | 2,173 | 1,587 | 2,173 |
| Inter. Non-manual | 745 | 143 | 372 | 956 | 1,118 | 1,100 |
| Other Non-manual | 429 | 1,910 | 1,287 | 4,400 | 1,716 | 6,311 |
| Skilled Manual | 354 | 418 | 1,524 | 3,715 | 1,879 | 4,134 |
| Semi-skilled Manual | 475 | 307 | 1,781 | 1,741 | 2,256 | 2,049 |
| Unskilled Manual | 2,355 | 1,132 | 2,762 | 4,812 | 5,117 | 5,944 |
| Unspecified | 473 | 743 | 0 | 39 | 473 | 782 |
| All S. E. Groups | 818 | 685 | 1,682 | 2,461 | 2,501 | 3,146 |

*School Leaving Age, 1971 Census.

TABLE 74: *Westmeath. One Day Prevalence 1974. Socio-Economic Group, Sex and Type of Care. Rates per 100,000 Population Aged 14+.**

| | Inpatient | | Outpatient | | Both Types of Care | |
|------------------------|-----------|--------|------------|--------|-----------------------|--------|
| | Male | Female | Male | Female | Male | Female |
| Farmers etc. | 891 | 1,148 | 852 | 961 | 1,744 | 2,109 |
| Other Agricultural | 697 | 0 | 279 | 649 | 977 | 649 |
| Higher Professional | 217 | 0 | 217 | 0 | 434 | 0 |
| Lower Professional | 659 | 186 | 164 | 372 | 823 | 558 |
| Employers and Managers | 322 | 0 | 483 | 506 | 806 | 506 |
| Salaried Employees | 568 | 0 | 284 | 1,408 | 852 | 1,408 |
| Inter. Non-manual | 291 | 291 | 208 | 510 | 500 | 801 |
| Other Non-manual | 535 | 1,208 | 611 | 1,265 | 1,146 | 2,474 |
| Skilled Manual | 380 | 482 | 415 | 1,072 | 795 | 1,555 |
| Semi-skilled Manual | 766 | 498 | 1,341 | 1,122 | 2,107 | 1,621 |
| Unskilled Manual | 3,505 | 3,756 | 2,165 | 4,293 | 5,670 | 8,050 |
| Unspecified | 940 | 924 | 0 | 0 | 940 | 924 |
| All S. E. Groups | 917 | 867 | 667 | 906 | 1,585 | 1,774 |

*School Leaving Age, 1971 Census.

TABLE 75: *Roscommon. One Day Prevalence 1974. Socio-Economic Group, Sex and Type of Care. Rates per 100,000 Population Aged 14+.**

| | Inpatient | | Outpatient | | Both Types of Care | |
|------------------------|-----------|--------|------------|--------|-----------------------|--------|
| | Male | Female | Male | Female | Male | Female |
| Farmers etc. | 933 | 1,129 | 666 | 1,103 | 1,599 | 2,232 |
| Other Agricultural | 8,733 | 1,169 | 1,091 | 584 | 9,825 | 1,754 |
| Higher Professional | 0 | 1,067 | 0 | 355 | 0 | 1,423 |
| Lower Professional | 533 | 372 | 533 | 621 | 1,066 | 993 |
| Employers and Managers | 268 | 255 | 268 | 510 | 536 | 765 |
| Salaried Employees | 0 | 0 | 1,273 | 1,694 | 1,273 | 1,694 |
| Inter. Non-manual | 519 | 198 | 519 | 529 | 1,038 | 728 |
| Other Non-manual | 791 | 4,659 | 923 | 1,477 | 1,715 | 6,136 |
| Skilled Manual | 701 | 185 | 350 | 1,390 | 1,052 | 1,575 |
| Semi-skilled Manual | 0 | 0 | 829 | 1,724 | 829 | 1,724 |
| Unskilled Manual | 2,616 | 760 | 1,588 | 1,140 | 4,205 | 1,901 |
| Unspecified | 2,270 | 581 | 0 | 0 | 2,270 | 581 |
| All S. E. Groups | 1,187 | 997 | 657 | 889 | 1,844 | 1,887 |

*School Leaving Age, 1971 Census.

TABLE 76: *Carlou. One Day Prevalence 1982. Socio-Economic Group, Sex and Type of Care. Rates per 100,000 Population Aged 15+.*

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|------------------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| Farmers etc. | 1,116 | 1,022 | 1,703 | 1,448 | 2,819 | 2,470 |
| Other Agricultural | 2,666 | 3,019 | 3,420 | 6,620 | 6,087 | 9,640 |
| Higher Professional | 179 | 543 | 0 | 543 | 179 | 1,087 |
| Lower Professional | 177 | 395 | 531 | 316 | 709 | 711 |
| Employers and Managers | 210 | 121 | 105 | 485 | 315 | 606 |
| Salaried Employees | 0 | 0 | 358 | 500 | 358 | 500 |
| Inter. Non-manual | 783 | 257 | 542 | 368 | 1,325 | 625 |
| Other Non-manual | 500 | 1,901 | 444 | 2,152 | 944 | 4,054 |
| Skilled Manual | 314 | 325 | 493 | 1,266 | 807 | 1,591 |
| Semi-skilled Manual | 539 | 308 | 539 | 493 | 1,079 | 801 |
| Unskilled Manual | 3,121 | 1,575 | 1,717 | 2,965 | 4,838 | 4,541 |
| Unspecified | 368 | 573 | 0 | 120 | 368 | 693 |
| All S. E. Groups | 981 | 788 | 1,006 | 1,202 | 1,987 | 1,990 |

TABLE 77: *Westmeath. One Day Prevalence 1982. Socio-Economic Group, Sex and Type of Care. Rates per 100,000 Population Aged 15+.*

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|------------------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| Farmers etc. | 1,117 | 1,573 | 1,093 | 1,199 | 2,211 | 2,772 |
| Other Agricultural | 1,034 | 414 | 620 | 622 | 1,654 | 1,037 |
| Higher Professional | 438 | 354 | 146 | 0 | 584 | 354 |
| Lower Professional | 464 | 56 | 116 | 281 | 580 | 338 |
| Employers and Managers | 187 | 0 | 93 | 341 | 281 | 341 |
| Salaried Employees | 210 | 0 | 210 | 1,105 | 420 | 1,105 |
| Inter. Non-manual | 367 | 294 | 535 | 589 | 903 | 883 |
| Other Non-manual | 702 | 966 | 447 | 1,449 | 1,149 | 2,415 |
| Skilled Manual | 352 | 592 | 539 | 987 | 891 | 1,580 |
| Semi-skilled Manual | 397 | 471 | 663 | 1,226 | 1,061 | 1,698 |
| Unskilled Manual | 4,178 | 4,480 | 3,205 | 4,277 | 7,384 | 8,757 |
| Unspecified | 588 | 686 | 0 | 0 | 588 | 686 |
| All S. E. Groups | 888 | 805 | 753 | 868 | 1,642 | 1,674 |

TABLE 78: Roscommon. One Day Prevalence 1982. Socio-Economic Group, Sex and Type of Care. Rates per 100,000 Population Aged 15+.

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|------------------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| Farmers etc. | 1,137 | 1,506 | 915 | 1,718 | 2,053 | 3,224 |
| Other Agricultural | 6,632 | 537 | 510 | 0 | 7,142 | 537 |
| Higher Professional | 0 | 369 | 0 | 369 | 0 | 738 |
| Lower Professional | 657 | 180 | 438 | 180 | 1,096 | 361 |
| Employers and Managers | 572 | 461 | 572 | 231 | 1,145 | 692 |
| Salaried Employees | 0 | 1,680 | 1,058 | 0 | 1,058 | 1,680 |
| Inter. Non-manual | 324 | 310 | 324 | 206 | 648 | 517 |
| Other Non-manual | 551 | 2,521 | 993 | 1,680 | 1,545 | 4,201 |
| Skilled Manual | 731 | 352 | 308 | 493 | 1,040 | 845 |
| Semi-skilled Manual | 172 | 176 | 344 | 353 | 517 | 530 |
| Unskilled Manual | 1,501 | 838 | 1,918 | 1,510 | 3,419 | 2,349 |
| Unspecified | 1,056 | 261 | 0 | 32 | 1,056 | 294 |
| All S. E. Groups | 1,037 | 846 | 720 | 814 | 1,757 | 1,661 |

CARLOW, WESTMEATH AND ROSCOMMON REGISTERS
1974 and 1982

One Year Prevalence

TABLE 79: *Carlton. One Year Prevalence 1974. Type of Care and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|---------------------------------------|-----------------|---------------|----------------|---------------|--------------------|--------------------------|
| Organic Psychoses | 112 | 26 | 0 | 0 | 26 | 164 |
| Schizophrenia | 386 | 282 | 47 | 0 | 269 | 984 |
| Other and Unspecified Psychoses | 7 | 15 | 0 | 0 | 15 | 39 |
| Depressive Disorders | 60 | 229 | 13 | 0 | 175 | 478 |
| Mania | 36 | 20 | 2 | 0 | 31 | 91 |
| Neuroses | 54 | 339 | 7 | 2 | 284 | 689 |
| Personality Disorders | 18 | 28 | 2 | 0 | 115 | 164 |
| Alcohol Abuse and Alcoholic Psychoses | 47 | 36 | 0 | 0 | 44 | 128 |
| Drug Dependence | 0 | 0 | 0 | 0 | 2 | 2 |
| Mental Handicap | 130 | 44 | 0 | 0 | 31 | 206 |
| Unspecified | 5 | 10 | 0 | 0 | 0 | 15 |
| All Diagnoses | 859 | 1,034 | 73 | 2 | 995 | 2,965 |

TABLE 80: *Westmeath. One Year Prevalence 1974. Type of Care and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|---------------------------------------|-----------------|---------------|----------------|---------------|--------------------|--------------------------|
| Organic Psychoses | 119 | 21 | 0 | 7 | 7 | 156 |
| Schizophrenia | 409 | 202 | 0 | 4 | 73 | 689 |
| Other and Unspecified Psychoses | 12 | 63 | 0 | 4 | 4 | 85 |
| Depressive Disorders | 153 | 219 | 0 | 24 | 95 | 492 |
| Mania | 39 | 26 | 0 | 2 | 21 | 90 |
| Neuroses | 24 | 78 | 0 | 12 | 19 | 134 |
| Personality Disorders | 14 | 12 | 0 | 2 | 2 | 31 |
| Alcohol Abuse and Alcoholic Psychoses | 109 | 26 | 0 | 4 | 14 | 156 |
| Drug Dependence | 0 | 2 | 0 | 0 | 0 | 2 |
| Mental Handicap | 260 | 19 | 2 | 4 | 19 | 307 |
| Unspecified | 4 | 19 | 0 | 9 | 7 | 41 |
| All Diagnoses | 1,148 | 692 | 2 | 78 | 265 | 2,186 |

TABLE 81: *Roscommon. One Year Prevalence 1974. Type of Care and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|--|-----------------|---------------|----------------|---------------|--------------------|------------------------------|
| Organic Psychoses | 97 | 24 | 0 | 6 | 12 | 139 |
| Schizophrenia | 746 | 254 | 6 | 0 | 106 | 1,113 |
| Other and Unspecified Psychoses | 27 | 24 | 0 | 0 | 0 | 51 |
| Depressive Disorders | 160 | 300 | 0 | 6 | 27 | 494 |
| Mania | 88 | 54 | 0 | 0 | 15 | 157 |
| Neuroses | 51 | 118 | 0 | 0 | 12 | 182 |
| Personality Disorders | 18 | 21 | 0 | 0 | 6 | 45 |
| Alcohol Abuse and Alcoholic Psychoses | 148 | 30 | 0 | 3 | 6 | 188 |
| Drug Dependence | 6 | 0 | 0 | 0 | 0 | 6 |
| Mental Handicap | 233 | 21 | 0 | 3 | 15 | 273 |
| Unspecified | 0 | 3 | 0 | 0 | 3 | 6 |
| All Diagnoses | 1,578 | 852 | 6 | 18 | 203 | 2,658 |

TABLE 82: *Carlton. One Year Prevalence 1982. Type of Care and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|--|-----------------|---------------|----------------|---------------|--------------------|------------------------------|
| Organic Psychoses | 96 | 2 | 2 | 0 | 25 | 126 |
| Schizophrenia | 470 | 103 | 43 | 7 | 202 | 827 |
| Other and Unspecified Psychoses | 10 | 7 | 0 | 0 | 12 | 30 |
| Depressive Disorders | 116 | 108 | 10 | 0 | 136 | 372 |
| Mania | 35 | 22 | 2 | 0 | 30 | 91 |
| Neuroses | 70 | 93 | 15 | 0 | 156 | 336 |
| Personality Disorders | 35 | 40 | 2 | 2 | 45 | 126 |
| Alcohol Abuse and Alcoholic Psychoses | 116 | 27 | 5 | 0 | 22 | 172 |
| Drug Dependence | 0 | 0 | 0 | 0 | 0 | 0 |
| Mental Handicap | 139 | 2 | 5 | 2 | 20 | 169 |
| Unspecified | 5 | 0 | 0 | 0 | 0 | 5 |
| All Diagnoses | 1,095 | 410 | 86 | 12 | 652 | 2,257 |

TABLE 83: *Westmeath. One Year Prevalence 1982. Type of Care and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|--|-----------------|---------------|----------------|---------------|--------------------|------------------------------|
| Organic Psychoses | 85 | 19 | 2 | 4 | 7 | 118 |
| Schizophrenia | 331 | 151 | 19 | 4 | 90 | 596 |
| Other and Unspecified Psychoses | 14 | 28 | 2 | 0 | 7 | 52 |
| Depressive Disorders | 194 | 258 | 0 | 35 | 66 | 554 |
| Mania | 101 | 87 | 2 | 11 | 40 | 243 |
| Neuroses | 30 | 56 | 2 | 2 | 7 | 99 |
| Personality Disorders | 33 | 30 | 4 | 4 | 7 | 80 |
| Alcohol Abuse and Alcoholic Psychoses | 198 | 33 | 2 | 14 | 11 | 260 |
| Drug Dependence | 4 | 0 | 0 | 0 | 0 | 4 |
| Mental Handicap | 203 | 26 | 4 | 2 | 2 | 239 |
| Unspecified | 11 | 4 | 0 | 2 | 0 | 19 |
| All Diagnoses | 1,210 | 696 | 40 | 82 | 239 | 2,268 |

TABLE 84: *Roscommon. One Year Prevalence 1982. Type of Care and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | <i>Hospital</i> | <i>Clinic</i> | <i>Daycare</i> | <i>Hostel</i> | <i>Domiciliary</i> | <i>All Types of Care</i> |
|--|-----------------|---------------|----------------|---------------|--------------------|------------------------------|
| Organic Psychoses | 97 | 33 | 0 | 0 | 6 | 137 |
| Schizophrenia | 551 | 185 | 57 | 6 | 115 | 916 |
| Other and Unspecified Psychoses | 64 | 67 | 0 | 0 | 9 | 140 |
| Depressive Disorders | 121 | 204 | 15 | 0 | 30 | 371 |
| Mania | 88 | 97 | 3 | 3 | 6 | 198 |
| Neuroses | 45 | 91 | 0 | 3 | 9 | 149 |
| Personality Disorders | 27 | 18 | 0 | 3 | 12 | 60 |
| Alcohol Abuse and Alcoholic Psychoses | 146 | 24 | 0 | 0 | 0 | 170 |
| Drug Dependence | 3 | 0 | 0 | 0 | 0 | 3 |
| Mental Handicap | 173 | 3 | 3 | 0 | 6 | 185 |
| Unspecified | 3 | 3 | 3 | 0 | 0 | 9 |
| All Diagnoses | 1,321 | 728 | 82 | 15 | 194 | 2,342 |

TABLE 85: *Carlton. One Year Prevalence 1974. Age and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | 15-24 | 25-44 | 45-64 | 65+ | All Aged 15+ |
|---------------------------------------|-------|-------|-------|-------|-----------------|
| Organic Psychoses | 41 | 76 | 40 | 799 | 164 |
| Schizophrenia | 246 | 933 | 1,384 | 1,687 | 984 |
| Other and Unspecified Psychoses | 0 | 15 | 81 | 88 | 39 |
| Depressive Disorders | 143 | 283 | 926 | 728 | 478 |
| Mania | 0 | 68 | 101 | 284 | 91 |
| Neuroses | 215 | 551 | 1,221 | 905 | 689 |
| Personality Disorders | 164 | 221 | 173 | 17 | 164 |
| Alcohol Abuse and Alcoholic Psychoses | 10 | 145 | 223 | 124 | 128 |
| Drug Dependence | 0 | 0 | 0 | 17 | 2 |
| Mental Handicap | 194 | 191 | 315 | 71 | 206 |
| Unspecified | 41 | 7 | 0 | 17 | 15 |
| All Diagnoses | 1,955 | 2,494 | 4,467 | 4,742 | 2,965 |

TABLE 86: *Westmeath. One Year Prevalence 1974. Age and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | 15-24 | 25-44 | 45-64 | 65+ | All Aged 15+ |
|---------------------------------------|-------|-------|-------|-------|-----------------|
| Organic Psychoses | 38 | 81 | 92 | 618 | 156 |
| Schizophrenia | 260 | 682 | 1,067 | 761 | 689 |
| Other and Unspecified Psychoses | 57 | 74 | 119 | 95 | 85 |
| Depressive Disorders | 86 | 207 | 975 | 935 | 492 |
| Mania | 0 | 89 | 147 | 142 | 90 |
| Neuroses | 96 | 170 | 128 | 126 | 134 |
| Personality Disorders | 57 | 14 | 27 | 31 | 31 |
| Alcohol Abuse and Alcoholic Psychoses | 48 | 200 | 257 | 63 | 156 |
| Drug Dependence | 0 | 7 | 0 | 0 | 2 |
| Mental Handicap | 173 | 378 | 331 | 333 | 307 |
| Unspecified | 48 | 51 | 18 | 47 | 41 |
| All Diagnoses | 868 | 1,957 | 3,165 | 3,156 | 2,186 |

TABLE 87: *Roscommon. One Year Prevalence 1974. Age and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | 15-24 | 25-44 | 45-64 | 65+ | All Aged 15+ |
|---------------------------------------|-------|-------|-------|-------|-----------------|
| Organic Psychoses | 0 | 67 | 150 | 332 | 139 |
| Schizophrenia | 243 | 1,247 | 1,605 | 1,063 | 1,113 |
| Other and Unspecified Psychoses | 0 | 0 | 120 | 66 | 51 |
| Depressive Disorders | 30 | 202 | 893 | 717 | 494 |
| Mania | 30 | 44 | 311 | 199 | 157 |
| Neuroses | 76 | 168 | 250 | 199 | 182 |
| Personality Disorders | 60 | 33 | 60 | 26 | 45 |
| Alcohol Abuse and Alcoholic Psychoses | 15 | 314 | 291 | 53 | 188 |
| Drug Dependence | 0 | 22 | 0 | 0 | 6 |
| Mental Handicap | 121 | 370 | 391 | 132 | 273 |
| Unspecified | 15 | 0 | 0 | 13 | 6 |
| All Diagnoses | 594 | 2,471 | 4,074 | 2,804 | 2,658 |

TABLE 88: *Carlton. One Year Prevalence 1982. Age and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | 15-24 | 25-44 | 45-64 | 65+ | All Aged 15+ |
|---------------------------------------|-------|-------|-------|-------|-----------------|
| Organic Psychoses | 19 | 43 | 71 | 606 | 126 |
| Schizophrenia | 69 | 635 | 1,223 | 1,939 | 827 |
| Other and Unspecified Psychoses | 0 | 7 | 40 | 121 | 30 |
| Depressive Disorders | 69 | 224 | 642 | 796 | 372 |
| Mania | 0 | 50 | 132 | 277 | 91 |
| Neuroses | 49 | 245 | 611 | 588 | 336 |
| Personality Disorders | 69 | 144 | 203 | 52 | 126 |
| Alcohol Abuse and Alcoholic Psychoses | 9 | 180 | 346 | 138 | 172 |
| Drug Dependence | 0 | 0 | 0 | 0 | 0 |
| Mental Handicap | 39 | 180 | 316 | 121 | 169 |
| Unspecified | 9 | 0 | 0 | 17 | 5 |
| All Diagnoses | 337 | 1,712 | 3,587 | 4,658 | 2,257 |

TABLE 89: *Westmeath. One Year Prevalence 1982. Age and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | 15-24 | 25-44 | 45-64 | 65+ | All Aged 15+ |
|---------------------------------------|-------|-------|-------|-------|-----------------|
| Organic Psychoses | 28 | 76 | 82 | 422 | 118 |
| Schizophrenia | 178 | 509 | 920 | 939 | 596 |
| Other and Unspecified Psychoses | 0 | 55 | 101 | 47 | 52 |
| Depressive Disorders | 122 | 390 | 846 | 1,143 | 554 |
| Mania | 9 | 111 | 533 | 438 | 243 |
| Neuroses | 37 | 125 | 119 | 109 | 99 |
| Personality Disorders | 112 | 90 | 73 | 15 | 80 |
| Alcohol Abuse and Alcoholic Psychoses | 94 | 342 | 432 | 62 | 260 |
| Drug Dependence | 9 | 0 | 9 | 0 | 4 |
| Mental Handicap | 122 | 293 | 248 | 297 | 239 |
| Unspecified | 9 | 27 | 9 | 31 | 19 |
| All Diagnoses | 723 | 2,024 | 3,376 | 3,507 | 2,268 |

TABLE 90: *Roscommon. One Year Prevalence 1982. Age and Diagnosis. Rates per 100,000 Population Aged 15+.*

| | 15-24 | 25-44 | 45-64 | 65+ | All Aged 15+ |
|---------------------------------------|-------|-------|-------|-------|-----------------|
| Organic Psychoses | 15 | 43 | 73 | 435 | 137 |
| Schizophrenia | 93 | 773 | 1,439 | 1,133 | 916 |
| Other and Unspecified Psychoses | 31 | 150 | 178 | 171 | 140 |
| Depressive Disorders | 124 | 204 | 514 | 606 | 371 |
| Mania | 62 | 118 | 283 | 303 | 198 |
| Neuroses | 46 | 85 | 273 | 158 | 149 |
| Personality Disorders | 62 | 85 | 52 | 39 | 60 |
| Alcohol Abuse and Alcoholic Psychoses | 15 | 225 | 304 | 65 | 170 |
| Drug Dependence | 0 | 0 | 10 | 0 | 3 |
| Mental Handicap | 93 | 214 | 283 | 105 | 185 |
| Unspecified | 0 | 10 | 0 | 26 | 9 |
| All Diagnoses | 545 | 1,911 | 3,415 | 3,044 | 2,342 |

TABLE 91: *Carlów. One Year Prevalence 1974. Socio-Economic Group, Sex and Type of Care. Rates per 100,000 Population Aged 14+.**

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|------------------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| Farmers etc. | 839 | 995 | 2,221 | 2,555 | 3,061 | 3,551 |
| Other Agricultural | 1,297 | 1,054 | 3,181 | 6,650 | 4,478 | 7,704 |
| Higher Professional | 1,680 | 212 | 0 | 425 | 1,680 | 638 |
| Lower Professional | 259 | 784 | 779 | 1,437 | 1,039 | 2,222 |
| Employers and Managers | 1,529 | 617 | 191 | 617 | 1,720 | 1,234 |
| Salaried Employees | 529 | 724 | 1,058 | 2,898 | 1,587 | 3,623 |
| Inter. Non-manual | 808 | 239 | 497 | 1,196 | 1,305 | 1,435 |
| Other Non-manual | 715 | 2,142 | 1,716 | 5,037 | 2,432 | 7,180 |
| Skilled Manual | 425 | 471 | 1,631 | 4,657 | 2,056 | 5,128 |
| Semi-skilled Manual | 475 | 409 | 1,781 | 1,946 | 2,256 | 2,356 |
| Unskilled Manual | 2,400 | 1,486 | 3,034 | 5,237 | 5,434 | 6,723 |
| Unspecified | 567 | 782 | 0 | 39 | 567 | 821 |
| All S. E. Groups | 1,004 | 894 | 1,862 | 2,825 | 2,866 | 3,718 |

*School Leaving Age, 1971 Census.

TABLE 92: *Westmeath. One Year Prevalence 1974. Socio-Economic Group, Sex and Type of Care. Rates per 100,000 Population Aged 14+.**

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|------------------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| Farmers etc. | 1,376 | 1,522 | 1,221 | 1,281 | 2,597 | 2,803 |
| Other Agricultural | 767 | 324 | 348 | 649 | 1,116 | 974 |
| Higher Professional | 652 | 619 | 217 | 0 | 869 | 619 |
| Lower Professional | 1,318 | 372 | 164 | 558 | 1,482 | 931 |
| Employers and Managers | 1,290 | 337 | 645 | 675 | 1,935 | 1,013 |
| Salaried Employees | 1,136 | 352 | 284 | 1,760 | 1,420 | 2,112 |
| Inter. Non-manual | 375 | 583 | 416 | 1,056 | 792 | 1,639 |
| Other Non-manual | 841 | 2,071 | 841 | 2,301 | 1,682 | 4,372 |
| Skilled Manual | 864 | 697 | 553 | 1,823 | 1,418 | 2,520 |
| Semi-skilled Manual | 766 | 997 | 2,107 | 1,621 | 2,873 | 2,618 |
| Unskilled Manual | 4,278 | 4,382 | 3,041 | 5,456 | 7,319 | 9,839 |
| Unspecified | 1,008 | 924 | 0 | 0 | 1,008 | 924 |
| All S. E. Groups | 1,313 | 1,210 | 949 | 1,348 | 2,262 | 2,559 |

*School Leaving Age, 1971 Census.

TABLE 93: Roscommon. One Year Prevalence 1974. Socio-Economic Group, Sex and Type of Care. Rates per 100,000 Population Aged 14+.*

| | Inpatient | | Outpatient | | Both Types of Care | |
|------------------------|-----------|--------|------------|--------|--------------------|--------|
| | Male | Female | Male | Female | Male | Female |
| Farmers etc. | 1,314 | 1,470 | 885 | 1,431 | 2,199 | 2,902 |
| Other Agricultural | 9,388 | 1,169 | 1,528 | 1,169 | 10,917 | 2,339 |
| Higher Professional | 1,136 | 1,779 | 378 | 711 | 1,515 | 2,491 |
| Lower Professional | 1,333 | 621 | 533 | 745 | 1,866 | 1,366 |
| Employers and Managers | 2,412 | 1,275 | 268 | 1,020 | 2,681 | 2,295 |
| Salaried Employees | 0 | 0 | 1,273 | 1,694 | 1,273 | 1,694 |
| Inter: Non-manual | 1,211 | 331 | 778 | 728 | 1,989 | 1,059 |
| Other Non-manual | 1,978 | 5,568 | 1,583 | 2,045 | 3,562 | 7,613 |
| Skilled Manual | 1,228 | 556 | 701 | 2,131 | 1,929 | 2,687 |
| Semi-skilled Manual | 0 | 862 | 1,244 | 2,155 | 1,244 | 3,017 |
| Unskilled Manual | 3,925 | 1,140 | 2,336 | 1,330 | 6,261 | 2,471 |
| Unspecified | 2,270 | 581 | 0 | 0 | 2,270 | 581 |
| All S. E. Groups | 1,727 | 1,325 | 930 | 1,192 | 2,658 | 2,518 |

*School Leaving Age, 1971 Census.

TABLE 94: *Carlisle. One Year Prevalence 1982. Socio-Economic Group, Sex and Type of Care. Rates per 100,000 Population Aged 15+.*

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|------------------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| Farmers etc. | 1,204 | 1,362 | 1,791 | 1,490 | 2,995 | 2,853 |
| Other Agricultural | 2,956 | 3,252 | 3,652 | 7,084 | 6,608 | 10,336 |
| Higher Professional | 1,077 | 905 | 0 | 543 | 1,077 | 1,449 |
| Lower Professional | 886 | 711 | 531 | 316 | 1,418 | 1,027 |
| Employers and Managers | 1,157 | 485 | 105 | 485 | 1,263 | 970 |
| Salaried Employees | 1,075 | 1,000 | 358 | 500 | 1,433 | 1,500 |
| Inter. Non-manual | 1,024 | 441 | 662 | 405 | 1,686 | 846 |
| Other Non-manual | 777 | 2,002 | 500 | 2,252 | 1,277 | 4,254 |
| Skilled Manual | 359 | 470 | 516 | 1,302 | 875 | 1,772 |
| Semi-skilled Manual | 539 | 369 | 539 | 554 | 1,079 | 924 |
| Unskilled Manual | 3,486 | 1,853 | 1,769 | 3,058 | 5,254 | 4,912 |
| Unspecified | 368 | 573 | 0 | 120 | 368 | 693 |
| All S. E. Groups | 1,216 | 972 | 1,066 | 1,258 | 2,283 | 2,230 |

TABLE 95: *Westmeath. One Year Prevalence 1982. Socio-Economic Group, Sex and Type of Care. Rates per 100,000 Population Aged 15+.*

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|------------------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| Farmers etc. | 1,522 | 1,873 | 1,284 | 1,348 | 2,806 | 3,222 |
| Other Agricultural | 1,137 | 414 | 723 | 622 | 1,861 | 1,037 |
| Higher Professional | 438 | 531 | 146 | 0 | 584 | 531 |
| Lower Professional | 929 | 281 | 232 | 338 | 1,161 | 619 |
| Employers and Managers | 468 | 227 | 93 | 455 | 562 | 683 |
| Salaried Employees | 420 | 276 | 210 | 1,381 | 630 | 1,657 |
| Inter. Non-manual | 903 | 455 | 836 | 776 | 1,739 | 1,231 |
| Other Non-manual | 1,277 | 1,352 | 766 | 1,884 | 2,043 | 3,236 |
| Skilled Manual | 750 | 869 | 797 | 1,501 | 1,548 | 2,370 |
| Semi-skilled Manual | 928 | 754 | 795 | 1,603 | 1,724 | 2,358 |
| Unskilled Manual | 5,953 | 5,499 | 3,949 | 5,906 | 9,902 | 11,405 |
| Unspecified | 588 | 686 | 0 | 0 | 588 | 686 |
| All S. E. Groups | 1,364 | 1,048 | 980 | 1,140 | 2,345 | 2,188 |

TABLE 96: Roscommon. One Year Prevalence 1982. Socio-Economic Group, Sex and Type of Care. Rates per 100,000 Population Aged 15+.

| | <i>Inpatient</i> | | <i>Outpatient</i> | | <i>Both Types of Care</i> | |
|------------------------|------------------|---------------|-------------------|---------------|---------------------------|---------------|
| | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> | <i>Male</i> | <i>Female</i> |
| Farmers etc. | 1,477 | 2,100 | 1,190 | 2,291 | 2,667 | 4,391 |
| Other Agricultural | 6,887 | 537 | 510 | 0 | 7,398 | 537 |
| Higher Professional | 0 | 738 | 0 | 369 | 0 | 1,107 |
| Lower Professional | 1,096 | 361 | 657 | 271 | 1,754 | 632 |
| Employers and Managers | 2,099 | 1,154 | 572 | 461 | 2,671 | 1,616 |
| Salaried Employees | 1,587 | 1,680 | 1,058 | 0 | 2,645 | 1,680 |
| Inter. Non-manual | 486 | 517 | 729 | 465 | 1,216 | 982 |
| Other Non-manual | 993 | 3,081 | 1,324 | 2,054 | 2,317 | 5,135 |
| Skilled Manual | 1,040 | 704 | 385 | 775 | 1,425 | 1,479 |
| Semi-skilled Manual | 344 | 176 | 344 | 530 | 689 | 706 |
| Unskilled Manual | 2,585 | 1,845 | 2,335 | 2,013 | 4,920 | 3,859 |
| Unspecified | 1,056 | 261 | 0 | 65 | 1,056 | 327 |
| All S. E. Groups | 1,428 | 1,202 | 933 | 1,118 | 2,362 | 2,320 |

CARLOW, WESTMEATH AND ROSCOMMON REGISTERS
1974 and 1982

Incidence

TABLE 97: *Carlow, Westmeath and Roscommon. Incidence 1974 and 1982. Type of Care. Rates per 100,000 Population Aged 15+.*

| | 1974 | | | 1982 | | |
|--------------------|---------------|------------------|------------------|---------------|------------------|------------------|
| | <i>Carlow</i> | <i>Westmeath</i> | <i>Roscommon</i> | <i>Carlow</i> | <i>Westmeath</i> | <i>Roscommon</i> |
| Inpatient | 109 | 134 | 203 | 86 | 142 | 143 |
| Outpatient | 211 | 180 | 112 | 32 | 137 | 103 |
| Both Types of Care | 321 | 314 | 315 | 118 | 279 | 246 |

TABLE 98: *Carlow, Westmeath and Roscommon. Incidence 1974 and 1982. Sex. Rates per 100,000 Population Aged 15+.*

| | 1974 | | | 1982 | | |
|------------|---------------|------------------|------------------|---------------|------------------|------------------|
| | <i>Carlow</i> | <i>Westmeath</i> | <i>Roscommon</i> | <i>Carlow</i> | <i>Westmeath</i> | <i>Roscommon</i> |
| Male | 224 | 260 | 378 | 105 | 333 | 247 |
| Female | 422 | 371 | 245 | 133 | 223 | 245 |
| Both Sexes | 321 | 314 | 315 | 118 | 279 | 246 |

TABLE 99: *Carlow, Westmeath and Roscommon. Incidence 1974 and 1982. Age. Rates per 100,000 Population Aged 15+.*

| | 1974 | | | 1982 | | |
|--------------|---------------|------------------|------------------|---------------|------------------|------------------|
| | <i>Carlow</i> | <i>Westmeath</i> | <i>Roscommon</i> | <i>Carlow</i> | <i>Westmeath</i> | <i>Roscommon</i> |
| 15-24 | 246 | 289 | 137 | 49 | 310 | 233 |
| 25-44 | 298 | 318 | 314 | 166 | 321 | 268 |
| 45-64 | 396 | 358 | 381 | 152 | 211 | 241 |
| 65+ | 373 | 269 | 385 | 69 | 250 | 237 |
| All Aged 15+ | 321 | 314 | 315 | 118 | 279 | 246 |

TABLE 100: *Carlow, Westmeath and Roscommon. Incidence 1974 and 1982. Diagnosis. Rates per 100,000 Population Aged 15+.*

| | 1974 | | | 1982 | | |
|---------------------------------------|---------------|------------------|------------------|---------------|------------------|------------------|
| | <i>Carlow</i> | <i>Westmeath</i> | <i>Roscommon</i> | <i>Carlow</i> | <i>Westmeath</i> | <i>Roscommon</i> |
| Organic Psychoses | 28 | 21 | 51 | 2 | 16 | 33 |
| Schizophrenia | 57 | 31 | 42 | 7 | 21 | 27 |
| Other and Unspecified Psychoses | 0 | 2 | 0 | 0 | 2 | 3 |
| Depressive Disorders | 70 | 107 | 72 | 38 | 101 | 100 |
| Mania | 7 | 4 | 30 | 7 | 11 | 9 |
| Neuroses | 88 | 41 | 27 | 25 | 9 | 18 |
| Personality Disorders | 18 | 9 | 3 | 12 | 21 | 9 |
| Alcohol Abuse and Alcoholic Psychoses | 26 | 60 | 72 | 20 | 80 | 42 |
| Drug Dependence | 0 | 0 | 0 | 0 | 0 | 0 |
| Mental Handicap | 15 | 17 | 12 | 5 | 7 | 3 |
| Unspecified | 7 | 17 | 3 | 0 | 7 | 0 |
| All Diagnoses | 321 | 314 | 315 | 118 | 279 | 246 |

TABLE 101: *Carlow, Westmeath and Roscommon. Incidence 1974 and 1982. Socio-Economic Group. Rates per 100,000 Population Aged 14+ and 15+ respectively.**

| | 1974 | | | 1982 | | |
|---------------------|---------------|------------------|------------------|---------------|------------------|------------------|
| | <i>Carlow</i> | <i>Westmeath</i> | <i>Roscommon</i> | <i>Carlow</i> | <i>Westmeath</i> | <i>Roscommon</i> |
| Upper ¹ | 167 | 260 | 401 | 63 | 85 | 96 |
| Middle ² | 347 | 360 | 289 | 117 | 296 | 292 |
| Lower ³ | 500 | 517 | 576 | 186 | 519 | 363 |
| Unspecified | 55 | 0 | 0 | 0 | 0 | 0 |
| All S.E. Groups | 355 | 346 | 307 | 118 | 279 | 246 |

*School leaving age, 1971 and 1981 censuses.

¹Higher and Lower Professional, Employers and Managers.

²Salaried Employees, Farmers, Skilled Manual, and Intermediate Non-manual.

³Other Non-manual, Semi-skilled Manual, Other Agricultural and Unskilled Manual.

APPENDIX

Three County Psychiatric Case Register*

Admission

Card Code

1-3

| | | |
|---|---|---|
| 2 | 1 | 0 |
|---|---|---|

Patient No.

9-14

| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
|--|--|--|--|--|--|

Clinic Code

15-19

| | | | | |
|--|--|--|--|--|
| | | | | |
|--|--|--|--|--|

Contact No.

24-27

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

Date of Entry to Care

29-34

| | | | | | |
|-----|-------|------|--|--|--|
| | | | | | |
| Day | Month | Year | | | |

Date of Birth

35-40

| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
|--|--|--|--|--|--|

Referral Agent

41

Diagnosis (1) on Admission

I.C.D. Code 42-45

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

 ·

Diagnosis (2) on Admission

I.C.D. Code 46-49

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

 ·

Completed By..... Date.....

Discharge

To be Completed on Leaving

Discharge/Transfer to.....

Date Left

50-55

| | | | | | |
|-----|-------|------|--|--|--|
| | | | | | |
| Day | Month | Year | | | |

Diagnosis (1) on Discharge

I.C.D. Code 56-59

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

 ·

Diagnosis (2) on Discharge

I.C.D. Code 60-63

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

 ·

Reason for Discharge

1. Transfer Discharge 3. Death 44.

Completed By..... Date.....

T.C.R. 210(2)

*Similar core data are collected by the St. Loman's Psychiatric Case Register.

Three County Psychiatric Case Register*

Patient Detail (1)

Card Code

1-3

| | | |
|---|---|---|
| 1 | 3 | 0 |
|---|---|---|

Patient No.

4-9

| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
|--|--|--|--|--|--|

Date of Birth

10-15

| Day | | Month | | Year | |
|-----|--|-------|--|------|--|
| | | | | | |

Sex 1. Male; 2. Female

16

Marital Status 1. Single; 2. Married; 3. Widowed;
4. Other; 5. Not known

17

Area of Residence

18-21

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

Time at Usual Residence

Years
22-23

| | |
|--|--|
| | |
|--|--|

No Fixed Abode

24

Occupation

A.S.S. 25

No. of job changes
in last year

} For occupation recorded

26-27

| | |
|--|--|
| | |
|--|--|

Date last worked

28-33

| Day | Month | Year |
|-----|-------|------|
| | | |

Age Finished Full Time Education

34-35

| | |
|--|--|
| | |
|--|--|

Qualification

36

Housing

37

No. of Rooms

38-39

| | |
|--|--|
| | |
|--|--|

Patient and Siblings

40-55

| | | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | |

Migration History

56-71

Three County Psychiatric Case Register*

Patient Detail (2)

Card Code

1-3

| | | |
|---|---|---|
| 1 | 3 | 0 |
|---|---|---|

Patient No.

4-9

| | | | | | |
|--|--|--|--|--|--|
| | | | | | |
|--|--|--|--|--|--|

Marital History

| | Year of Marr. | | Age at Marr. patient/spouse | | | Year Marr. ended | | How ended | Total Children | | Deceased Children | |
|-------------|---------------|----|-----------------------------|----|----|------------------|----|-----------|----------------|---|-------------------|---|
| | 10 | 11 | 12 | 13 | 14 | 15 | 16 | | 17 | M | F | M |
| Most recent | | | | | | | | W Sep. O | | | | |
| Second | | | | | | | | W Sep. O | | | | |
| Third | | | | | | | | W Sep. O | | | | |

Total No. of Marriages and Children

| 18-26 | Marr. | | Total Children | | Deceased Children | |
|-------|-------|---|----------------|---|-------------------|---|
| | M | F | M | F | M | F |
| | | | | | | |

Family History Summary

| Household | | | | History | Inp. Times | Op. Times | D.P.A. | P.C.H. | | |
|-----------|----|----|----|---------|------------|-----------|--------|--------|----|----|
| Rel. | | | | | | | | | | |
| 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 |
| | | | | | | | | | | |

Usual Household Complement

| Relationship | Age | Sex | Relationship | Age | Sex | Relationship | Age | Sex |
|--------------|-----|-----|--------------|-----|-----|--------------|-----|-----|
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

Family History of Psychiatric Illness

| RELATIONSHIP | RELATIONSHIP |
|----------------|----------------|
| IN/OUT/G.P./NT | IN/OUT/G.P./NT |
| IN/OUT/G.P./NT | IN/OUT/G.P./NT |
| IN/OUT/G.P./NT | IN/OUT/G.P./NT |
| IN/OUT/G.P./NT | IN/OUT/G.P./NT |

Psychiatric Treatment Record

| TYPE OF CARE | HOSP./CLINIC | DATE COMMENCED | DURATION | IN CARE OF |
|--------------|--------------|----------------|----------|------------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

With the Compliments
of

Dr. Dermot Walsh

The Health Research Board
73 Lv. Baggot Street, Dublin 2

Telephones 761176/766076

